-


CONTENTS

CONTRACTOR TOOLS	2
TRADESMAN TOOLS	14
ROAD SAFETY, ROAD BARRIER & ROAD MATERIALS	60
SITE SUPPLIES	80
SITE WELFARE & HYGIENE	114
SAFETY SIGNS	140
HAND PROTECTION	164
HEAD PROTECTION	178
HEARING, EYE, RESPIRATORY PROTECTION	188
FALL PROTECTION	220
WORKWEAR	226
HIGH VISIBILITY CLOTHING	242
FLAME RETARDANT	256
FOOTWEAR	264
DRAIN EQUIPMENT	274
ELECTRICAL EQUIPMENT	276



ALL STEEL

Our range of tubular steel shafted solid socket shovels are designed for the heavier usage involved on professional building sites. We rotary weld our contoured tubular steel handles into the body of the shovel socket for extra strength and rigidity – thus producing a very robust yet lightweight tool for digging.



ALL STEEL

More tools from our range of heavy duty forged and fabricated tools – further complementing the requirements of the professional user. Punners, tampers, rakes, scissor-action shov-holers, post drivers – the list is almost endless and constantly expanding to suit the requirements of today's workman.



POLYFIBRE POLYFIBRE **PRO**

Our PolyFibrePRO range of solid forged Contractors Tools offer the workman a high degree of fibreglass strength along with the comfort of a profile moulded PYD hand grip. Injection moulded polypropylene sheathing totally encloses the polyester resin fibreglass core – virtually eliminating the danger of handle breakage and potential injury.



200011	210011	210011	
No.2 S/S Sq. Mouth	No.2 S/S Taper Mouth	No.2 S/S Round Mouth	
28" PolyFibrePRO Product size: 10"x12½"	28" PolyFibrePRO Product size: 10" to 81½" x 121½"	28" PolyFibrePRO Product size: 10"x12½"	

POLYFIBRE

POLYFIBRE **PRO**

PolyFibrePRO tool handles will not rot, shrink, dry out or become more susceptible to breakage through periods of inactivity. They are designed to offer the workman a high degree of fibreglass strength along with the comfort of a profile moulded PYD hand grip. Thus producing an incredibly strong handle, virtually eliminating the danger of breakage and potential injury. Strength and reliability in the modern workplace.


01CT00023	01CT00024	01CT00025	01CT00026	01CT00027
*	*	W LCORINS	- Lichning	- Lectures
30SSPF	TRSSPF	CLSSPF	CGSSPF	16SSPF
No.000 S/S Sq. Mouth	No.0 GPO Trencher	S/S Cable Layer	S/S Clay Grafter	16" Newcastle Drainer
28" PolyFibrePRO Product size: 8"x10½"	28" PolyFibrePRO Product size: 7"x11"	28" PolyFibrePRO Product size: 5½" to 4½"x11"	28" PolyFibrePRO Product size: 6"x12"	28" PolyFibrePRO Product size: 7" to 4"x16"
01CT00028	01CT00029	01CT00030	01CT00031	01CT00032
as (CORDES)	- Econosis	- County	III (CANTHS)	II (-CANIDA)
GENSPF	TSSSPF	SFSSPF HFSSPF	O9PFPF	MSPCPF
Treaded General Service	Treaded S/S Spade	Short Prong Fork Contractors S/S Fork	9 Prong Industrial Fork	MSP Chipping Shovel

^{*}Forward treads available on most shovels – fitted as optional extra.



FIBREGLASS FIBREMAXPRO

The FibreMaxPRO range is our ultimate in strength for hand tools. Developed to provide almost unbreakable tool handles, our solid core 28mm dia. pultruded resin bonded glass fibres produce great flexibility and superior strengths, far exceeding the requirements of BS3388.



^{*}Forward treads available on most shovels – fitted as optional extra.

Solid Socket Tools are much preferred by the professionals for heavy shovelling or back-filling of trenches, mixing concrete, tarmac and ballast work. A full range of handles are available in wood, steel, polyfibre and fibreglass.

FIBREGLASS

FIBREMAXPRO



4SHOCKSAFE

The Richard Carter Ltd SHOCKSAFE range of PolyFibre Insulated Tools provides full conformity to the exacting specifications of 'BS8020: Tools for Live Working'.

BS8020:2002 is an exacting specification that demands full adherence to detailed manufacturing and testing procedures for safe working practices to be maintained by the user when working on or in close proximity to live conductor cables. Every single tool is flash tested to 10,000 Volts before the issue of a certificate, unique to each implement. Our guarantee of safety to the user, in a potentially dangerous live-working environment.



01CT00053 01CT00054 2SSSPFINS 2TSSPFINS



No.2 S/S Sq. Mouth*	

28" Shocksafe Insulated Product size: 10" to $12\frac{1}{2}$ "

No. 2 S/S Taper Mouth*

28" Shocksafe Insulated Product size: 10" to 8½"x12½" 2RSSPFINS

No.2 S/S Round Mouth

28" Shocksafe Insulated Product size: 10"x12½"

^{*}Forward treads available on most shovels – fitted as optional extra.

4SHOCKSAFE


Our Shocksafe shovels are doubly protected by twin layers of polymer sheathing, moulded over the rigid fibreglass core. The orange insulation used for the outer sheathing has been developed for its high voltage and abrasion resistance properties. If the white inner sleeve becomes visible, the tool should be removed from use around live working conditions. A specially integrated collar prevents the user's hand slipping onto the steel blade. Each tool is flash tested to 10,000 Volts and printed with the BS8020 \$\times 1000 \text{ Volt logo} and every tool is uniquely numbered and certified, thus ensuring total traceability and guaranteeing full conformity to live cable working specifications.



4SHOCKSAFE



4SHOCKSAFE



BS8020:2002 is an exacting specification that demands full adherence to detailed manufacturing and testing procedures for safe working practices to be maintained by the user when working on or in close proximity to live conductor cables. Every single tool is flash tested to 10,000 Volts before the issue of a certificate, unique to each implement. Our guarantee of safety to the user, in a potentially dangerous live-working environment.



Trallnor 110 WheelBarrow 1



- The original, versatile and functional wheelbarrow
- Hot galvanised frame and pan
- Large pneumatic rubber wheel as standard
- 120 litre capacity **01CT00083**
- 110 litre capacity **01CT00084**

XL Bobby



- Sturdy Galvanised Basin
- Large Pneumatic Wheel
- Ideal for the Building Trade & Public Works

Heavy Duty Bobby Elite



- Reinforced Polypropylene Basin
- Large Pneumatic Wheel
- Ideal for Buidling Trade & Public Works

01CT00085

Barrow Wheels



- Puncture resistant wheel **01CT00087**
- Pneumatic wheel **01CT00088**

Jobox



If you want the highest level of reliable security storage on site or on your vehicle, JOBOX is the one for you. JOBOX use the highest quality materials and are recognised worldwide.

- 3 Point Lock Engagement and Bolt Cutter Free Locking System
- 2 Bolsters, Have Side Forklift Access
- Rust Resisting Polyester Paint Finish
- Recessed Handles
- Can be fitted with Castors
- Probably the Best Site Box of its kind
- Flourscent Orange Tape Indicates When Chest is Unlocked

L 72" x W 24" x H 27.3/4" including 2 Locks **01CT00089** L 60" x W 24" x H 27.3/4" including 2 Locks **01CT00090** L 48" x W 24" x H 27.3/4" including 2 Locks **01CT00091** L 48" x W 30" x H 33.3/8" including 2 Locks **01CT00092**

Site Safe Box



- Two shielded locking points
- Pre-drilled holes for permanent fixing
- Heavy duty steel construction
- Integrated forklift skids
- Fitted gas struts for easy opening/closing
- Powder coated finish for exceptional quality in tough weather conditions
- Integrated handles for easy transport
- Castor sets also available for all models
- Sitesafe 445: 813 x 480 x 445mm **01CT00095**
- Sitesafe 565: 1065 x 510 x 565mm **01CT00096**
- Sitesafe 700: 1220 x 610 x 700mm 01CT00097
 Sitesafe 850: 1220 x 760 x 850mm 01CT00098

Pallet Truck & Trolley



2 tonne pallet truck 01CT00094

- Fork width 150mm
- Fork spacing 130mm
- Fork length 1150mm
- Max lift 2000kg
- Max lift height 190mm

2-IN-1 Truck Trolley



- Can be used as a traditional hand truck or as a hand trolley in the horizontal position
- Weight: 18.5kg
- Max Load: 120kg
- JEF4101A

01CT00099



Dargen Lump Hammer



- Specially hardened and heat treated striking face
- Precision ground, fitted to a solid fibreglass handle with rubber grip
- General purpose lump hammer for building and demolition
- HRL03/DT

02TT00001

Jefferson Sledge Hammer



- Jefferson fiberglass sledge hammer
 - Available in:
- 10lb **02TT00003**
- 12lb **02TT00004**
- 14lb **02TT00005**

Jefferson Lump Hammer



• 3lb fiberglass lump hammer

02TT00002

Shock Safe Sledge Hammer



- Shock safe insulated sledge hammer
- Carter tools shock safe range

Tala Square Face Lump Hammer



- Professional quality
- Fibreglass handle
- Rubber grip
- Available weight: 1.36kg (3lb)

02TT00007

Tala Hickory Handle Sledge Hammer



- Professional quality
- Hickory handle
- BS876 certified (handle and head)
- Tala 3kg(7lb) Sledge Hammer **02TT00013**
- TTala 4.5kg(10lb) Sledge Hammer 02TT00014
- TTala 5.5kg(12lb) Sledge Hammer 02TT00015
- TTala 6.3kg(14lb) Sledge Hammer 02TT00016

Tala Fibreglass Handle Sledge Hammer



- Shock absorbing fibreglass shaft
- Nylon surround
- Rubber grip
- Tala 1.8kg(4lb)Fibreglass Sledge Hammer 02TT00008
- Tala 3kg(7lb) Fibreglass Sledge Hammer 02TT00009
- Tala 4.5kg(10lb) Fibreglass Sledge Hammer **02TT00010**
- Tala 5.5kg(12lb) Fibreglass Sledge Hammer 02TT00011
- Tala 6.3kg(14lb) Fibreglass Sledge Hammer 02TT00012

Fatmax Fibreglass Sledge Hammer



- Particulate filled fiberglass core absorbs vibrations and shock on impact
- Overmoulded high impact polypropylene jacket for additional durability and overstrike protection
- FatMax AntiVibe shock absorbing layer that helps reduce vibrations in the handle
- Durable rubber overmould for long lasting, slip resistant grip
- Shock absorbing collar isolates vibrations to the head and reduces shock through the handle on impact
- Forged hammer head permanently bonded to the handle for durability with bullet nose design provides 2 x more concentrated striking force
- Stanley Fatmax 2.7kg (6lb) **02TT00017**
- Stanley FatMax 3.6kg (8lb) 02TT00018
- Stanley FatMax 4.5kg (10lb) 02TT00019



Tala Claw Hammers



- Tala 450g (16oz) Fibreglass Shaft Curved Claw Hammer 02TT00020
- Tala 566g (20oz) Fibreglass Shaft Curved Claw Hammer 02TT00021



- Tala 450g (16oz) Steel Shaft Curved Claw Hammer 02TT00022
- Tala 566g (20oz) Steel Shaft Curved Claw Hammer 02TT00023

FatMax Antivibe Framing Hammer



- One piece solid forged head for larger sweet spot and better balance
- Patented torsion control reduces the damaging twisting rotational force felt on arm muscles and tendons by as much as 30% vs. standard one-piece steel hammers
- 100% crack detection inspection to ensure quality and performance
- Patented Antivibe tuning fork technology reduces arm damaging vibrations
- New soft grip reduces fatigue and allows for multiple holding positions
- New 75% Larger striking face for a bigger "sweet spot"
- Magnetic nail starter for extended reach and one handed nailing capability
- Available weight: 620g (22oz)

Jefferson Claw Hammer



• 16 oz fiberglass claw hammer 02TT00024

Stanley FatMax Antivibe Hammer



- Patented over-sized strike face 25% larger "sweet spot"
- Anti-Vibration Grip provides new, softer grip material with new industrial design for better comfort and less arm fatigue
- Precision balanced heads for user comfort and control
- Proprietary tuning fork designed to reduce vibration and arm fatigue
- Stanley FatMax 450g(16oz) Antivibe Hammer 02TT00026
- Stanley FatMax 625g(22oz) Antivibe Hammer 02TT00027

Estwing Straight Claw Handle Hammer



- Available with vinyl or leather handle
- Nylon vinyl shock reduction grip
- Estwing's rip claw solid steel hammer provide unsurpassed balance and temper
- The head and handle are fully polished and forged in one piece
- Our exclusive shock reduction grip is molded on and offers the utmost in both comfort and durability, while reducing vibrations caused by impact
- Estwing 450g (16oz) Straight Claw Hammer 02TT00028
- Estwing 560g (20oz) Straight Claw Hammer 02TT00029
- Estwing 680g (24oz) Straight Claw Hammer 02TT00030

Estwing Curved Claw Hammer



- Nylon vinyl shock reduction grip
- Fully polished and forged one piece head and handle
- Estwing 450g (16oz) Curved Claw Hammer 02TT00031
- Estwing 560g (20oz) Curved Claw Hammer 02TT00032
- Estwing 620g (22oz) Curved Claw Hammer 02TT00033
- Estwing 680g (24oz) Curved Claw Hammer 02TT00034

Estwing Straight Claw Framing Hammer



- Fully polished
- Smooth face
- Shock-reduction nylon vinyl grip
- Straight claw
- Length: 406mm (16in)
- Estwing E322S 620g (22oz) Straight Claw Framing Hammer 02TT00035
- Estwing E328S 785g (28oz) Straight Claw Framing Hammer 02TT00036

Estwing Straight Claw Framing Hammer



- Solid forged in one piece
- Full polished head and handle neck
- Unsurpassed balance and temper
- Made in the USA
- Shock resistant nylon vinyl grip
- ESTE324SM Estwing E324SM 625g (22oz) Straight Claw Framing Hammer



Stanley Steelmaster Brick Hammer



- Fully heat treated carbon steel head for strength, durability and safety
- Soft grip ergonomic handle for comfort and grip
- 5 ton force fit head to hand assembly for improved safety
- Sharp chisel edge for cutting bricks and slate
- SY151039 Stanley Steelmaster Brick Hammer

02TT00038

Tala Rubber Mallet



- Bi-material handle
- Tala 450g (16oz) Rubber Mallet **02TT00040**
- Tala 900g (32oz) Rubber Mallet **02TT00041**

Estwing Vinyl Handle Drywall Hammer



- Ideal tool for use when scoring and installing drywall panels
- Crowned and scored face
- Full polished
- Drywall blade
- Shock-reduction nylon-vinyl grip
- Length: 343mm(13.1/2in)
- ESTE311 Estwing E311 397g(14oz) Drywall Hammer

02TT00039

Tala Ball Pein Hammer



- Professional quality
- Hickory handle
- Tala 226g (8oz) Ball Pein Hammer **02TT00042**
- Tala 450g (16oz) Ball Pein Hammer 02TT00043
- Tala 680g (24oz) Ball Pein Hammer 02TT00044
- Tala 907g (32oz) Ball Pein Hammer 02TT00045

Dargan Cold Chisel with Guard



- Cold Chisel with Rubber Guard
- Chrome Vanadium
- Hardened for Durability
- CC16/DT 10 X 3/4" 02TT00046
- CC17/DT 10 X 1" 02TT00047
- CC19/DT 12 X 1" 02TT00048

Dargan 4" Bolster with Rubber Guard



- 4" Electricians brick bolster with rubber guard
- Chrome vanadium
- Hardened for durability
- CCB05/DT

02TT00050

Dargan 2 1/4" Bolster with Rubber Guard



- 2.5" Electricians Brick Bolster, with Rubber Guard. Chrome Vanadium. Hardened for Durability
- CCB04/DT

02TT00049

Tala Guarded Bolster



- Professional quality
- Guarded handle
- Made to BS 3066 standard
- Tala 75mm (3in) Guarded Bolster 02TT00051
- Tala 100mm(4in) Guarded Bolster 02TT00052



Dargan PVC Floats



- 1. 11" German Sponge Float
- Professional quality sponge foam based plasterers float specially bonded to Polyurethane backing plate.
- Wears well and does an excellent job on any sand surface
- 2. 280mm x 110mm Small Polyurethane Float
- 3. 345mm x 145mm Plasters Mate Large Plastic Float
- Lightweight for overhead work.
- 1. 02TT00053 2. 02TT00054 3. 02TT00055

Tala PVC / Wooden Float



 Non absorbent patterned face used for applying plaster, cement and other building materials




 Tala plastic darby 1000x120mm (39x4.3/4in) Polyurethane Darbyin) 02TT00062

Marshalltown Pool Trowel



- Highest grade hardened and tempered spring steel blade, properly shaped
- Short aluminum alloy Xtralite® mounting is lightweight but very strong
- Blade is flexible enough to bend to almost any radius
- Natural finish curved hardwood handle
- 8 Rivets
- MTMSP14 SP14 355x100mm (14inx4in) 02TT00056
- MTMSP16 SP16 405x115mm (16x4.1/2in) 02TT00057
- MTMSP205 SP205 510x125mm (20x5in) **02TT00058**

Tala Notched Trowels



- 1. Tala Square Notched Trowel
- TA69393 280x110mm (11x4.1/2in) 6mm 02TT00063
- TA6902 280x110mm(11x4.1/2in) 10mm **02TT00064**
- 2. Tala U Notched Trowel
- TA69025 280x120mm (11inx4.3/4in) **02TT00065**
- 3. Tala V Notched Trowel
- TA69206 280x120mm (11x 4.3/4in) Trowel 02TT00066

Tala Trowels



8. Tala 7" Gauging Trowel 02TT00074



Dargan Trowels



- Dargen Tools 6" Pointing Trowel 02TT00076
 Dargen Tools 7" Gauging Trowel 02TT00077
 Dargen Tools Brick Trowel 02TT00078

- 4. Dargen Tools 16" Flooring Trowel 02TT00079
 5. Dargen Tools 11" x 4 3/4" Plastering Trowel 02TT00080
- 6. Dargen Tools Edging Trowel **02TT00081**

Tala Plastic Hawk



- Lightweight one-piece polyurethane moulding
- Smooth surface finish
- Available size: 330x330mm (13x13in) 02TT00082

Tala Hawk with Ergosoft Handle



- Professional quality
- Soft grip handle
- Available size: 330x330mm (13x13in)

02TT00084

Aluminium Floor Screed



- Substantial section ensures rigidity and straightness
- Radiused top corners for comfortable grip
- Small radiused bottom corners for a clean edge
- Available lengths: 2m(6ft), 2.5m(8ft), 3m(10ft)

Stainless Steel Groover



- Stainless steel
- Soft touch handle
- Available size: 150x75mm (6x3in) 02TT00083

Tala Foam Application Gun



- For use with standard 500/750ml gun grade polyurethane pressurised expanding foam canisters
- Spring trigger and flow adjuster knob enable user to control the flow to give a clean, even bead
- Fully coated non-stick body with soft grip handle.

02TT00085

Tala Feather Edge



- Professional quality
- Aluminium body
- Available sizes: 2m(6ft), 2.5m(8ft), 3m(10ft) 02TT00086

Tala Slab Lifter



- Professional quality
- Galvanised finish
- Lifts loads up to 50mm wide x 400mm long

Star Roller



- Heavy duty
- Rubber handle
- Powder coated handle
- Available size: 300mm(12in)

02TT00089

Bull Float



- Professional bull float 1200mm
- Complete with 3 x 2m handles

02TT00092

Tala Kerb Lifter



- Professional quality
- Lifts blocks 600mm to 910mm (24in-36in) in length
- Maximum lift weight of 100kg

02TT00090

Tala Joint Raker



Marshalltown Rubbing Brick



- Fluted silicon carbide stone 20-grit
- Ideal for dressing down and removing form marks from concrete
- Available size: 150x75mm (6x3in)



Stanley Fine Cut Saw



- Bi-material handle screwed and ultrasonically welded for comfort and security
- Teeth are precision set to generate clearance of kerf for the blade to cut on both the forward and back stroke increasing cutting efficiency by 30%
- 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
- Induction hardened teeth stay sharper twice as long
- 11TP
- SY120095 Stanley 550mm(22in) Fine Finish Saw

02TT00094 02T

Bahco 244 Barracuda Saw



- Handsaw for medium to thick wood materials
- Extra thick blade for good stability
- Screwed two component handle for comfort
- Hard point teeth
- BA244P22U7HP Bahco 244 550mm(22in) Barracuda Handsaw

Stanley Heavy Duty Cut Saw



- Bi-material handle screwed and ultrasonically welded for comfort and security
- Teeth are precision set to generate clearance of kerf for the blade to cut on both the forward and back stroke increasing cutting efficiency by 30%
- 3 sided precision ground teeth offer razor sharp cutting edges at every stage of the stroke
- Induction hardened teeth stay sharper twice as long
- 7TP
- SY120091 Stanley 550mm(22in) Heavy Duty Saw

02TT00095

Tala Handsaws





- 1. Tala Fine Cut Handsaw
- Precision ground
- Impulse hardened
- Fine cut
- 11TPI
- 12 points TA69247 Tala 550mm (22in) 11TPI Fine Cut Handsaw
- 2. Tala Heavy Duty Handsaw
- Impulse hardened
- Heavy duty
- 7TPI
- 8 points TA69248 Tala 550mm (22in) 7TPI Heavy Duty Handsaw

Dargan Junior Hacksaw



• Pressed wrought, chrome plated steel frame complete with metal cutting blade 02TT00099



• 6 32 TPI Junior Hacksaw Blades for Metal Work. 10 Blades per Pack. Code: H22/DT 02TT00100

Dargan 12" Hacksaw



- Manufactured from superior materials, designed with strength and durability.
- Complete with High Speed Steel Blade 02TT00101



• 12 Hacksaw Blades are a virtually unbreakable bimetal blade for superb cutting performance, wear resistance and safety. 24 TPI HSS Metal Blades. Code: H51/2/DT 02TT00102

Tala Hacksaw / Wallboard Saw



- Professional quality
- Ergonomic handle design
- Rubber grip handle for extra comfort and control
- Adjustable locking handle
- Screw operated tensioner
- Tala 300mm(12in) Hacksaw 02TT00103



- Soft grip bi-material handle
- Hardened, tempered blade
- Sharp tip for plunge cuts
- TA69161 160mm (6.1/4in) 02TT00104

Eclipse 20T Professional Hacksaw



- Die-cast handle
- Complete with an Eclipse bi-metal blade
- Tubular frame EC7020TR
- Eclipse 70-20TR Professional Hacksaw



Utility Knives & Blades



- 1. Hilka Safety Knife 02TT0016
- 2. Hilka Blades Dispenser Pack 100 02TT00107
- 3. XW Auto Reload Knife complete with 10 blades 02TT00108
- 4. Jefferson Safety Knife **02TT00109**
- 5. Insulated Knife **02TT00110**

Stanley Knives



- 1. Stanley Spring Back Retractable Blade Knife
 The blade remains outside as long as a thumb is kept on
 the push button 02TT00111
- 2. Stanley Titan Retractable Blade Knife
 Ideal for precision cutting of the most flexible to the
 most resistant materials, paper, plastic, cardboard and leather
 02TT00112
- 3. Stanley 99E Retractable Blade Knife
 The one and only original Stanley retractable knife
 02TT00113

Tala Folding Utility Knife



- Lightweight aluminium handle with belt clip
- Quick change blade mechanism
- One hand easy opening operation
- Includes 5 replacement blades

Stanley Folding Pocket Safety Knife



- Auto retract blade for safety
- Pocket sized folding safety knife for convenience
- Takes standard and round nose blades
- Instant blade change for quick use

02TT00114

Tala Snap-Off Blade Knife



- Multi-position
- Push button operated
- TA69853 9mm (3/8in) 02TT00116



Tala Snap Off Blades

- Professional quality
- Supplied in a handy plastic safety storage case
- Pack of 10
- Available sizes: 9mm(3/8in), 18mm (3/4in)
- Tala 9mm Snap-off Blades Pk (10) 02TT00118
- Tala 18mm Snap-off Blades Pk (10) 02TT00119

Stanley 1992 Heavy Duty Blade



- Blades fit all Stanley knives
- Stanley 1992 Heavy Duty Blade Pk (5) 02TT00120
- Stanley 1992 Heavy Duty Blade Pk (10) (In Dispenser) 02TT00121
- Stanley 1992 Heavy Duty Blade Pk (100) (In Dispenser) 02TT00122

Stanley Blades



Stanley 1992 Round Point Safety Blade


- Ideal safety blade
- Blade has rounded ends to limit risk of injury
- Blades fit Springback knife and 99E original Stanley retractable blade knife
- SY211987 (In Dispenser) Pk (10) 02TT00123



Stanley 1996 Hooked Blade

- Sharpened hooked blade with point ideal for penetrating cutting sheet material, in particular floor, roof and plastic coverings
- Blades fit all Stanley knives
- SY011983 Pk(5) 02TT00124

Tala Trimming Knife Blade



- In safety dispenser
- Display packaged
- Available packet sizes: 10, 100
- TA69843 Tala Trimming Knife Blades Pk (10) 02TT00125
- TA69844 Tala Trimming Knife Blades Pk (100) 02TT00126



Squares



- Black anodized frame will not rust

- TA37122 400x600mm (16x24in) 02TT00127



Stanley Adjustable Quick Square

- Heavy-duty aluminum construction for durability
- Black body with yellow graduations provides maximum readability in various light conditions
- Features Common, Jack and Hip, and Valley scales for various applications
- Multipurpose, adjustable design can be used as a saw guide, bevel or protractor
- Comes with an adjustable arm
- SY46053

02TT00128

Stanley Tylon Bi-Material Short Tape



- Compact and ergonomic bi material case for comfort and ease of use
- Belt clip for ease of storage
- Tylon blade coating gives greater durability/wear resistance than lacquer
- Tru zero end hook moves to compensate for accurate inside and outside
- Matt finish blade reduces glare / reflection for easy reading
- SY030686 Stanley 3m(10ft) Tylon 02TT00132
- SY030696 Stanley 5m(16ft) Tylon 02TT00133
- SY030656 Stanley 8m(26ft) Tylon 02TT00134

Folding Timber Rule / Steel Rule



RST Folding Rule

- High quality
- Wood or sybren folding rules
- RSTRSR080 36in Boxwood Folding Rule
- RSTRSR473P -1m Plastic Folding Rule
- RSTRSR073P 1m (39in) Boxwood Folding Rule 02TT00129

Tala 300mm Stainless Steel Rule

•TA37125 02TT00130

Tala Heavy Duty Combination Square

- Heavy duty die-cast square
- Stainless steel rule
- Metric and imperial measurements
- Can be used as a rule, mitre square, marking gauge and try square
- Brass adjusting nuts
- Scriber for marking included in the stock
- TA37120 300mm (12in)

02TT00131

Tala Short Tape



- Professional quality
- Powerful non-slip break
- Bi-material case
- · Re-inforced hook
- Shock absorbing blade return system
- TA37513 5m(16ft) 02TT00135
- TA37514 8m(26ft) 02TT00136

Tala Bi-Material Short Tape



- Professional quality
- Shock proof
- Non-slip rubber grip
- Magnetic and triple riveted end hook
- Shock absorbing blade return system
- TA69826 Tala 8m(26ft) Bi-Material Tape 02TT00137
- TA69103 Tala 10m(33ft) Bi-Material Tape **02TT00138**

Stanley PowerLock Tape



- Compact case easier to hold
- 3 rivet end hook for long life
- Tru-zero end hook moves to compensate for accurate inside and outside measurements
- Blade armor coating on the first 100mm of 8m tape reduces the risk of tip breakage by 95%
- Mylar coated blade is up to ten times more resistant to abrasion than normal lacquered blades
- Belt clip for ease of storage
- Strong 25mm width blade for large standout
- SY033526 Stanley 8m(25ft) PowerLock 02TT00139
- SY033531 Stanley 10m(30ft) PowerLock 02TT00140

Innovative Tools Armoured Tape



- Pull Out Stay Out Tape
- Top and Bottom Release-Rewind Buttons
- Extra-Heavy, Nylon-Coated Blade with 3-4 Rivets
- Magnetic End-Hook
- Buffer
- Heavy Rubber Armour
- Belt Clip and Wrist Strap
- Available in 5m 02TT00141
- Available in 8m 02TT00142

Stanley FatMax Auto Lock Tape



- Professional FatMax tape measure with patented reverse lock mechanism for excellent control and BladeArmor coating to extend tool life
- Bi-material case for protection and user comfort
- Mylar coated blade for excellent abrasion resistance
- 3m blade standout for easy measuring
- Detachable hook to adapt to measure anywhere with onboard hook storage
- SYXTHT033503 5m (16ft) **02TT00143**
- SYXTHT033504 8m (26ft) **02TT00144**



Innovative Tools 30m / 50m Steel Tapes



- Strong open frame steel tape measures
- Metric graduations
- Ring at the end of tape
- Available in 30m 02TT00145
- Available in 50m 02TT00146

Tala Open Frame Fibreglass Long Tape



- Professional quality
- 3:1 rapid rewind
- High impact case
- 40 fibreglass strands for extra tensile strength
- 13mm blade
- TA69010 Tala 30m(100ft) 02TT00149
- TA69015 Tala 50m(165ft) 02TT00150
- TA69016 Tala 100m(330ft) **02TT00151**

Innovative Tools 30m / 50m Fibre Tapes



30m closed frame fibre tape

- Fiberglass reinforced tapes
- Metric graduations
- With rewind-handles
- Supplied loose

02TT00147

- 50m open frame fibre tape
- Fiberglass reinforced tapes
- Metric graduations
- With rewind-handles
- Supplied loose

02TT00148

Stanley Fibreglass Long Tape



- Blade printed on both sides for easy measuring
- Integrated ground spike to help one person measuring
- Folding crank for storage and transportation
- Barbed folding hook to anchor the blade
- Anti-shock ABS frame to withstand heavy duty use
- Bi-material handle: for greater comfort
- Reinforced fibreglass tape reduces elasticity and improves measuring accuracy
- Corrosion-resistant, UV protected, non-conductive tape
- 2mm graduations for precise measuring
- Tape blade has washable PVC coating for durability
- Class III
- Stanley 30m(100ft) Open Frame 02TT00152
- Stanley 60m(200ft) Open Frame **02TT00153**

FatMax Closed Stainless Steel Long Tape



- High impact closed case to withstand heavy use
- Stainless steel flexible and highly resistant blade for long life
- Durable steel mouth lining help reduce case wear
- Case has moulded rubber grip for comfort
- Fast rewind: 1 turn on the handle = 3 turns of the wheel for rapid rewind
- SY034132 Stanley FatMax 30m(100ft) Closed Case Stainless Steel Long Tape

02TT00154

Trumeter Road Measuring Wheel 5000



- Large easy to read display
- Pointer indicates start position
- Robust construction
- 3 Year Warranty
- Fold away stand
- Folding, locking handle for easy carriage
- Adds forward subtracts in reverse
- Measures up to 99999.9metres, yards or 99999'11feet and inches
- Accuracy ± 1%
- Weight 3Kgs
- Wheel circumference 1m

02TT00158

5m Levelling Staff & Tripod



- 1. 5m Levelling Staff 02TT00155
- 2. Surveyors Tripod **02TT00156**
- 3. Ranging Rod **02TT00157**

Trumeter Road Measuring Wheel 5500



- Large easy to read display
- Pointer indicates start position
- Robust construction
- 3 Year Warranty
- Retractable stand
- Telescopic handle for easy carriage
- Adds forward subtracts in reverse
- Measures up to 9999.9 metres
- Accuracy ± 1%
- Shipping weight 2.2Kgs
- Measures distance in meters and centimeters only
- Wheel circumference 1m



Stabila LD320 Laser Distance Measurer



- A compact measuring device that provides all the measuring technology that any craftsmen need on the building site
- Allows rapid measurements, with easy to operate measuring functions
- Ensures good readability, thanks to large figures and an illuminated display
- Impact resistant housing with shock absorbing soft-grip casing provide excellent durability for the work site
- Fulfills ISO 16331-1 standards
- Available range: 12m(40ft)
- Includes Belt pouch 2 x AAA batteries Wrist strap

02TT00160

Stanley FatMax IR Thermometer



- Massive temperature range of -50c to 1350c
- Laser circle accurately marks the area measured on the wall
- · Adjustable emissivity to ensure accuracy

Stanley Smart Measure Pro



- Bluetooth connectivity with dedicated app
- Apple IOS and Android connectivity
- Material calculator/estimator
- File export capability-pdf, jpg, dxp
- Easy locking clamp
- Available range: 137m(450ft)

02TT00161

Stanley Multimeter



- Measures voltage, amperage and resistance
- Easy to read LCD screen
- Durable over moulded housing for increased shock resistance and comfortable handling
- Integrated unit stand provides a stable base for hand free use of the unit
- Powered by a 9V battery which is supplied

Stanley FatMax Inspection Camera



- Detachable screen
- Rotating screen
- 9mm wide camera for minimal surface scarring and entry into most cavities and areas
- LED light on probe for working in dark areas
- MicroSD card slot enables picture transfer

02TT00164

Stanley S100 / S150 Stud Sensor



 Wood and metal stud detection through up to 3/4in deep surface material

02TT00166

- AC detection identifies live wires up to 2in deep
- Sequential LEDs and audible beeps indicate reading
- Marking channel with LED identifies target and makes marking surfaces easy and accurate

STANLEY

Wood and metal stud

detection through up

material

02TT00167

to 1 1/2in deep surface

 New ergonomic design, and soft grip buttons provide comfort and control of the tool

Stanley Moisture Meter



- Gives % moisture reading based on electrical resistance across two pins
- Dual measurement scale, LCD display with bar graph
- Measures moisture in wood from 6-44%
- Measures moisture in other building materials from 0.2-2%

02TT00165

Stanley S200 Stud Sensor



- LCD screen clearly displays all of the sensor's readings
- Wood and metal stud detection through up to 3/4in deep surface material
- AC detection identifies live wires up to 2in deep
- Onepass center-find technology locates stud centers
- Marking channel improves accuracy of marking-out readings
- New ergonomic design, and soft grips provide comfort and control of the tool



Stabila LAX 50



- The Stabila LAX 50 is designed for internal use, and projects a crossed horizontal and vertical laser line in a matter of seconds for fast, efficient working
- With a visible laser range of up to 10 metres, the LAX 50 will help you with the installation of level worktops, tiling, shelving, wallpapering or any other application where achieving a working level is desirable
- Also included in the kit is the combined tripod and telescopic leg kit
- The tripod stand can be used at working heights between 60cm and 1 metre, and the telescopic leg can reach heights of up to 2.75 metres
- ST16789 Stabila LAX50 Cross Line Laser Level Kit

02TT00169

Tala Aluminium Level 3 Vial Box Level



- General purpose
- Light metal rectangular profile
- Three vials
- Measurement accuracy: in the normal position 0.029 degrees
 0.5mm/m
- TA69106 Tala 60cm(24in) Aluminium 3 Vial Box Level 02TT00175
- TA69109 Tala 90cm(36in) Aluminium 3 Vial Box Level 02TT00176
- TA69110 Tala 100cm(40in) Aluminium3 Vial Box Level 02TT00178
- TA69112 Tala 120cm(48in) Aluminium 3 Vial Box Level **02TT00179**

Dargan Skyline Levels



- 24" **02TT00170** 32" **02TT00171** 40" **02TT00172** 48" **02TT00173** 72" **02TT00174**
- Dargan 120cm Heavy Duty Extruded box type Top Reading Bevels & Plates, 360 degree Reading Acrylic, Replaceable Vials, Powder Coated for easy Cleaning.

Stanley Classic 2 Vial Box Level



- Block magnified centre vial makes it easier to read
- Vial accuracy: 0.5mm/m
- Large tubular side vials
- Soft end caps makes it more durable in case of shocks
- SYSTHT143103 Stanley 60cm(24in) Classic 2 Vial Box Level 02TT00180

SYSTHT143105 Stanley 100cm(39in) Classic 3 Vial Box Level **02TT00181**

SYSTHT143106 Stanley 120cm(48in) Classic 3 Vial Box Level 02TT00182

SYSTHT143107 Stanley 150cm(60in) Classic 3 Vial Box Level 02TT00183

SYSTHT143108 Stanley 180cm(72in) Classic 3 Vial Box Level **02TT00184**

Stanley Xtreme Torpedo Level



- Solid block vials provide best-in-class accuracy 0.5mm/m
- Magnified centre vial for improved all round visibility
- V shaped metal grove for use on pipes
- Rare earth magnets which are twice as strong as basic strip
- SY043609 Stanley FatMax Xtreme 25cm(10in)Torpedo Level

02TT00185

Magnetic Levels



- Dargan Lightweight 9" Magnetic Pocket Level with moulded Plastic Body
- 3 Vials for 40. 90, and 180 degree Measuring
- Comes with Free Carpenters Pencil

02TT00188



- Stabila 81SM 2 Vial Magnetic Torpedo Level with Pouch
- Super-powerful rare earth magnets provide a secure hold
- Light metal die cast profile
- Rare earth magnets have five times the holding power of traditional ferrite magnets
- Complete with belt pouch
- Measurement accuracy: in normal position 0.029° = 0.5 mm/m - overhead measurement 0.043° = 0.75 mm/m/m
- Available size: 25cm(10in)

02TT00189

Stanley 3 Vial Magnetic Torpedo Level



- Strong and lightweight aluminium body ideal for small installations
- Magnetic base ideal for steel construction
- 3 vials: horizontal, plumb and 45° for wide usage
- Protected central vial for resistance to shock
- SY042465 Stanley 23cm (9in) 3 Vial Magnetic Torpedo Level

02TT00186



- Aluminium plate with V-shaped metal groove to check cylindrical surfaces e.g. for use on pipes
- High visibility reversible vials: horizontal, vertical and 45°
- Rubber end caps to provide protection in case the level is dropped
- SY043511 Stanley 23cm(9in) Shockproof Magnetic Torpedo Level

02TT00187

Stanley Foamcast I-Beam Level



- Easy-to-handle
- Lightweight
- Shock resistant
- Top read vial for easy readability
- Will not dent like aluminium level
- Ideal for use on finished surfaces (non-marking) measuring scale for multi tasks
- Made from high impact ABS plastic
- 3 vials (0-90° 45°)
- Accurate to +/- 2mm/m
- Stanley 30cm(12in) **02TT00190**
- Stanley 45cm(18in) **02TT00191**
- Stanley 60cm(24in) 02TT00192Stanley 120cm(48in 02TT00193



Chalk Line Sets



- · High impact ABS case for durability
- Sliding door for quick and easy refill
- Stainless steel end hook does not rust
- Can be used vertically as a plumb bob
- Set contains 30m(100ft) chalk line and 113g blue chalk
- Available length and capacity: 30m, 30g

02TT00194



- 30m chalk line
- Rubber grip
- Large mouth for easy filling
- Complete with 115g blue chalk refill
- Available length: 30m(100ft)

02TT00195

FatMax Xtreme 3 Vial Box Level



- Vials magnified by 20% for improved all round visibility
- Dual machined levelling surfaces for maximum accuracy
- Bi-material hand grips are screwed into the frame
- Rock solid box beam construction is up to 5 times stronger than other Stanley levels
- Solid acrylic block vials provide best in class accuracy in 8 orientations of +/-0.5mm/m
- Stanley FatMax Xtreme 60cm(24in) 02TT00198
- Stanley FatMax Xtreme 90cm(36in) 02TT00199
- Stanley FatMax Xtreme 120cm(48in) 02TT00200
- Stanley FatMax Xtreme 180cm72in) 02TT00201

Chalk Dust



- Powder specially formulated for good adhesion and high visibility
- Blue: all round colour for interior and exterior use
- Red: for external masonary work, indelible
- White: for interior work such as carpet fitting
- Available sizes: 113g(4oz), 226g(8oz)

02TT00196



- 6', 4' and 2' level
- BA416SET1 Bahco 3pce Level Set

02TT00197

FatMax 3 Vial Box Level



- 6mm taller than most competitors
- 6-9mm wider than other levels in its class
- Heaviest in its class giving ultimate strength
- Shock absorbing end caps for long life
- Machine milled on two sides accurate both sides
- Dual bi-material hand grips, ideal for carrying and vertical levelling
- Improved vial view for ease of use
- Large vial with bridged dual view centre vial
- Lifetime guarantee for accuracy
- Stanley FatMax 60cm(24in) **02TT00202**
- Stanley FatMax 120cm(48in) 02TT00203
- Stanley FatMax 180cm(72in) 02TT00204

Tala Soft Grip Locking Wrench



- Professional quality comfort grip locking pliers
- Hardened, tempered forged steel jaws
- Serrated jaws for extra grip
- Powerful locking mechanism
- Quick release handles
- TA30125 Tala 125mm(5in) Soft Grip Wrench **02TT00205**
- TA30250 Tala 250mm(10in) Soft Grip Wrench 02TT00206

Irwin Vise-Grip 10R Vise Grip Pliers



- One handed, triggerless release, twice as easy to open as the traditional design
- Built strong to last long
- 2X longer life
- High grade alloy steel is heat treated for maximum toughness and durability
- Anti-pinch, non-slip ProTouch™ Grips provide comfort, control, and less hand fatigue
- Provides comfort, control and less hand fatigue
- Hex key adjusting screw
- Tightens to draw material closer together for tighter grip.
- Loosens to provide controlled release
- IW1902386 Irwin 10R Fast Release Vise Grip Pliers

02TT00207

10" Dargan Visegrips Dargan Adjustable Wrench



- Expert Quality Visegrips manufactured from chrome vanadium steel, hardened, tempered and nickel plated
- Serrated gripping surface and adjustable opening with a quick release lever
- Handles are manufactured from high quality pressed steel with hardened rivets
- VG10/DT



- Fully forged from Chrome Vanadium Steel grip for optimum performance
- Bi-material soft grip handle improve grip and comfort use
- Measurement scales marked on Jaws.
- W41/DT 6" **02TT00209**
- W42/DT 8" **02TT00210**
- W43/DT 10" **02TT00211**
- W44/DT 12" **02TT00212**

Dargan Adjustable Wrench



- Fully forged from Chrome Vanadium Steel grip for optimum performance
- Bi-material soft grip handle improve grip and comfort use
- Measurement scales marked on Jaws
- W67/DT 15" **02TT00213**
- W68/DT 18" **02TT00214**

Economy Adjustable Wrench



- Manufactured from forged heat treated alloy steel
- Chrome plated with a polished head
- Precise specifications for toughness and durability
- W09/DT 6" **02TT00215**
- W06/DT 8" **02TT00216**
- W07/DT 10" **02TT00217**
- W08/IV 12" 02TT00218

Dargan Heavy Duty Pipe Wrench



- Dargan Heavy Duty Pipe Wrench
- Manufactured from hardened and tempered chrome
- Vanadium steel with drop forged fully adjustable jaws
- Smooth black grip for comfort
- W12/DT 12" **02TT00219**
- W14/DT 14" **02TT00220**
- W81/DT 18" **02TT00221**
- W24/DT 24" **02TT00222**

Dargan Waterpump Pliers



- Manufactured from chrome vanadium steel and correctly hardened
- PVC coated handle for comfortable grip
- Automatically adjust size with one hand
- W61/7/DT 7" **02TT00223**
- W61/DT 10" **02TT00224**
- W61/2/DT 12" **02TT00225**

Dargan Stillson



- Dargan Stillson Pipe Wrench has a high quality Cast Iron frame
- Steel handle, adjusting nut and drop forged jaw
- W03/2/DT 14" **02TT00226**
- W04/2/DT 18" **02TT00227**
- W05/2/DT 24" **02TT00228**

Dargan 42mm Pro Cut Pipe Cutter



- Dargan 42mm pipe cutter
- Heat treated blade for cutting PVC pipe and water hose up to 42mm diameter
- Cable Duct and other flat plastic material
- Cuts easily and cleanly, includes bevelling / de burring grooves in the the blade
- Quick release open blade
- PC42/DT

02TT00229

Monument Ratchet Plastic Pipe Cutter




- Very effective pipe cutter for cutting PVC, polybutylene, MDP, HEP20 and polyethylene pipe
- With patented blade shape for ease of cut and a ratchet action for ease of use
- MO2645T Monument 2645T 42mm Plastic Pipe Cutter

Dargan Bolt Cutters



- Bolt cutters, Suitable for cutting High Tensile Material
- Jaw 58-60 HRC
- BC10/DT 18" **02TT00231**
- BC11/DT 24" **02TT00232**
- BC12/DT 30" **02TT00233**
- BC04 36" **02TT00234**

Dargan Combination Spanner



- Dargan Spanners are manufactured from the highest quality chrome vanadium steel. and are to DIN specification
- Max,drive open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Both the open and ring end are angled for optimum accessibility.
- S08/DT 8mm **02TT00235**
- S09/DT 9mm02TT00236
- S10/DT 10mm **02TT00237**
- S11/DT 11mm **02TT00238**
- S12/DT 12mm **02TT00239**
- S13/DT 13mm **02TT00240**
- S14/DT 14mm **02TT00241**
- S15/DT 15mm **02TT00242**

- S16/DT 16mm **02TT00243**
- S17/DT 17mm **02TT00244**
- S18/DT 18mm **02TT00245**
- S15/DT 19mm **02TT00246**
- S20/DT 20mm02TT00247
- S21/DT 21mm **02TT00248**
- S22/DT 22mm **02TT00249**
- S23/DT 23mm **02TT00250**

18 Piece Combination Spanner Set

- S24/DT 24mm **02TT00251**
- S25/DT 25mm **02TT00252**
- S26/DT 26mm02TT00253
- S27/DT 27mm **02TT00254**
- S28/DT 28mm **02TT00255**
- S30/DT 30mm **02TT00256**
- S32/DT 32mm **02TT00257**

Dargan 12pce Combination Spanner Set



- Dargan 12pce combination spanner set come on elliptical panel
- Fully polished bright chrome plated combination spanners
- Neat hang up display rack
- Spanners Range from 8mm 22mm.
- SSET12/4/DT

02TT00258

Tala 32 Piece Spanner Set



Mart Spen Matrix Combination Systems det

Particular of the second of th

Metric

- Forged from chrome vanadium steel
- Fully polished finish
- Supplied in wall hangable storage racks
- Set contains: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm
- Display packaged

- Metric & Imperial
- Chrome vanadium steel
- Mirror polished
- Hardened and tempered
- Set contains:
- 11 x Standard MM combination spanners, 6-14,17 & 19mm
- 11 x Standard AF combination spanners, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8in
- 5 x Stubby MM combination spanners, 10,11,12,13 & 15mm
- 5 x Stubby AF combination spanners, 3/8, 7/16, 1/2, 9/16 and 5/8in

Stanley Ratchet Spanner Set



- Specially shaped open end engages and disengages without the need to remove the spanner from the nut
- Enables operator to work much faster
- Nickel chrome plating protects against corrosion
- Unique plastic storage rack
- 6 piece set contains: 10mm, 12mm, 13mm, 16mm, 17mm, 19mm **02TT00261**
- 8 piece set contains: 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm 02TT00262

...

- Ratcheting box spanner in metric sizes
- Finish: forged, nickel and chrome-plated, matt-finished

Bahco Reversible Ratchet Spanner Set

- Material: chrome vanadium
- Turnable for left and right direction.
- 5° action
- 12-point with dynamic-drive profile
- 3 pieces set in practical pouch to carry on your belt
- Multi size spanner with 4 sizes per spanner (2 per head)
- 12 sizes: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

02TT00263

Dargan 27pce x 1/2" Drive Socket Set



- Professional Quality Square 1/2" drive Sockets & Accessories.
- Manufactured from Chrome Vanadium Steel.
- Hardened & Tempered with Satin finish for Corrosion Protection.
- Chamfered ends allow positive nut location.
- 18x 12 point Metric Sockets, 1x T-Bar Adaptor 3/8f x 1/2m, 1x Ratchet handle, 1 x Flexi Handle, 1x Universal Joint, 2x Ext. Bars.
- DT1325H

14pce x 1/4" Drive Socket Set



- Professional Quality Square 1/2" drive Sockets & Accessories
- Manufactured from Chrome Vanadium Steel
- Hardened & Tempered with Satin finish for Corrosion Protection.
- Chamfered ends allow positive nut location
- 11 x Metric Sockets, 1x Universal Joint, 1x Ratchet handle, 1x 2" Ext. Bar
- DT6514



Bahco 91 Piece 1/4" & 1/2" Socket Set



- Socket set 1/4in and 1/2in and combination spanners with dynamic-drive-profile
- Finish: matt chrome-plated
- Material: chrome vanadium
- Plastic case: oil and temperature resistant polypropene

02TT00266

Tala 32 Piece 1/4" & 1/2" Socket Set



Bi material handles

- Brushed chrome finish
- Set contains:
- 2 ratchet handles: 1/4in and 1/2in drive
- 3 extension bars: 1/4in and 1/2in drive, 50mm, 125mm and 250mm $\,$
- 2 spark plug sockets: 1/4in and 1/2in drive
- 2 universal joints: 1/4in and 1/2in drive
- 12 sockets: 1/2in drive, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32mm
- 11 sockets: 1/4in drive, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13mm

Stanley 50 Piece 1/2" Drive Socket Set



- Chrome vanadium
- Brushed chrome finish
- Bi-material handles
- Set contains:
- 1/2in Sockets: 12, 13, 14, 15, 16, 18, 19, 20, 21, 22, 24mm
- 1/4in Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1 x 1/2in Ratchet handle 1 x 1/4in Ratchet handle
- 1 x 1/2in Universal joint
- 1 x 1/4in Universal joint
- 1 x 1/2in x 125mm Extension bar
- 1 x 1/4in x 75mm Extension bar
- 1 x 1/4in x 150mm Extension bar
- 1 x 1/4in x 155mm Breaker bar
- 1 x 1/4in x Hex adaptor
- 10 x 1/4in Hex bits: Slotted: 4mm, 6mm, 8mm. Phillips: PH0,PH1,PH2,PH3. Pozi: PZ1, PZ2, PZ3

02TT00267

Tala 7 Piece 1/2in Drive Socket Strip



- Chrome vanadium steel
- Set contains: 8, 10, 13, 15, 17, 19, 24mm sockets

02TT00269

Tala Rachet Handle



- 72 tooth mechanism
- Thumb lever for quick reversal
- Available drive sizes: 1/4in, 1/2in
- Display packaged

8" Combination / Long Nose Pliers





- Manufactured from Chrome Vanadium Steel with polished head
- additionally Hardened Jaws for longer service life
- Handles are PVC coated and Insulated
- W55/DT 8" Combination 02TT00271
- W57/DT 8" Long Nose **02TT00272**

10" Fencing Pliers



- Dargan Professional quality manufactured from chrome Vanadium steel with polished head
- Corrugated hammer head with Induction hardened wire cutter
- W23/DT

02TT00275



- Professional quality
- Forged alloy tool steel with polished head
- Special opening in head allows both wire and staple to be gripped
- Corrugated hammer head
- Induction hardened wire cutters
- TA69762 Tala Professional 250mm(10in) Fencing Pliers

02TT00276

6" Side Cutting Pliers / VDE Wire Strippers





- Manufactured from Chrome Vanadium Steel with polished head
- Additionally Hardened Jaws for longer service life
- Handles are PVC coated and Insulated W58/DT

02TT00273

- Manufactured from Chrome Vanadium Steel with polished head, with adjusting screw and release spring,
- V.D.E. and Insulated Handle
- W69/DT

02TT00274

8" Steel Fixing Pliers



- Knipex drop forged from high grade special tool steel
- Individually hardened in a high frequency induction process
- Heat treated, Polished head and pvc handles
- W39/K/SB

02TT00277



- Dargan professional quality manufactured from chrome vanadium steel with polished head and PVC handles
- Phosphated, anti-corrosion finish
- W39/DT



Strike Cap Flared / Phillips Screwdriver



- GO-THRU super hardened steel blade with steel end cap
- Two component handle
- Ergonomic design
- Available sizes: 4x100mm, 6x150mm, 8x200mm
- Tala Strike Cap 4x100mm Flared Screwdriver 02TT00279
- Tala Strike Cap 6x150mm Flared Screwdriver 02TT00280
- Tala Strike Cap 8x200mm Flared Screwdriver 02TT00281
- Tala PH2x100mm Strike-Cap Phillips Screwdriver 02TT00282

Tala Strike-Cap Pozidriv Screwdriver



- GO-THRU super hardened steel blade with steel end cap
- Two component handle
- Ergonomic design
- Tala Strike-Cap PZ1x100mm Pozidriv Screwdriver 02TT00288
- Tala Strike-Cap PZ2x100mm Pozidriv Screwdriver 02TT00289



Tala 8 Piece Folding Hex Key Set

- Chrome vanadium steel
- Black finish
- Hex keys fold away for easy storage
- Set contains: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm keys

Bahco Hex Nut Screwdriver



A. Bahco Nut Driver

- Three component handle
- Large surface of elastomer together with advanced ergonomic design allow optimum grip and maximum torque
- Rudolit® plastic provides high impact resistance to the tool as well as a perfect join between handle and shank
- Colour coded handle together with indelible symbol helps to quickly indentify the type of tip
- Molybdeum-vanadium blade heat treated to 60HRc for optimum performance and long life
- Black tip for high precision and protection
- Bahco 6x150mm Hex Nut Screwdriver 02TT00283
- Bahco 7x150mm Hex Nut Screwdriver 02TT00284
- Bahco 8x150mm Hex Nut Screwdriver 02TT00285
- Bahco 10x150mm Hex Nut Screwdriver 02TT00286
- B. Ceta Form Nut Driver 02TT00287

Stanley Multi-Bit Ratcheting Screwdriver



- Multi-bit screwdriver offers wide range of fastening applications with one simple tool
- With 10 bits
- Patented, magnetic bit storage system provides easy bit visibility, access and security
- 3-position ratcheting mechanism plated for corrosion resistance
- Tri-lobular, bi-material ergonomic handle for maximum torque comfort
- Convenient bit storage in barrel and end cap
- Set contains: Phillips: PH1, PH2, Pozidrive: PZ1, PZ2, Parallel: 5mm, 6.5mm, Torx: T10, T15, Robertson: S1, S2
- SY068010 Stanley Multi-bit Ratcheting Screwdriver & 10 Bits

Tala 9 Piece Screwdriver Set



- Ergonomic soft grip handle
- Chrome vanadium steel
- Magnetic tips
- Symbols displayed on top of handle for easy identification
- Can be mounted for use as a wall rack
- Set contains: Pozi: PZ2x150mm, PZ2x100mm, PZ1x75mm, PZ0x75mm, Flared: 8x150mm, 6x150mm, 6x100mm, 4x75mm, 3x75mm
- TA69971 Tala 9pce Screwdriver Set

02TT00292

Fatmax 10 Piece VDE Screwdriver Set



- Large diameter handle offers great torque needed for driving wood screws
- Soft grip handle perfect combination of great grip plus reduces fatigue
- Smooth domed end for fast spinning action speed and comfort
- Chrome vanadium steel bar allows for high torque and reduces the chance of tip breakage
- Handle moulded direct to bar virtually unbreakable bond
- Highly reliable and providing an extra long life
- Colour coded ends make it easy to identify the correct screwdriver for each screw type
- Tested to 1000V
- Set contains: Parallel: 2.5x50mm, 3.5x75mm, 5.5x150mm, Phillips: PH0x75mm, PH1x100mm, PH2x125mm, Pozidriv: PZ0x75mm, PZ1x100mm, PZ2x125mm, Voltage tester

Arrow T50 Heavy Duty Staple Gun



- Chrome finished, all-steel heavy duty gun with high carbon hardened steel working parts, visual refill window, patented jam-proof mechanism and easy double-leverage operation
- Used for tacking insulation, panels, screening, carpets, fencing, wire etc
- T50 staples used: 6mm(1/4in), 8mm(5/16in), 10mm(3/8in), 12mm(1/2in), 14mm(9/16in)
- ART50Arrow T50 Heavy Duty Staple Gun

02TT00293

Arrow HT50A Heavy Duty Hammer Tacker



- Long lasting hardened steel working parts
- Specially designed power grip handle
- Patented jam proof mechanism
- Retractable striking edge
- ARHT50 Arrow HT50 Heavy Duty Hammer Tacker

02TT00295

Arrow T50/55 Staple

- Pack of 5000
- Available sizes: 6mm (1/4in), 8mm (5/16in), 10mm (3/8in), 12mm (1/2in), 14mm (9/16in)
- Arrow T50/55 1/4in Staples (Pack 2000) 02TT00296
- Arrow T50/55 5/16in Staples (Pack 5000) 02TT00297
- Arrow T50/55 3/8in Staples (Pack 5000) 02TT00298
- Arrow T50/55 1/2in Staples (Pack 5000) 02TT00299
- Arrow T50/55 9/16in Staples (Pack 5000) 02TT00300

Tala Flat File with Handle



- Engineer's file with ergonomic soft grip handle
- Blade made of T12 steel
- Hardened and tempered
- 36 teeth per inch
- Available cut: second cut
- Available size: 200mm (8in)

02TT00301

Tala Bi-Material Chisel

- Chrome vanadium steel blade
- Ergonomic soft grip handle
- Built-in metal striking head
- TA69980 6mm **02TT00305**
- TA69981 10mm **02TT00306**
- TA69982 12mm **02TT00307**
- TA69984 16mm **02TT00308**
- TA69983 19mm **02TT00309**
- TA69985 25mm **02TT00310**
- TA69986 32mm **02TT00311**
- TA69987 38mm **02TT00312**



Screwdriver Bits



- Pozi size 1 Pozi size 2 Pozi size 3
- High Grade Alloy Steel 02TT00314



• Long Pozi size 2 **02TT00315**



• Bit magnetic holder 02TT00316

SDS Max Chisel, Point & Spade



• SDS Max Spade 3" 02TT00302 SDS Max Point 02TT00303 SDS Max Chisel 02TT00304

SDS Plus Chisel, Point & Spade Set



- Innovative Tools 3 piece SDS Plus kit
- Contains Chisel, Point & Spade

02TT00313

Tala Carpenters Pencils



- Professional quality
- TA69011 10pk completer with sharpener
- TA69012 2 pk

02TT00317



• Tech nut setter 8mm

Scrapers

Tala Window and Glass Scraper



Tala Paint Scraper

- Professional quality
- Stainless steel blade
- Bi-material soft-grip handle

Available sizes:

- TA69924 38mm (1.1/2in) **02TT00319**
- TA69930 50mm (2in) **02TT00320**
- TA69915 75mm (3in) 02TT00321
- TA69916 100mm (4in) TA69888 **02TT00322**

Paint Brushes



1. 4" paintrite brush
2. 3" paintrite brush
3. 2.5" paintrite brush
4. 2" paintrite brush
5. 1" paintrite brush
6. 1/2" paintrite brush
02TT00325
02TT00326
02TT00327
02TT00327

Tradesman Paint Brushes



Halls tradesman brush Available in:

4" 02TT00329
3 1/2" 02TT00330
3" 02TT00331
2 1/2" 02TT00333
1 1/2" 02TT00333
1 1/2" 02TT00335
1/2" 02TT00336

Painting Rollers



- 1. Halls 4" rad roller **02TT00337**
- 2. Stanley 4" roller set 02TT00338
- 3. Stanley 9" roller set 02TT00339

TALA Shovel & Scraper



- Tala contractor shovel
- Tala 1200mm (4ft) Irish Pattern Shovel 02TT00341
- Tala 1350mm (4ft 6in) Irish Pattern Shovel 02TT00342

Tala Heavy Duty Multi Purpose Scraper

- 175mm(7in) wide solid steel blade
- Blade can be sharpened with a standard hand file

02TT00343

Darby Tools



 1. Darby Spade
 02TT00347

 2. Darby Hay Fork
 02TT00348

 3. Darby Shovel 4 ft
 02TT00349

 4. Darby Shovel 4 ft 6 in
 02TT00350

 5. Darby Slash Hook
 02TT00351

Shovels



- 1. Premier Square Mouth Shovel **02TT00344**
- 2. Darby Long Handled Grain Shovel 02TT00345
- 3. Plastic Snow Shovel 02TT00346

Brushes



1. Platform brush complete with stays

2. Platform brush

3. Yard brush with clamp

4. Standard yard brush

5. Deck scrub

6. Wire brush

02TT00352

02TT00353

02TT00354

02TT00355

02TT00356

Yard & Floor Scrapers



28" yard squeegie 02TT00358

Dargan Heavy Duty Tubular Steel Handle Floorscraper

- CT29 DT 9.5" **02TT00359**
- CT50 DT 12" **02TT00360**

Rakes



- Bulldog flat tooth asphalt rake
 Plastic landscape rake
- Available 16 tooth
- Available 32 tooth
- 3. Round tooth tar rake

02TT00361

02TT00362 02TT00363

02TT00364 02TT00365

Nail Bars & Crowbar



- Dargan nail bars
- Forged high carbon steelDesigned to withstand wear
- Bevel chisel end
- CCB09/DT 18" 02TT00366
- CCB07/DT 24" 02TT00367
- CCB10/2//DT 30" **02TT00368**

Maddock & Pick Axe



Tala Chisel & Point Crowbar

- Drop forged from high quality carbon steel
- Hardened and tempered at both ends
- Length: 1520x32mm (5ftx1.1/4in)
- TA35114 1520mm x 32mm (5ft x 1.1/4in)



- 360mm(14in) **02TT00372**
- 600mm(24in) **02TT00373**
- 900mm(36in) **02TT00374**



Stanley 3-in-1 Mobile Work Centre



- Detachable top tool box unit with small parts storage on top
- Detachable mid section for small parts and accessories
- Bottom bin with large 7in wheels
- Pull handle on top allows to conveniently maneuver
- Large metal latches connecting the units
- Huge storage volume for power tools, hand tools small parts and accessories
- Removable tray for essential tools
- Available size: 475x284x630mm

02TT00375

Stanley 50L Contractor Tool Chest



- Geometric heavy duty metal latches enables smooth opening and closing of the lid
- Long telescopic handle and large 7in coated wheels make this box easy to manoeuvre during transportation
- Innovative V-groove has been detailed into the lid, which can be used as a platform for cutting timber and pipework
- Large 50L storage capacity of the box is ideal for storing large to medium sized power tools, a portable tote tray provides additional flexibility to your storing needs
- Top organisers allow for small parts storage such as screws, wall plug, bolts and nuts
- Easy to use adjustable belt with a roller buckle
- Available size: 400mm x 345mm x 645mm

Stanley FatMax ProMobile Job Chest



- Level and saw lock in mechanism
- Keeps tools accessible yet safely secured inside
- Removable vertical tool organisation maximum organisation inside the chest
- All round water seal keeps valuable contents safe
- Heavy duty wheels for mobility on rough surfaces, stairs
- Portable tray for hand tools and small parts
- Integrated lock and keys keeps your tools protected
- Integrated V groove for any on site sawing needs
- Telescopic handle slides in for storage
- Back end handle enables conveniently lifting onto vehicle by 2 people
- Tools not included
- Available size: 113L(30 gallon)

02TT00376

Stanley FatMax Large Job Chest



- Innovative top aluminium rails, allowing materials to be strapped to the top of the chest
- Structural foam construction
- The tool chest has an IP65 rated water seal for full protection against the elements
- Heavy-duty metal latches and hinges for added durability
- 7. 5in rubber wheels allow easy manoeuvrability
- Available capacity: 240L

Tala Professional Cargo Bag



- Wide opening for easy access
- 30 Pockets for storage
- Reinforced bottom for durability
- 6 Outer cargo pockets with secure closure
- Additional mesh pockets at end of bag
- Adjustable padded shoulder strap
- Available size: 600mm (24in)

02TT00379

Stanley FatMax Tote with Waterproof



- Stanley FatMax plastic fabric open tote has a strong injected polypropylene frame that gives the bag a strong and rigid
- The structure is made from tough 600 Denier and ballistic nylon fabric and is hardwearing, strong and durable
- Has multiple internal and external pockets that provide maxi mum organisation and storage space for a variety of tools
- The open design of the tote provides easy access to tools and power tools
- Covered front pockets secure storage of small parts or personal items
- Multiple internal and external pockets
- Strong injected polypropylene frame
- 600 Denier and ballistic nylon fabric
- Available size: 500mm(20in)

02TT00381

Tala Professional Universal Tote



- Rigid frame with padded handle
- Multiple pockets inside and out
- Top straps for securing 2ft level
- Adjustable shoulder strap
- Available size: 500mm(20in)

02TT00380

Stanley FatMax Round Top Rigid Tool Bag



- Made of durable materials for internal protection against tool damage and wear
- Huge capacity round top geometric construction, creates more additional capacity vs. traditional bags
- Vertical storage pockets for quick and easy tool access
- Ergonomic design with padded shoulder strap and rubber grip handle allows comfortable carrying of heavy loads
- Tools not included
- Available size: 460mm(18in)




Dargan Tote Bag 18"



- Rigid nylon construction solid base tote bag
- Steel tubular handle with a soft grip
- Internal and external pockets
- Comes with adjustable shoulder strap
- TLB/T

02TT00383

Scaffolders Tool Belt Complete



- Includes black heavy duty leather belt
- Tape holder
- Hammer holder
- Double frog
- Stabila level and holder
- Scaffold spanner
- Scaffold hammer
- Stanley 5m tape

02TT00387

Polymer Toolbox with Metal Latches



- Polymer toolbox with metal latches
- Full length aluminium handle for durability
- Lid includes removable transparent organisers
- Deep organiser tray inside
- Padlock hole in lid for increased security
- TA46200 Tala 460mm (18in) 02TT00384
- TA46201 Tala 560mm (22in) 02TT00385
- TA46202 Tala 640mm(25in) 02TT00386

Tala Tool Holders & Nail Pouch



- A. Hammer Holder 02TT00388
- B. Scaffold Spanner Holder 02TT00389
- C. Tape Holder 02TT00390

 02TT00391
- 10 pockets, tape clip, 2 hammer loops
- Made from heavy duty leather
- Double stitched for strength
- Riveted at stress points

CIRCULAR SAW BLADES - FOR CUTTING WOOD

Professional quality blades made with high quality tungsten carbide tips to provide an excellent lifespan and a flawless finish. Available with different tooth configurations to provide multiple cut types in a variety of materials.



COARSE / MEDIUM (GENERAL PURPOSE)

- Softwood
- Hardwood
- Exotic Timber
- Stone Fibre Board



MEDIUM

(COMBINATION)

- Softwood
- Hardwood
- Exotic Timber
 - Plywood
- Cement Bonded Board
 - Soft Fibre Board



MEDIUM / FINE

(TRIMMING / CROSSCUT)

- Softwood
- Hardwood
- Exotic Timber
- Veneers Single & Double Sided
- Plywood, Hardboard & MDF
 Particle Board with Plastic Laminate
 On One Side



EXTRA FINE (FINE TRIM / FINISHING)

- Softwood
- Hardwood
- Exotic Timber
- Plywood
- Cement Bonded Board
 - Soft Fibre Board



TYPE - CIR

SUB TYPE - CIRO3

CLAM SHELL

Product Code	Blade Ø (mm)	Blade Ø (Inch)	Kerf (mm)	Bore (mm)	No. of Teeth	Cut Type	Bushing Ring Size (mm)	
C1402016	140	5 ½	2	20	16	Coarse / Medium •	-	02TT00392
C1502012	150	6	2	20	12	Coarse / Medium •	-	02TT00393
C1502040	150	6	2	20	40	Medium / Fine	-	02TT00394
C1603016	160	61/4	2	30	16	Coarse / Medium •	16.00	02TT00395
C1603024	160	61/4	2	30	24	Medium •	16.00	02TT00396
C1653018	165	61/2	2	30	18	Medium •	16 or 20	02TT00397
C1841624	184	71/4	2	16	24	Coarse / Medium •	-	02TT00398
C1843024	184	71/4	2	30	24	Coarse / Medium •	-	02TT00399
C1841640	184	71/4	2	16	40	Medium / Fine	-	02TT00400
C1843040	184	71/4	2	30	40	Medium / Fine	-	02TT00401
C1843060	184	71/4	2	30	60	Extra Fine	-	02TT00402
C1903024	190	71/2	2	30	24	Coarse / Medium •	16 or 20	02TT00403
C1903040	190	71/2	2	30	40	Medium •	16 or 20	02TT00404
C2103032	210	81/4	2	30	32	Coarse / Medium •	25.00	02TT00405
C2163024	216	81/2	2	30	24	Coarse / Medium •	-	02TT00406
C2163040	216	81/2	2	30	40	Medium / Fine	-	02TT00407
C2163060	216	81/2	2	30	60	Extra Fine	-	02TT00408
C2163080	216	81/2	2	30	80	Extra Fine 🕒	-	02TT00409
C2303030	230	9	2	30	30	Coarse / Medium •	-	02TT00410
C2303040	230	9	2	30	40	Medium •	-	02TT00411
C2353024	235	91/4	2	30	24	Coarse / Medium •	16 or 20	02TT00412
C2353040	235	91/4	2	30	40	Coarse / Medium •	16 or 20	02TT00413
C2353060	235	91/4	2	30	60	Medium / Fine	16 or 20	02TT00414
C2503040	250	10 equiv.	3	30	40	Medium •	16,20 or 25.4	02TT00415
C2503060	250	10 equiv.	3	30	60	Medium / Fine •	16,20 or 25.4	02TT00416
C2503080	250	10 equiv.	3	30	80	Extra Fine 🔸	16,20 or 25.4	02TT00417
C2543030	254	10	3	30	30	Coarse / Medium •	-	02TT00418
C2543040	254	10	3	30	40	Medium	-	02TT00419
C2543060	254	10	3	30	60	Medium / Fine 🔸	-	02TT00420
C2603030	260	101/4	3	30	30	Coarse / Medium •	-	02TT00421
C2603060	260	101/4	3	30	60	Medium / Fine 🔍	-	02TT00422
C3003040	300	11%	3	30	40	Medium •	-	02TT00423
C3003060	300	11%	3	30	60	Medium / Fine 🔸	-	02TT00424
C3003080	300	111//8	3	30	80	Medium / Fine 🔵	-	02TT00425
C3153030	315	123/8	3	30	30	Coarse / Medium •	-	02TT00426
C3153048	315	123/8	3	30	48	Medium	-	02TT00427
C3153060	315	123/8	3	30	60	Medium / Fine 🔸	-	02TT00428

SITE-MATE

Concrete Diamond Blades



• Premium quality diamond blades for concrete & granite

Sizes available

OIZOO AVAIIADIO	
 115mm blade x 22.23mm bore 	02TT00429
 125mm blade x 22.23mm bore 	02TT00430
 180mm blade x 22.23mm bore 	02TT00431
 230mm blade x 22.23mm bore 	02TT00432
 300mm blade x 20mm bore 	02TT00433
 350mm blade x 20mm/25.4mm bore 	02TT00434
 400mm blade x 20mm/25.4mm bore 	02TT00435
 450mm blade x 25.4mm bore 	02TT00436
larger sizes available	

Asphalt Diamond Blades



• Premium quality diamond blades for asphalt

Sizes available

• 300mm blade x 20mm bore	02TT00437
• 350mm blade x 20mm/25.4mm bore	02TT00438
• 400mm blade x 20mm/25.4mm bore	02TT00439
• 450mm blade x 25.4mm bore	02TT00440
• 500mm blade x 25.4mm bore	02TT00441
• 600mm blade x 25.4mm bore	02TT00442

Premium Super Quality Orange Disc



- 12" Steel Cutting Disc, Box Qty 25 02TT00443
- 9" Steel Cutting Disc4.5" Steel Cutting Disc

02TT00444 02TT00445

Standard Super Quality Cutting Disc



- 12" Steel / Stone Cutting Disc, Box Oty 25 02TT00446
- 9" Steel / Stone Cutting Disc
- 4.5" Steel / Stone Cutting Disc

02TT00447

Thin Steel Cutting Discs



- 9" Blue Steel Disc, top Quality Steel Disc, Lasts Longer, Cleaner Cuts. Box Qty 25 02TT00449
- 4.5" Slim Jim Steel Disc, Extra Thin top Quality Steel Disc, Lasts Longer, Cleaner Cuts. Box Oty 100 02TT00450

Grinding Discs



- 9" Deep PC Metal Grinding Disc 22.2mm Depressed Centre Box Qty 10
 - 02TT00451
- 4.5" Deep PC Metal Grinding Disc Depressed Centre Box Qty 10 02TT00452
- 4" Deep PC Metal Grinding Disc, Depressed Centre Box Qty 10 02TT00453

Basic Cut Wood / Metal Jigsaw Blades





02TT00456

02TT00458

02TT00461

A. Wood Jigsaw Blades

- MA-85656 Makita B13 Wood Jigsaw Blades (5pk) 02TT00454 02TT00455
- MA-85678 Makita B15 Jigsaw Blades (5pk)
- MA-85709 Makita B18 Jigsaw Blades (5pk)
- MB-10469 Makita B10469 B35 Jigsaw Blades Pk5 02TT00457
- B. Metal Jigsaw Blades
- · For mild steel, stainless steel and tough plastics, especially suited for thin plate
- HSS blade designed for metal cutting
- Cuts up to 3mm in most metals including stainless
- Tooth type/set: B milled and wavy set teeth
- MA-85737 Makita B22 Jigsaw Blades (5pk)
- MA-85743 Makita B23 Metal Jigsaw Blades (5pk) 02TT00459 02TT00460
- MA-85771 Makita B26 Jigsaw Blades (5pk)
- MA-85787 Makita B27 Jigsaw Blades (5pk)

Wood / Metal Reciprocating Saw Blade



A. Wood Reciprocating Saw Blade

- M792148-9 Makita No.23 5 piece
- MP-04999 Makita 150mm 4TPI 5 piece
- MP-05000 Makita 150mm 18TPI 5 piece
- MP-05022 Makita 150mm 6TPI 5 piece
- MP-05016 Makita 300mm 4TPI 5 piece
- MP-05072 Makita 300mm 6TPI 5 piece

02TT00462

02TT00463 02TT00464

02TT00465 02TT00466 02TT00467



- B. Metal Reciprocating Saw Blade
- M792146-3 Makita No.21 5 piece
- M792147-1 Makita No.22 5 piece

M792149-7 Makita No.24 5 piece

02TT00468 02TT00469 02TT00470



Steel Cube Mould 150mm



- Steel, 4 part with baseplate
- Weight 15.5kg


02TT00471

PVC Cube Mould



- Plastic cube mould 150mm
- Weight 1kg

02TT00475



• Weight .5kg

Mortar Mould & Release Oil



- Steel, with clamp baseplate
- 3 gang 40mm
- 3 gang 50mm

02TT00472



- Mould Release Oil
- 5 litre **02TT00473**
- 25 litre **02TT00474**

Mortar Bin



- Sturdy Craneable Mortar Tub 330ltr
- UV stabilised the 330ltr Craneable Mortar Tub is extremely strong and durable.

Thermometres



- Cabled probe for air, water, soil or other temperature Simultaneous display of inside and remote temperature records maximum and minimum temperatures for inside and remote since last reset 02TT00478
- 2. T-shaped Pocket thermometer which measures temperature over the range of -49.9 to 149.9°C. **02TT00479**
- 3. Max/min Thermometre range: -35 to +50°c **02TT00480**

Slump Cone Rod & Plate



- Premium slump cone **02TT00483**
- Standard slump cone 02TT00484
- Slump cone rod **02TT00485**
- Slump cone plate 02TT00486

Concrete Testing Tools



- 25mm Face tamping bar, steel
- Conforms to EN12390-2 and BS1881-108

02TT00481



• Aluminium Scoop 2.5kg

02TT00482

Curing Tank



- Curing Tanks conform to EN 12390-2:2000 which supersedes BS 1881-110:1983
- EN12390-2:2000 states "After removal from the mould, cure the test specimens till immediately before testing, in water at a temperature of 20 deg C, plus or minus 2 deg C."



Krino Hex Shank Auger Bit

KR050360800 - 8x235mm	02TT00488
KR050361000 - 10x235mm	02TT00489
KR050361200 - 12x235mm	02TT00490
KR050361600 - 16x235mm	02TT00491
KR050362000 - 20x235mm	02TT00492
KR050400800 - 8x300mm	02TT00493
KR050401000 - 10x300mm	02TT00494
KR050401300 - 13x300mm	02TT00495
KR050401600 - 16x300mm	02TT00496
KR050402000 - 20x300mm	02TT00497
KR050402200 - 22x300mm	02TT00498
KR050402500 - 25x300mm	02TT00499
KR050403200 - 32x300mm	02TT00500

SDS Masonry Drill Bits



5.0 x 50 x 110mm	02TT00501	12.0 x 410 x 460mm	02TT00518
5.5 x 100 x 160mm	02TT00502	12.0 x 550 x 600mm	02TT00519
6.0 x 50 x 110mm	02TT00503	12.0 x 950 x 1000mm	02TT00520
6.0 x 100 x 160mm	02TT00504	13.0 x 100 x 160mm	02TT00521
6.5 x 100 x 160mm	02TT00505	14.0 x 200 x 260mm	02TT00522
7.0 x 100 x 160mm	02TT00506	14.0 x 550 x 600mm	02TT00523
8.0 x 100 x 160mm	02TT00507	14.0 x 410 x 460mm	02TT00524
8.0 x 150 x 210mm	02TT00508	14.0 x 950 x 1000mm	02TT00525
8.0 x 200 x 260mm	02TT00509	16.0 x 250 x 310mm	02TT00526
10.0 x 100 x 160mm	02TT00510	16.0 x 400 x 460mm	02TT00527
10.0 x 150 x 200mm	02TT00511	16.0 x 550 x 600mm	02TT00528
10.0 x 200 x 260mm	02TT00512	16.0 x 950 x 1000mm	02TT00529
10.0 x 400 x 460mm	02TT00513	18.0 x 200 x 250mm	02TT00530
10.0 x 550 x 600mm	02TT00514	18.0 x 410 x 460mm	02TT00531
10.0 x 950 x 1000mm	02TT00515	20.0 x 410 x 460mm	02TT00532
12.0 x 150 x 210mm	02TT00516	20.0 x 550 x 600mm	02TT00533
12.0 x 200 x 260mm	02TT00517	22.0 x 410 x 460mm	02TT00534

Krino Flat Wood Bits



• Integral centre point and twin cutting edges enhance speed and rapid chip removal

Krino 6.0mm Flat Wood Bit Krino 8.0mm Flat Wood Bit Krino 10.0mm Flat Wood Bit Krino 12.0mm Flat Wood Bit Krino 13.0mm Flat Wood Bit Krino 16.0mm Flat Wood Bit Krino 19.0mm Flat Wood Bit Krino 20.0mm Flat Wood Bit Krino 22.0mm Flat Wood Bit Krino 25.0mm Flat Wood Bit Krino 30.0mm Flat Wood Bit Krino 30.0mm Flat Wood Bit Krino 32.0mm Flat Wood Bit	02TT00535 02TT00536 02TT00537 02TT00538 02TT00539 02TT00540 02TT00541 02TT00542 02TT00543 02TT00545 02TT00546 02TT00547 02TT00548
02.0	021100017

Krino HSS Rolled Drill Bit



- Roll forged
- \bullet For drilling in iron, steel, metals

Duct Brushes



• ESB approved duct brushes

110mm **02TT00576** 125mm **02TT00577** 160mm **02TT00578**



• Cylindrical Duct Brushes are fitted with steel rotating fixing eyes each end.

Duct Mandrals



- Duct proving mandrels are manufactured from polypropylene and are fitted with steel rotating fixing eyes at each end
- All mandrels are made to order and as a rule the diameter should be 10% smaller than the duct and the length is 1.5 times the diameter
- The standard sizes listed are maximum values and can be machined to your requirements

Cobra Reels



Cobra Reel sizes available

 4.5mm (d) x 40m (I) 4.5mm (d) x 60m (I) 4.5mm (d) x 80m (I) 4.5mm (d) x 100m (I) 	02TT00599 02TT00600 02TT00601 02TT00602
 6mm (d) x 60m (l) 6mm (d) x 80m (l) 6mm (d) x 100m (l) 6mm (d) x 120m (l) 6mm (d) x 150m (l) 	02TT00603 02TT00604 02TT00605 02TT00606 02TT00607
 9mm (d) x 60m (l) 9mm (d) x 80m (l) 9mm (d) x 100m (l) 9mm (d) x 120m (l) 9mm (d) x 150m (l) 9mm (d) x 200m (l) 9mm (d) x 250m (l) 	02TT00608 02TT00609 02TT00610 02TT00611 02TT00612 02TT00613 02TT00614
 11mm (d) x 100m (l) 11mm (d) x 120m (l) 11mm (d) x 150m (l) 11mm (d) x 200m (l) 11mm (d) x 250m (l) 	02TT00615 02TT00616 02TT00617 02TT00618 02TT00619

• 11mm (d) x 300m (l)

1M Dominator™ Cone Sealbrite Sleeve



- The preferred traffic management and term maintenance two-part moulded cone
- UV stabilised LDPE moulded top
- heavy duty 100% recycled composite base.
- All cones come complete with Sealbrite™ class R1B Sleeve.
- 8.5kg

03TM00001

75cm Roadhog™



- 100% recycled cone complete with reflective sleeve.
- 1 piece cone
- JBG049-200-600 50cm **03TM00003**
- JBG069-200-600 75cm **03TM00004**

75cm Dominator™ Cone Sealbrite Sleeve



- The preferred traffic management and term maintenance twopart moulded cone
- UV stabilised LDPE moulded top
- Heavy duty 100% recycled composite base.
- All cones come complete with Sealbrite™ class R1B Sleeve.

03TM00002

Dominator™ Branded Cones



- Branded cones
- Available in 1m **03TM00005** & 75cm **03TM00006**
- Coloured base options

MK4® 2 Part No Waiting Cone



• Mk4® No Waiting cone moulded from UV stabilised polyethylene and composite base weighted.

03TM00007

75cm Springback Cylinder Cone



- Moulded post with integral shock cord device allows post to revert to upright after impact.
- Comes complete with conforming Sealbrite Sleeve.
- Ideal for delineating traffic in areas such as airports, car parks, docksides etc.

1M & 750mm Dominator™ Coloured Cones



- The preferred traffic management and term maintenance two-part moulded cone, various colours
- UV stabilised LDPE moulded top
- heavy duty 100% recycled composite base.
- All cones come complete with Sealbrite™ class R1B Sleeve.
- 8.5kg

03TM00008

1M & 750mm Cylinder Cone



- Blow moulded from UV stabilised low density polyethylene.
- Specific twist-lock designed base to suit either permanent metal cats eye sockets or temporary base.
- Fitted with BS873: Part 6 Des 2 Sleeve
- Suitable for use with UniBase.


1m 03TM00010 750mm 03TM00011 Base 03TM00012





ADAPTABLE TO SUIT ANY OFF ROAD HAZARD

These telescopic poles for traffic cones provide a quick and efficient way to restrict access to an area. They offer an effective solution to protect pedestrians as well as road users from any off road situation that signifies a hazardous area, from loading bays to mounds of soil.



TELESCOPIC POLE FEATURES



	Weight	600g	
DIMENSIONS	Shortest Extension Length	1100mm	
DIMENSIONS	Longest Extension Length	2200mm	
	Loop	100mm (Outside diameter)	
MATERIAL	Pole	Recycled PVC	
MATERIAL	Loop	LDPE	
CODES	Red/White	HDB024-035-400	
	Yellow/Black	HDB024-035-300	

EXTENDABLE

Extends from 1100mm to 2200mm making the poles adaptable and versatile for various applications.





MULTIPLE CONFIGURATIONS

Designed to fit over two traffic cones to provide quick and easy demarcation. The end loops allow free movement across a 360 degree pivot from one stationary cone. It is also possible to cordon off larger areas by simply adding more cones and poles.



EASY TO CONNECT

Cone poles feature 100mm loops at each end and are designed to suit any JSP 75cm traffic cone.



EASY TO STORE

The poles can be collapsed to their minimum length and stored in a compact space. 20 poles packed per carton.



VERSATILE

The telescopic poles for cones can be used in any off road situation indoors or outdoors.

Telescopic Poles for Cones **03TM00013**

Wychwood™ Flexible Verge Posts



- Moulded spring back post with large area for reflective
- Highly Flexible Rebounds after impact and returns to upright position.
- Tall Height above ground when sited is 1 metre.
- Increased Stability Integral barb on rear prevents ease of removal
- Added Security Bottom hole allows bar to be inserted for added security when sited.

03TM00014

Kingham™ Verge Post



- Toughened polyethylene blow moulded design with large reflective area conforming to RI EN12899-1 class R2 reflectors.
- Multipurpose posts which can be used on verges or be set into hardcore for car parks or similar delineation.
- Dimensions W150mm, H 1200mm. Weight 2.1kg.

Flexible Bollards



- Flexible reflective bollards
- Available in various sizes

750mm **03TM00015** 1m **03TM00016**


Churchill™ Verge Post



- Sturdy blow moulded cylindrical design with hi vis reflective area conforming to RI EN12899-1 class R2 reflectors.
- Multipurpose usage ranging from highway verges to hard standing area.
- Dimensions W125mm, H 1310mm. Weight 1.4kg.

03TM00017

Roadbloc™ Reflective 1M Red & White



The RoaBloc™ from JSP has been manufactured from Solathene™ HD and the system has been extensively trialled to ensure that it surpasses the demands and expectations bestowed on Traffic Separators by today's Traffic Management industry. It's unique hinge allows it to form a mini roundabout with just eight units and to bend upwards so that they can stand firm on uneven ground. They can also be stacked very conveniently. Stacks of 20 RoadBlocs™ supplied securely banded. Mini Roundabout Each barrier can swivel at its connection point up to 45° to enable 8 systems to form a

circle. Uneven Terrain Each unit can be tilted at an angle whilst still connected making it ideal for use across uneven terrain. Visibility Reflective strips can be placed to sit within a recessed area on each unit. There is also the option to add 1M high PVC barrier boards supported on 60mm diameter poles for increased visibility. Branding Bespoke colours to suit corporate identities are available. Each unit contains 2 specific areas (one on each side) that can be embossed with a contractor's name, logo etc. Convenient Each Bloc features interlocking feet which allow the units to be stacked efficiently without the risk of them sliding apart, helping prevent pedestrian/worker accidents.



03TM00020



UNBEATABLE VALUE

The Navigator® is a blow moulded high density polyethylene barrier that has been developed for attended and unattended street work. This is a cost effective solution to ensure safety by segregating hazards and areas that could potentially cause a danger.





NAVIGATOR® FEATURES

STORAGE & DISTRIBUTION

An effective stacking solution designed to maximise stability and storage for 40 units per pallet.





Stacking feature enables each barrier to lock together to ensure safe storage and transportation.

	Weight	12kg
DIMENSIONS	Height	1000mm
	Length	2000mm
	Width	50mm
	Full Pallet	2000mm width x 1250mm depth x 2250mm height
STANDARDS		BSEN8442 (wind stability) BSEN12899-1 (reflective only) Chapter 8 (Traffic Signs Manual) TSRGD* SSWRW**
MATERIAL	Body	Polyethylene - Red
	Feet	Recycled PVC

^{*} Traffic Signs and General Directions ** Safety at Street Works Act





MULTIPLE CONFIGURATIONS

Designed for contractors to use in numerous configurations offering adaptable solutions to secure additional barriers. This free standing barrier with 360° swivel feet can also be positioned at a 90° angle to ensure stability.



EASY TO CONNECT

Easy to link making it possible to connect barriers together incorporating the 'peg and hole' system.



Class R1 high intensity reflective panel that conforms to BSEN12899-1.



SUREFOOT BLOC™

Compatible with the Surefoot Bloc[™]. A 6.5kg recycled PVC foot cover to add weight and extra stability.

Navigator Barriers 03TM00021



FRONTIER CROSS-LINK

03TM00022

A NEW JSP® blow moulded barrier manufactured from UV stabilised impact modified HDPE. The design process was carried out in tandem with leading UK contractors to maximise wind flow through and around the system for unbeatable stability. Tested to ensure wind stability classes within BS8442 are achieved. Frontier™ Cross-Link™ fully meets guidelines as set out by the Safety at Street Works and Road Works: A Code of Practice.





CR2™ Class R2 reflectives EN standard 12899-2 (High performance reflective sign face material)





Locking design maximises stability when stacked for storage/transporting correctly.



LAMP ATTACHMENT AREA

A specific area has been created in the mould of the barrier to allow road safety lamps to be attached for extra visibility and warning.

FLEXI-CLIPS™ FITTED AS STANDARD





FLEXI-CLIPS™

Flexible and durable clips that enable better linking possibilities. These clips are included as standard with the Frontier™ Cross-Link™.



FLEXIBLE LINKING

Compatibility with other styles of JSP® barriers and also other brands. Can also be connected on uneven ground including kerbs and rough terrain.



Image shown here features SUREFOOT™ anti-trip foot



SUREFOOT™ BARRIER FEET

The most robust general purpose feet in the market with excellent surface grip weighing 3kg each.



V SUREFOOT™ ANTI-TRIP

Designed to prevent pedestrian/worker accidents. They are also painted in a high visibility yellow and feature two reflectors per foot for extra visibility in low light situations.

TITAN[™] BARRIER SYSTEM



Titan™ has undergone modifications to further improve longevity and to meet the proposed NRSWA changes affecting wind stability, setout in BS8442 when erected and assembled correctly.



AS WIND TUNNEL TESTED AND CERTIFIED BY MIRA



SUREFOOT™

SureFoot™ feet are heavy duty with excellent surface grip. They use a unique interference-fit design for a secure rigid fit whilst being easy to rotate. So confident are we in the reliability of our Surefoot™ feet, should there be an occurrence of broken feet we will supply replacements FREE.









▼ SUREFOOT BLOC™

A 6.5kg recycled PVC foot cover to add weight to a barrier rather than the traditional use of sandbags. The Surefoot^{\mathbb{M}} feet feature 4 ridges on either side for the Surefoot Bloc^{\mathbb{M}} to slide onto and secure a firm fit. The SureFoot Bloc^{\mathbb{M}} can be used on either one side or both sides of the feet.

TITAN[™] BARRIER SYSTEM



OXFORD, ENGLAND

The Titan™ is the recognised and well established stacking barrier from JSP, it has all the usual advantages of standard stackable systems but in addition has many unique features.



FITS STABILITY POLES



STACKABLE

The clever design allows for simple and practical storing, stacking, and un-stacking.



STABILITY POLES

Extendable poles can be fitted to attach one barrier to another or to the Surefoot Bloc $^{\text{TM}}$ to create extra stabilty. This removes the need for 'sandbagging'.



▼ FLEXI-CLIP™

This new linking facility enables easy connecting and compatibility with not only other styles of JSP barriers but also other brands. It can be connected on uneven ground including kerbs and rough terrain.



REFLECTIVE PANEL

Titan $^{\text{\tiny{M}}}$ uses prime quality high intensity reflective material conforming to EN12899.



ANTI-TRIP FEET

Optional Anti trip feet with a scalloped design to prevent accidents. Painted high visibility yellow and featuring two reflectors per foot for extra visibility.



CONTRACTOR BRANDING

Contractor details can be hot-foiled or embossed onto the barrier. They can be made in different colours and some can be made with another colour end pieces.

Titan Barrier System **03TM00023**



A-GAME STABILITY AND STORAGE

The uniquely foldable AlphaBloc™ Space Saver has been developed as a convenient alternative to the conventional style of water filled separators, allowing increased quantities on a pallet at less stacking height.






ALPHABLOC™ FEATURES

▼ STORAGE & DISTRIBUTION

- Increased pallet quantity at a total of 40, which reduces storage capacity and aids distribution.
- Design enables a contractor to half the cost of storage and transport, reducing their carbon footprint.





LESS STORAGE SPACE, MORE ROAD COVERAGE



WINIOUF FOLDING DESIGN

- Blow moulded HDPE blocs with strong durable hinge system and carry handle.
- 1mtr long x 600mm high x 400mm deep.



▼ INCREASED STABILITY

• Water fillable to increase ballast/weight for added stability.



CORPORATE BRANDING

 Large 180mm x 110mm plate area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.



CONFIGURATION

• Acute angled bloc design allows for multiple configurations on both flat and uneven surfaces.

DIMENSIONS	Weight	5.5kg (Empty) 20+kg (Full)
	Height	626.5mm
	Length	1064mm
	Width	391mm (Open) 118mm (Closed)
MATERIAL	Body	Polyethylene

Alphabloc 03TM00024

Microlite™ MK2 FPC



- 360° lens for all round light visibility.
- Conforms to EN12352 and BS3143 Part 2
- Photocell **03TM00025**
- Lamp Bracket 03TM00026
- Temporary adhesive cats eyes 03TM00027



Jumbo[™] 500 5cm Speed Ramps 10MPH



- An exceptionally tough speed ramp made from 100% recycled material, that is available in two heights, 50mm and 75mm 500mm x 400mm for 10mph and 4mph zones respectively.
- Interlocking Each Section has an integral interlocking facility for ease of siting and installation.
- Reflectors Each inner section has incorporated white reflectors for extra visibility.
- Hose/Cables Channel 40mm x 25mm channel on the underside allowing for hose/cables to be located in.
- Pre-Drilled Bolt Holes All sections are pre-drilled ready for inserting relevant bolt for specific road surface, i.e. concrete or asphalt.
- Branding Area 120mm x 60mm area allowing for a clients name to be embossed.

Speed Ramp per metre 50mm **03TM00029** Speed Ramp per metre 75mm **03TM00030**

Maxilite[™] LED



- Carry handle Practical moulded carry handle to aid transporting and siting.
- Swivel head The lens surround swivels giving 360° vision.
- Static or Flashing Dual function photocell operation.
- Allen key Each lamp has an allen key for bolt assembly and mode operation.
- Versatility Can be fixed to barriers simply using the included bolt, or to cones using the cone/lamp bracket (Bracket sold seperately)
- Extended battery life The MaxiLite™ uses energy saving LED bulbs to enhance battery life giving an extended period of use.
- Conforms to EN12352 and BS3143 Part 2.

03TM00028

PVC Chain & Post



- 6mm x 25m chain 03TM00031
- 8mm x 25m chain **03TM00032**
- Chain support posts **03TM00033**
- Post heavy duty base 03TM00034





03TM00035

Recommended Applications include: Hotels & Resorts, Department Stores, Leisure Centres, Cinema Foyers, Schools & Colleges, Hospitals, Railway Stations, Garage Forecourts, Air & Sea Ports, Industry, Maintenance & Factory Locations.

- Compact When closed the Titan® Expander Barrier is just 550mm which makes it extremely practical for transporting and carrying around.
- Flexibility Expanding action gives user length flexibility fixedlength barriers systems do not have.
- Compatibility The Titan® Expander can conveniently link to JSP's Titan®, Barricader™ and Citadel™ Barriers.
- Feet Options

Two feet options available; the standard foot and the New Anti-trip Foot design, painted in a high visibility yellow and featuring two reflectors per foot for extra visibility in low light situations.

Lightweight

Overall weight of 10.5kg means it is light enough to handle with relative ease but stable enough to hold itself upright in windy conditions, rough ground or hustle and bustle from the public.

Unique Clip

Unique design of clip means that when barrier is closed it is held together for ease of transport and the it can also be used to connect multiple systems together when extended.

Portagate® Compact Barrier Gate



The Portagate® is a blow moulded high density polyethylene barrier, supplied as a 3 or 4 gate system. Light and compact, the Portagate® is designed to meet communications industry requirements and enables increased quantities per vehicle. Configurations - Adjoining clips allow multi-positioning configurations to be formed such as a triangle, a square or a single line.

Firm hold - By sliding the top hinge clip down panels can be locked securely into formations.

Added stability - Designed to accept anti-trip feet for increase stability.

Temporary signage - Recesses are included for toggle mounted courtesy signs to enable the system to be fully closed with the signs still attached.

Reflective Panels / conforming to BS 8442.

03TM00035

Workgate[™] 4 Gate with Reflectives



The WorkGate™ is a robust mini barrier designed with contractors in mind. Supplied as 3 or 4 gate versions offering a very versatile solution to many environments and requirements. Reflective Panel- Fully reflective panel meeting EN12899-1 requirements.

Flexible Linking - Black adjoining clips give flexible multi positioning configurations.

Handles - Convenient handles with moulded finger grips make the WorkGateTM especially easy to manoeuvre.



Moorgate™ 3 & 4 Gate System



- A tough, stable and lightweight barrier system which is available either ready assembled for immediate use or as individual panels for constructors own configuration.
- Each gate is 1M high by 80cm wide and features unique designed flexible coupling clips.
- The MoorGate™ is ideal for siting around short duration works.

3 Gate 03TM00037 4 Gate 03TM00038

Grit Bin



- Grit Bin made from UV stabilised HDPE of which yellow being virgin and black of re-processed material.
- Moulded finger grips make the lid easy to lift whilst access points on the base make the bin convenient for lifting with a fork lift.
- The bins fit inside each other for easy stacking
- 250kg 7cuft **03TM00045**
- 450kg 12cuft **03TM0006**

Champion™ Folding System



- The Champion™ Barrier system offers exceptional value for money over life time use.
- Complete with galvanised nuts, bolts and washers which connect hinges, giving increased rigidity and robustness.
- Lamps are easily attached for additional night time visibility.
- Easily squared or linear sited and folds for efficient storage.
- Easy to site and easy to store in vehicles or depots.
- 5 standard lengths -

.75m **03TM00039**, 1m **03TM00040**, 1.25m **03TM00041**, 1.5m **03TM00042**, 2m **03TM00043**,

& bases to suit 03TM00044

De-icing Salt



De-icing Salt is white rock salt that is cleaner and more efficient than alternative road grit salt products and is ideal for de-icing walkways, car parks and around domestic houses.

- 25kg bag
- 49 per pallet

Dual Voltage Traffic Beacon



- Dual voltage (12/24V)
- EMC (ECE R10) approved
- 4 x 4W White LEDs
- 75 Double flashes per minute
- Meets IP56 international protection standards
- Very low power consumption (max. 0.7A)
- Reverse polarity protection
- -30°C to +50°C extreme temperature reliability
- Available with blue, green and red lenses
- LCB020

03TM00048

Motorola T82 Extreme Walkie Talkies



The TALKABOUT T82 Extreme is the rugged travel companion you need on your wildest adventures. With an IPX4 rating, the T82 EXTREME is weatherproof - able to withstand the harshest environments. The new hidden display comes alive when you need it and makes calling easier. The easy pairing button makes setup a breeze. A built-in LED torch provides emergency light when needed so you can read your map in the dark. And with essential accessories and a range of up to 10km*, the TALKABOUT T82 Extreme keeps you in touch whether you're on the roughest treks or highest peaks.

03TM0052

LED Beacon & Spinners





- 1. Flexible pole mounted LED beacon 03TM00049
- 2. 3 lense cone spinner **03TM00050**
- 3. Single lense cone spinner 03TM0051

Warrior™ 12V / 24V Magnetic Light Bar



- Warrior™ LED 12V / 24V lightbar with twin, round, secure magnetic attachments.
- Comes with a 2.4m cable with cigarette lighter plug.
- 8 flash patterns.
- EMC Tested.
- CE marked.
- BDT1489

HYT Two Way Radio TC 446S / 620



- Professional License-free Radio
- Light Weight and Tough Design
- Longer Battery Life
- Enhanced Voice Quality



- License-free Radio
- Superior Audio Clarity
- Reliable Mechanical Design
- Enhanced Speaker Protection
- Added Benefit for Your Business

03TM00054


03TM00055



Standard Weight Fencing & Pins

- Extruded from UV stabilised polypropylene.
- 50m x 1m rolls

03TM00057



- Metal Fencing Pins (pack of 10)
- For use with web fencing or as a general fencing aid.

Convex Mirror



- 600mm This convex mirror provides a clear mirror image, ideal for a number of road and pedestrian applications.
- Made from unbreakable polycarbonate
- Ideal for fitting to posts (fittings included)
- Ideal for car parks, warehouses, shopping centres, etc.
- Commercial quality.

03TM00056

Zebra Tape 500m / Barrier Bunting



• A range of red/white zebra tape in 4 lengths and black/ yellow in 500m length only.

03TM00059



• Caution Markers 26m, overhead bunting

Overhead Powerline Bunting Kit



- 2 x Metroblock post bases
- 2 x (7.3m) telescopic posts
- 1 x 25m length of bunting strip

03TM00061


Telescopic Post System



- Conductivity: insulated to 75kv, made from multi layered fibreglass tubes and nylon based clamps.
- Clamping: glass reinforced nylon clamps to hold tubes.
 Strong grip, easy control.
- Collapsed length: 2.1m
- Extended length: 7.2m
- Tube sizes: base rake 50mm
- Top rake: 32mmWeight: 2.4kg
- Sections: five red and white UV tolerant.

03TM00063

Solid Bar Kit



Site safety guidance is essential in the workplace. Our kit conforms to HSE GS6 guidelines. This system addresses the issues of damage and harm caused by large vehicles and plant as it enters and moves around a work site.

03TM00062

Metroblock / Steel Base







- 6mm polyprop rope on drum 500m 04\$\$00001
- 10mm polyprop rope on drum 200m **04SS00002**



- Blue polyprop rope on coil
- 4mm x 200m **04SS00003**
- 6mm x 200m **04\$\$00004**
- 8mm x 200m **04SS00005**
- 10mm x 200m **04\$\$00006**
- 12mm x 200m **04SS00007**
- 14mm x 200m **04SS00008**
- 16mm x 200m **04SS00009**
- 20mm x 200m **04\$\$00010**
- 24mm x 200m **04SS00011**

Cable Ties



• Quality cable ties packed 100 ties per bag

100 x 2.5 clear/black **04SS00012A** 365 x 7.6 clear **04SS00012G** 140 x 3.6 clear/black **04SS00012B** 450 x 7.6 clear **04SS00012H** 200 x 4.8 clear/black **04SS00012C** 540 x 7.6 clear **04SS00012I** 360 x 4.8 clear/black **04SS00012D** 610 x 9 clear **04SS00012J** 430 x 4.8 clear/black **04SS00012E** 750 x 9 clear **04SS00012K** 500 x 4.8 clear/black **04SS00012F**



Cable Tidi Hangers

Tidi-Hangers® are designed to be hung from overhead features such as ceiling grids, cable trays and scaffolding. They are ideal for holding up temporary lighting along corridors.

04\$\$00017

Scaffold & Excavation Tags



04\$\$00018

- Help prevent working at height hazards and manage scaffold inspection procedures. Ensure safe scaffolding use.
- · Kit contains tags, inserts and pens.



- Clearly communicate risks in excavated areas.
- Kit contains tags, inserts and pens.

04\$\$00019



04\$\$00020

- Laddertag is the original and industry leading status tagging system for ladders.
- · Kit contains tags, inserts and pens.



- Manage workplace safety with micro inspection tagging systems.
- · Kit contains tags, inserts and pens.

Debris Netting



- Heavy duty and durable.
- Used around construction sites to protect traffic, property and pedestrians from falling debris.
- The fine mesh design allows a good around of air circulation but reduces the amount of wind and rain that can get through which makes for an improved and safer working environment.
- Blue, Red, Green, Black, White available
- Width 2m x 50m **04\$\$00022**
- Width 3m x 50m **04SS00023**

Rarrier Mech



- · High visibility safety barrier fencing
- 1m x 50m **03TM00057**
- Metal Barrier pins pack of 10 03TM00058

Scaffold Sheeting Std / Flame Retardant



- High quality reinforced polyethylene scaffold sheeting
- Available in 2m x 45m 04\$\$00024 or 3m x 45m 04\$\$00025



- High quality reinforced polyethylene frame retardant scaffold sheeting
- Available in 2m 04\$\$00026 or 4m width 04\$\$00027

Event Netting





- Event Netting is extremely strong and duarble and with 85% Density which provides maximum privacy and security during events.
- Perfect for use on existing fencing or Heras panels
- Cordon off specific areas to provide privacy and shelter during events
- Various Sizes & Colours available
- 85% Shading
- 1.83m x 100m



Builders Film



- A 500 (approx) gauge builders film **04SS00029**
- B 1000 (approx) gauge builders film **04SS00030**
- C 1200 gauge builders film (certified) **04SS00031**

Hessian Roll & Sand Bags



• Hessian cloth 51" x 48 yards **04SS00032**



- Polyprop sandbag 33cm x 79cm **04SS00033**
- Hessian sandbag 13" x 30" 04\$\$00034

1 Tonne Lifting Bag



• 1 tonne lifting bag

Builders Line





Tala Braided Masons Line

- Professional quality
- High visibility
- Available colours: yellow, white, pink
- Length: 106m(350ft)
- Tala 106m (350ft) Yellow Braided Masons Line **04SS00038**
- Tala 106m (350ft) White Braided Masons Line **04SS00039**
- Tala 106m (350ft) Pink Braided Masons Line 04SS00040

Buckets



- 15 litre flexible rubber builders bucket
- heavy duty bucket

04\$\$00041



- 15 litre PVC bucket
- Available in black / yellow

04\$\$00042



- Infinitely versatile
- Super flexible
- Frostproof
- UV sunlight proof
- 12L 04SS00043
- 26L **04SS00044**
- 40L **04SS00045**
- 70L **04SS00046**

Water Containers



- 20 litre water container **04SS00050**
- 20 litre water container complete with tap **04SS00051**

Galvanised Watering Can & Buckets





- V lipped galvanised bucket **04SS00047**
- Galvanised watering can **04SS00048**
- Galvanised bucket 04\$\$00049

Watering Can, Sprayer & Funnels



- A 1litre trigger sprayer **04SS00052**
- B Gardening watering can **04SS00053**
- C Flexible funnel 04SS00054
- D Tractor funnel **04\$\$00055**

Jerry Cans

Garden Hose



- 20 litre metal jerry can **04SS00056**
- 10 litre metal jerry can **04SS00057**
- 5 litre metal jerry can **04SS00058**
- 5 litre plastic petrol can **04SS00059**
- Jorna con possilo
- Jerry can nozzle
- 04\$\$00060

- Premier 50m professional yellowhammer garden hose 04SS00061
- 25m hose & spray gun set **04\$\$00062**

Hozelock Hose & Reel Cart



- Hozelock 2488 60m Hose Cart and 25m Hose
- Freestanding with a large handle for easy movement around a garden
- Reinforced axis ensure stability and ease of use making all gardening tasks a breeze
- One piece winding handle and sturdy frame allows for quick and easy rewinding

Sprayer Backpack 2 Hoselock 1.25 litre



- Kingfisher 16 litre knapsack sprayer **04\$\$00064**
- Kingfisher 5 litre pressure sprayer **04SS00065**

Mythos Spray



- 5 litre pump sprayer **04SS00066**
- 8 litre pump sprayer complete with pressure regulator 04\$\$00067
- 16 litre knapsack sprayer **04SS00068**

Cooper Pegler Premium Sprayer



- 15 litre premium sprayer **04SS00069**
- 20 litre premium sprayer **04SS00070**

Lawn Seed



- Garden lawn seed 25kg
- Other lawn seed mixes available

Round Up Weed Killer / Jeyes Fluid



- Round up weed killer 5 litre 04\$\$00072
- Jeyes fluid strong disinfectant **04SS00073**



Mouse & rat poison

- 500g **04SS00074**
- 1kg **04SS00075**





Tricircle Padlocks & Door Lock



- 63mm tricircle padlock **04SS00076**
- long shackle tricircle padlock **04SS00077**
- 50mm tricircle padlock **04SS00078**
- 38mm tricircle padlock **04SS00079**



• Traditional door lock **04SS00080**

Basta Digital Door Lock



• Digital door lock

Padlocks



- A Masterlock combination padlock 04\$\$00081
- B Tricircle combination padlock **04SS00082**
- C Premier shutter padlock **04SS00083**
- D Viro heavy duty shutter padlock **04SS00084**

Master No.5KA Commercial



- Commercial grade padlock features superior protection from drilling and prying
- 50mm wide laminated steel body for superior strength
- 25mm tall, 10mm diameter hardened boron alloy shackle for superior cut resistance
- Dual locking levers provide extra pry resistance
- Non-rekeyable, 4-pin W1 cylinder helps prevent picking
- MA5KA... Master 5KA 50mm Keyed Alike Padlock

Masterlock Pro Series Shrouded Padlock



- 67mm high security laminated steel padlock to withstand physical attacks
- Exclusive cover protects from water, ice, dirt and grime
- Boron alloy shackle for extra cut resistance
- Double deadbolt locking for added protection from prying and hammering
- 6-pin high security cylinder for maximum pick resistance
- Snap on cap to protect the keyhole from dust and water
- Security level: 10
- MA6327EURD Masterlock 6327 ProSeries 67mm Shrouded Padlock

04\$\$00087

Padlock & Chain



- A Premier 10mm hardened security chain 1m 04SS00089
- B Masterlock 50mm laminated padlock 04\$\$00090
- C Tala 50mm laminated padlock 04\$\$00091

Excell Laminated Steel Covered Padlock



- 45mm laminated steel core
- Weather resistant cover for added protection against extreme conditions
- Exclusive octagonal boron-carbide shackle for maximum cut resistance
- Double deadbolt locking for added protection from prying and hammering
- 4-pin cylinder
- Security level: 8
- MAM115EURDLF Masterlock M115EURDLF 38mm L Shackl Excell Padlock

04\$\$00088

Padlocked Barrier / Coil of Linked Chain



- Heavy duty galvanised carpark barrier **04SS00092**
- Rolls of 6mm chain **04\$\$00093**
- Rolls of 8mm chain 04\$\$00094
- Rolls of 10mm chain 04\$\$00095



Rechargable Torches



- A Explorer rechargable torch **04SS00096**
- B Jefferson rechargable torch 04\$\$00097
- C Octi-light rechargable torch **04SS00098**

Duracell Tough Torch FCS 100



- Precision-Focus Lens for adjustable light intensity
- Aluminum body
- FL1 tested
- Shock-proof and splash water protected
- Light Intensity: 160 Lumen
- Beam Distance: 209m
- Runtime: 4 hours 15 minutes
- Item Size L x D front x D rear (cm): 22,5 / 5,6 / 4,3
- Flashlight Net Weight (excluding Batteries): 315g
- 1 x 4W High Power LED
- 2 x D Batteries (not included)

Duracell Tough Torch FCS 1



- Precision-Focus Lens for adjustable light intensity
- Aluminum Body
- FL1 tested
- Shock-proof and splash water protected
- Light Intensity: 127 Lumen
- Beam Distance: 117 m
- Runtime: 46 minutes
- Item Size L x D front x D rear (cm): 17,55 / 3,7 / 2,2
- Flashlight Net Weight (excluding Batteries): 115g
- 1 x 3W High Power LED
- 2 x AA Batteries included

04\$\$00099

Duracell Explorer Head Lamp



- Swivel head and flash functionality
- Shock-proof and splash water protected
- 3 x AAA Batteries included
- 3W High Intensity LED that provides up to 2 hours and 40 minutes of extra bright light
- Light intensity of 120 Lumen in three different light modes: 50%, 100 % or strobe effect.
- Fits comfortably around your head, for free hands and a great visibility

Duracel Explorer LNT-100



- Lightweight, tough & durable.
- Ideal for activities, camping, providing light in cupboards, sheds, outbuildings ect..
- 16 Super-Clear LED
- Light Intensity: 80 Lumen
- Dimmable

04\$\$00102

• Requires 3 x D Batteries (not included)

Duracel Explorer FLN-1Y



- Tough & durable.
- Ideal for all leisure & work related activities.
- 19 x Super-Clear LED
- Light Intensity: 80 Lumen
- Beam Distance:100 m
- Shock-proof and splash water protected
- Requires 4 x D Batteries (not included) or 1 x 996 Battery (not included).
- With stand for static use

04\$\$00103

Dattarias



- Duracell AAA batteries (4 pack) 04SS00104 Duracell AA batteries (4 pack) 04SS00105 Duracell 9V battery (single) 04SS00106
- Duracell C batteries (2 pack) 04SS00107 Duracell D batteries (2 pack) 04SS00108 Eveready 6V battery (single) 04SS00109

Tala LED Headlight



- 8 LED Head Light
- Includes 3xAAA Batteries
- Size: 96x64x44mm
- Features a ABS housing and Nylon elastic strap
- 3 Switch modes 2LED on, 4LED on, 8LED on
- TA69446



Prosolve™ Spot Marker Paint



- ProSolve™ Spot Marker is a high quality fast drying and hard wearing acrylic marking paint which is a lead and xylene free formulation, for use on concrete, tarmac, wood and composites.
- Pocket sized makes it handy to use in many trades but especially in the construction industry for surveying and road marking etc.
- It is a semi-permanent pot and survey marking spray, it's fast drying and depending on conditions can last 3-6 months.
- As well as road marking, this product is also suitable for marking surfaces such as metals, timber, soil, grass, sand, gravel, artificial/natural stone, brickwork and composites.

04\$\$00111

Prosolve™ Road Marking Paint



- Typical uses include car parks, roads, runways, playgrounds and factory floor demarcation, can be applied by brush or roller. Widely used in the commercial, industrial, agricultural, leisure and healthcare sectors.
- This is a classic 'traffic' or 'road' paint that can be used on a variety of surfaces including metal, concrete, road surfaces and manhole covers etc.
- Long lasting
- · Easy to apply, quick drying
- Highly suitable for external use
- Available in a wide range of colours
- Offers great visibility

04SS00113

Prosolve™ Sharp Liner Paint



- ProSolve™ Sharp Liner Marker is a high quality, fast drying and hard wearing acrylic marking paint which is a lead and xylene free formulation.
- Available in a wide variety of colours, this product is utilised widely in many industries but especially for colour coding in the steel industry.

04\$\$00112

Prosolve™ High Temp Marker



- ProSolve[™] Very High Temperature Marker is an excellent quality white paint stick/crayon.
- For use on cold metal (prior to heating) and used at room temperature.
- For use up to 1200°.
- No toxic fumes and the marker comes with a plastic holder for improved usage.

Prosolve™ Zinc/Galv Spray



- ProSolve™ Silver Zinc Paint is a tough, quick drying galvanising product used throughout industry to coat and give protection to bare metals and galvanised surfaces.
- Anti-corrosive
- Can be spot-welded after application
- Quick drying (dependent on conditions)
- High adhesion
- Good filling properties
- Weather resistant
- Good chemical resistance

04\$\$00115

Prosolve[™] Stencils & Stencil Paint



- ProSolve™ Stencils are manufactured from 250 micron, durable polyester film. Each stencil is laser cut for accuracy and has a transparent, anti-reflective and abrasion resistant surface 04SS00117
- If stencils are properly cared for, they can be used countless times making them very economical
- Use with ProSolve™ stencil spray **04SS00118**
- General purpose aerosol high quality, fast drying acrylic upright paint marker. Suitable for interior and exterior use. Suitable for floors and walls

Prosolve™ Masking Spray



- ProSolve™ Masking Spray is specially formulated as a temporary road sign masking spray which durably resists all weather conditions.
- Whilst diversions or road works are in place incorrect road sign information can be quickly and easily masked and when the work is completed simply wipe off with a dry cloth leaving no resultant damage to the face of the sign.

04\$\$00116

Prosolve™ Crayons & Chalk



- A Timber crayons **04SS00119**
- B Road crayons **04SS00120**
- C French chalk Ideal for marking steel 04SS00121



Spray Paint Applicator Gun



• Handheld applicator gun for line marker paint **04SS00122**

ProSolve™ Valve Action Markers



ProSolve™ Valve Action Markers are manufactured for all industries for marking all types of metals and are suitable for other surfaces such as glass, plastic, cardboard, ceramic and leather. ProSolve™ Valve Action paint marker dries quickly, is water resistant and has a permanent lacquer type finish.

04\$\$00123

Spray Paint Trolley



- Trolley for line marker paint **04SS00131**
- Can be used with 2 or 4 wheels

Temporary Line Marking Paint



Produces as fast drying line and designed to wear more quickly than semi-permanent paints. Designed for use on concrete, tarmacadam, wood an composites. Removeable with high pressure water jet spray. Supplied in 750ml sized cans.

- Green 04SS00124
- Yellow **04SS00125**
- Red **04SS00126**
- Black **04SS00127**
- White **04SS00128**
- Orange **04SS00129**
- Blue **04SS00130**

Spray Paint



- ProSolve Hi-Vis marker paint **04SS00132**
- Plasti-kote flourescent paint 04\$\$00133
- Stuk graffiti remover **04SS00134**



- Oil filled radiator **04SS00135**
- Convection heater **04SS00136**



- 4 gang extension lead 2m 04\$\$00137
 4 gang extension lead 5m 04\$\$00138



- Daewoo 12" desk fan **04SS00139**
- Daewoo 16" fan on stand **04\$\$00140**



- 4 gang extension lead complete with surge protection 04SS00141
- 6 gang extension lead complete with surge protection 04\$\$00142



Arc Multi-Purpose Silicone



- High modulus premium quality silicone
- Cures quickly to provide a permanently flexible and mould resistant rubber seal.

04\$\$00143

Arc Concrete Sealant



- Grey acrylic sealant for sealing and filling cracks and joints in concrete, brick and other porous materials.
- Waterproof seal once cured.
- Interior & Exterior.
- Can be painted & varnished.
- Excellent adhesion to concrete & other porous materials.
- Conforms to EN15651-1 F EXT-INT.

04\$\$00145

Arc Heat Resistant Silicone



- A durable, heat resistant, one component silicone with a temperature resistance up to 300°C.
- Designed for forming gasket joints, bonding oven doors and other surfaces subject to high temperatures.

04\$\$00147

Arc Lead Sealant



- A high quality flexible sealant that gives good adhesion to lead and most roofing substrates.
- Conforms to ISO 11.600 G25 LM.
- 310ml, Colour: Grey.

Arc Sanitary Silicone



- A premium quality silicone containing a powerful anti-fungal compound to prevent mould growth in areas subject to high humidity levels.
- Conforms to ISO 11.600 F&G20 LM.

04\$\$00144

Arc All Weather Sealant



- A universal co-polymer sealant that can be used for a wide range of sealing and weatherproofing applications around the home and in industry.
- Can be applied in wet weather and damp conditions.

04\$\$00146

Arc Roof & Gutter Sealant



- A rubberised sealant specially developed for repairing leaking gutters, downpipes and flashings.
- Provides a permanent water resistant and weatherproof seal.
- Has a life performance expectancy up to 10 years.
- Suitable for sealing leaks in gutters, down pipes and flashings.
- Can also be used for bedding roof sheets and felts.

04\$\$00148

Arc Wood Sealant



 Siliconised synthetic flexible sealant for wood. Can be overpainted with paints or varnishes. Suitable for interior and exterior applications.

Arc Glazing & Construction Silicone



- A premium quality neutral cure silicone, which can be used for sealing most building, construction and glazing joints.
- This sealant is almost odourless and cures with atmospheric moisture to form a durable permanent rubber seal.
- Use for sealing joints and perimeter pointing around all types of window and door frames. It will adhere to most common building materials such as PVCu, aluminium and stone. Mould resistant. 25 Years life expectancy. In clear & white.

04\$\$00151

Arc MS11 Polymer Adhesive & Sealant



- Based on a hybrid polymer formulation giving outstanding bonding and sealing properties.
- Outperforms and replaces construction adhesives, wood glues, PU adhesives, sealants and acrylics.
- Can be applied underwater.
- Safe on delicate materials such as lead, mirrors and natural stone.

04\$\$00153

Arc Grip Construction Adhesive



- An instant grab, high strength construction adhesive.
- It can be used as a gap-filler on uneven surfaces.
- · Compatible with most building materials.

04\$\$00155

Arc Expanding Foam Gun Grade



 A gun applied easy to use one part polyurethane based expanding foam for general construction.

04\$\$00157

Arc MS-11 Rapid High Tack



- Twice the strength. Twenty times faster cure. Hybrid Polymer formulation giving outstanding bonding and sealing properties.
- Outperforms and replaces construction adhesives, wood glues, PU adhesives, sealants and acrylics.
- Can be applied underwater.
- Safe on delicate materials such as lead, mirrors and natural stone.

04\$\$00152

Arc Chemical Anchor



- Polyester resin, styrene free chemical anchor.
- For loads up to 1000kg.
- For concrete, hollow & solid blocks and wood.
- Apply with a standard sealant gun.
- For fixing gates, railings, brackets, bolts etc.
- Also supplied: replacement nozzles and sleeves for hollow block application.

04\$\$00154

Arc Decorators Filler



- A water based flexible instant acrylic filler that will not crack and is easy to apply.
- It dries quickly, no sanding required and can be over painted in 1-2 hours.
- Interior and exterior.

04SS00156

Arc Expanding Foar



 An easy to use one part polyurethane based expanding foam for general construction.



SX Flameguard Hand Held Foam



- A one component fire retardant insulation and construction foam developed to make a fire retardant seal between masonry joints.
- B1 foam tested to NEN6069:1997.
- Conforms to B1-F30 according to DIN4102-1.

04\$\$00159

Anti-Mould Clear Protective Barrier



- Creates a clear invisible barrier to protect against mould & mildew.
- For all absorbent surfaces.
- Treated areas can be painted or wallpapered afterwards.
- Coverage: 10-15m² / 750ml

04\$\$00161

MouldX Remover Chlorine Free



- Permanently kills, removes & cleans mould & mildew.
- Powerful & instant action.
- Also removes moss, algae & bacteria such as E coli & salmonella.
- Gel formulation prevents dripping.
- Neutral in odour
- Suitable for most surfaces

04\$\$00163

MouldX Stain Block

- Highly pigmented stain block.
- Protects against mould & mildew.
- Also covers water, soot & nicotine stains.
- · Acts as a damp seal.
- Self priming.
- Coverage: 6m² / lt.



Foam Gun Cleaner



• A multi functional cleaner designed to digest and remove uncured foam.

04\$\$00160

MouldX Anti-Mould Paint



- For interior walls & ceilings.
- Solvent free and tintable.
- · Long lasting protection against mould & mildew.
- Coverage: 6m² / lt.

04\$\$00162

MouldX Remover with Chlorine



- Powerful & instant action.
- Also removes moss, algae & bacteria such as E coli & salmonella.
- Bleaches & disinfects.
- For all washable surfaces such as tiles, silicone, walls, ceilings, glass, wood, plastic etc.

04\$\$00164

MouldXSilicone



- Mould, mildew & bacterial proof.
- Non-staining and non-yellowing.
- Premium grade 100% silicone.
- Conforms to ISO 11600 25HM.

Arc Floor Levelling - 20kg



 A high quality floor levelling compound.

Also available in high build.

- Fast setting, fibre reinforced, flexible and pumpable levelling compound.
- From a featheredge to 50mm depth.
- Suitable for underfloor heating and properly prepared timber floors.

04SS00167

Arc Premium Plasticiser



- ARC Extra Strength Mortar Plasticiser is a double strength liquid plasticising admixture designed to improve the workability and freeze/ thaw resistance in mixes.
- It replaces the need for lime thus reduces the risk of lime bloom and efflorescence.

04\$\$00169

Arc PVA Bond



 ARC PVA BOND is a multipurpose, water based adhesive, sealer and bonding agent.

04\$\$00171

Arc Pro Flex - 20ka



A white flexible regular setting wall and floor adhesive for fixing ceramic tiles, mosaics, quarry tiles, marble, terrazzo, porcelain and fully vitrified tiles without the need for an admixture in internal and external locations. The adhesive when set is water resistant. Suitable for use with underfloor heating and timber floors. Coverage is 3½kg per square metre. Grout after 24 hours. Conforms to BS EN 12004 TYPE C2TES1.

04\$\$00173

Sika®-4a Rapid Setting



- Leak stopping fo high water pressure.
- Sika 4a is a ready to use quick setting leak stopping liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping against high water pressure infiltration.

04\$\$00168

Arc Waterproofer & Plasticiser



- Premium quality concentrated liquid waterproofer & plasticiser providing long term protection against dampness & rain and improving the workability of the mix.
- Conforms to EN 934-3.

04\$\$00170

Arc Flexible Rapid Set Grey - 20kg



For ceramic wall/floor tiles, mosaics, quarry tiles, marble, terrazzo, porcelain and fully vitrified tiles. Water resistant when set and suitable for thin bed fixing in internal/external locations. Suitable for use with underfloor heating and tile on tile applications. Suitable for tiling onto plywood floors. Working time is approx 40 mins, grout after 2 hrs and light foot traffic after 3 hrs approx, depending on conditions. Coverage is 3½kg per sqm at 3mm thickness. Conforms to BS EN 12004 TYPE C2FS1.

04SS00172

Pro-Line Grout - 5kg



- Premium wall and floor grout.
- Flexible, mould resistant, stain resistant, water resistant and rapid setting grout available in 9 colours in 5kg and 2.5kg bags. Colours: Mid grey, silver grey, charcoal, white, ivory, beige, sandstone, limestone and brown.



Classic Wood Screws





Size	Pack	Qty	Size	Pack	Oty
(Metric)	(Pcs)		(Metric)	(Pcs)	
3.5 x 30	200	04SS00175	5.0 x 80	200	04SS00192
3.5 x 40	200	04SS00176	5.0 x 90	100	04SS00193
3.5 x 50	200	04SS00177	5.0 x 100	100	04\$\$00194
4.0 x 30	200	04SS00178	5.0 x 120	100	04SS00195
4.0 x 35	200	04SS00179	6.0 x 40	200	04SS00196
4.0 x 40	200	04SS00180	6.0 x 50	200	04SS00197
4.0 x 45	200	04SS00181	6.0 x 60	200	04SS00198
4.0 x 50	200	04SS00182	6.0 x 70	200	04\$\$00199
4.0 x 60	200	04SS00183	6.0 x 80	200	04\$\$00200
4.0 x 70	200	04SS00184	6.0 x 90	100	04\$\$00201
4.0 x 80	200	04SS00185	6.0 x 100	100	04\$\$00202
5.0 x 25	200	04SS00186	6.0 x 120	100	04\$\$00203
5.0 x 30	200	04SS00187	6.0 x 130	100	04\$\$00204
5.0 x 40	200	04SS00188	6.0 x 150	100	04\$\$00205
5.0 x 50	200	04SS00189	6.0 x 180	100	04SS00206
5.0 x 60	200	04SS00190	6.0 x 200	100	04SS00207
5.0 x 70	200	04SS00191			

The exceptional reliability and strength of the TIMco Classic Multi-Purpose Screw enables the user to rely on one product for a variety of applications. The 25° sharp point, special thread design, lubrication and corrosion resistant plating ensures the screw will consistently perform efficiently in hardwood, chipboard, MDF, plastic and thin sheet metal, whilst offering exceptional holding power.

Partially threaded from 70mm.

Timco Masonry Nails



Length (mm)	Diameter (mm)	Pack ((Pcs)	Ωty
25	2.5	100	04\$\$00211
30	2.5	100	04SS00212
35	2.5	100	04SS00213
40	2.5	100	04SS00214
50	2.5	100	04SS00215
40	3.0	100	04SS00216
50	3.0	100	04SS00217
60	3.0	100	04SS00218
65	3.0	100	04SS00219
65	3.5	100	04SS00220
75	3.5	100	04\$\$00221
85	3.5	100	04SS00222
100	3.5	100	04SS00223

Washered Masonry Nails



Length	Diameter	Pack (Ωty
(mm)	(mm)	(Pcs)	
25	3.7	100	04\$\$00224
30	3.7	100	04\$\$00225
35	3.7	100	04\$\$00226
40	3.7	100	04\$\$00227
50	3.7	100	04\$\$00228
60	3.7	100	04\$\$00229
75	3.7	50	04\$\$00230

Multi-fix Concrete Screw

The TIMco Multi-Fix screw offers a rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood.

The concrete screw features a 30mm hi-lo starting thread for rapid installation and debris removal whilst offering a safe and secure fixing into most substrates.

This through fixing provides a single solution and replaces traditional fixings such as nylon frame and hammer fixings.

Size	Pack Oty
(mm)	(Pcs)

7.5 x 80 65 **04\$\$00231**7.5 x 100 55 **04\$\$00232**7.5 x 120 45 **04\$\$00233**7.5 x 150 30 **04\$\$00234**

Other sizes available **04\$\$00208**

Round Wire Nails & Multi-Fix Bolts



- Bright round wire nails available in 1" x 20kg
- 2" x 20kg **04SS00235**
- 2.5" x 20kg **04\$\$00236**
- 3" x 20kg 04\$\$00237
- 4" x 20kg **04\$\$00238**







Self-Drilling Screws



5.5mm x 25mm
 5.5mm x 40mm
 5.5mm x 50mm
 5.5mm x 63mm
 5.5mm x 75mm
 04\$\$S00240
 04\$\$S00241
 04\$\$\$S00242
 04\$\$\$S00242
 04\$\$\$S00243

Pad Bolts & Tower Bolts



6" pad bolt
 8" pad bolt
 10" pad bolt
 12" pad bolt
 04\$\$S00245
 04\$\$S00246
 04\$\$S00246
 04\$\$S00247



4" tower bolt
 6" tower bolt
 10" tower bolt
 12" tower bolt
 04\$\$00249
 04\$\$00249
 04\$\$00250
 04\$\$00251

T-Hinges



• 4" t-hinge (5 pack) **04\$\$00252**

• 6" t-hinge (5 pack) **04\$\$00253**

• 8" t-hinge (5 pack) **04\$\$00254**

• 10" t-hinge (5 pack) **04\$\$00255**

• 12" t-hinge (5 pack) **04SS00256**

Insulation Tape



Insulation tape 20m rolls available in

• Red **04SS00257**

• Black **04SS00258**

• White 04\$\$00259

Yellow 04SS00260

• Green **04SS00261**

• Blue **04SS00262**

Gorilla Tape



Gorilla tape available in the following sizes:

• 3044401 9m Handy Roll GORILLA TAPE

• 3044003 48 mm x 11 m Gorilla Tape black

• 3044011 48 mm x 32 m Gorilla Tape black

• 3044301 75mm x 27m Tough & Wide black

• 3044601 48mm x 27 m Gorilla Tape white

• 3044901 48mm X 32 m Gorilla Tape silver

04SS00263 04SS00264 04SS00265

04SS00266 04SS00267

04SS00268

Arc Duct Tape



- A silver, extra strong waterproof cloth tape with excellent adhesion.
- 50mm x 50m

Arc Masking Tape



- High quality general purpose masking tape.
- 25mm x 50m **04SS00270**
- 50mm x 50m **04SS00271**
- 75mm x 50m **04SS00272**

Arc Silage Tape



- A high quality black silage tape
- 75mm x 20m

04SS00273

Butyl Radon Tape



 For use when extra strength and adhesion is required when joining radon barrier, plastic membranes or lap joints in steel/aluminium roofing sheets, caravan and automotive joint sealing. Approved for use with potable water. Also suitable for the Effective Sealing of End Lap Details - see MCRMA Technical Paper No. 16. NFRC Class A Sealant.

04SS00275

Arc Double Sided Tape



- General purpose interior and exterior double sided tape
- Premium quality, heavy duty, double sided tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive; Ideal for fixing floor coverings and other heavy duty applications

04\$\$00274

Prosolve Anti Slip Tape



ProSolve™ Anti-Slip Self Adhesive Safety Grip Tapes can be applied to most surfaces and will instantly provide high quality, anti-slip protection that meets safety requirements. This particular Anti-Slip tape is a very good all rounder, it's suitable for use indoors or outdoors. This tape has a pressure sensitive permanent adhesive coating and resin bonded oxide grit applied to a durable and long lasting flexible backing. The anti-slip tape can be applied to concrete, wood, metal and previously painted surfaces. It can be cut easily with scissors. Ideal for stair treads, walkways, ladders and many other applications.

Length: 20m



Prosolve Barrier Tape



- ProSolve™ Barrier Tape is a non-adhesive economy tape designed for marking out-of-bound and hazardous areas.
- Length: 500m
- Red & White 04\$\$00277
- Black & Yellow 04SS00278

Prosolve Plasterboard Tape



 ProSolve™ Plasterboard Tape is a high quality self-adhesive scrim tape for reinforcing plasterboard joints and repairing cracks in plasterboard.

Prosolve Hazard Tape



- ProSolve™ Hazard Tape is a hi-tack and durable self-adhesive PVC warning tape for floor and hazard marking and suitable for application on most smooth dust and grease free substrates including plastic, wood, painted / coated floors etc.
- Length: 33m

04\$\$00279

Prosolve Foil Tape



ProSolve™ Aluminium Foil Tape is aluminium coated on one side with an acrylic pressure sensitive adhesive and backed with a strong release paper. It is used to provide heat reflection and screening on electrical equipment, joining foil faced insulation products and where general sealing is required in refrigeration and double glazing.

- Our ProSolveTM Aluminium Foil Tape has a very consistent performance over a wide service temperature range
- Has a high tack self adhesive
- Has high standards of reliability
- · Exhibits excellent strength and durability
- It's fire resistant
- Can be moulded to any profile
- Length: 45mm

Packaging Tape



• Brown packaging tape 50mm

04\$\$00282

Underground Warning Tape



- Underground Warning Tape is designed to enable services such as electric cables, pipes etc to be located without damage.
- Length: 365m
- Electric **04SS00285**
- Fiber optic **04SS00286**
- Gas 04SS00287
- Sewer **04SS00288**
- Water 04SS00289

Frog Tape



- Multi-Surface painter's tape features medium adhesion, and will remove cleanly from most surfaces for up to 21 days and seven days in direct sunlight.
- Ideal for masking a variety of surfaces
- Multi-Surface painter's tape 04\$\$00283
- Delicate surface painter's tape 04\$\$00284

Detectable Underground Warning Tane



- Detectable Underground Warning Tape is a traceable marker tape for marking underground pipes and cables.
- The integral metallic wires enables location by using cable location tools making it an essential product to lay over nonmetalic pipes (Water or Gas) or un-energised electric cables.
- Length: 100m



Arc Brick Acid



- A concentrated acid based cleaner for dissolving and removing mortar and cement stains from surfaces such as brick, render, paving and blocks.
- 5 litre

04\$\$00291

Prosolve Multi Purpose Grease



04\$\$00294

- ProSolve[™] Lithium EP2 Grease is designed for the lubrication of bearings in a wide variety of industrial and automotive applications.
- ProSolve™ Lithium EP2 Grease is a multi-purpose grease that provides excellent lubrication in both high and low temperatures.
- It has excellent resistance to water and performs very well under heavy load and high speed conditions.

Pressol Grease Gun with hoses



04\$\$00295

2 Stroke Engine Oil



- 2 stroke engine oil
- 500ml **04SS00292**
- 100ml **04SS00293**

Spray Oils





- A WD-40 multi purpose lubricant oil 200ml 04SS00296
- B DT5 multi purpose lubricant oil 04SS00297
 Will penetrate, lubricate and provide corrosion protection for all kinds of metal.
- Displaces moisture and prevents rust.
- 450ml.

Tarpaulan



 Heavy duty waterproof polythene tarpaulins. Fitted with sturdy eyelets around the edges. Made from heavy duty 100 gram per metre sheeting.

Available in sizes

- 8' x 6' **04SS00298**
- 9' x 6' **04SS00299**
- 12' x 8' **04SS00300**
- 18' x 12' **04SS00301**
- 24' x 18' **04\$\$00302**

ProSolve™ Carpet Protector Film



- ProSolve™ Carpet Protector Film is self adhesive, heavy duty protection film.
- Adhering to the carpet without the need for tape, protecting carpets and rugs against spillages, heavy foot traffic, dirt and debris.
- This film prevents trip hazards normally associated with dust sheets, especially on stairs.
- It is available in a variety of sizes.
- 600mm

Stanley Cotton Dust Sheets



Rubble Bags



Barney Rubble Bags pack 50 **04\$\$00305** Barney Rubble Bags pack 5 **04\$\$00306**

ProSolveTM Hard Surface Protector



- ProSolve™ Hard Surface Protector is a self adhesive film designed as a simple and effective way to protect hard surfaces such as wood, laminates, tiles etc. from soiling from foot traffic, debris, spills and dust.
- Provides hard surface protection.
- Used widely by contractors throughout many different industries such as construction, maintenance, renovation and removals, and it adheres to most hard surfaces with ease. It's self-adhesive and is quick and easy to use.
- Width: 600mm. Thickness: 60mic

ProSolve™ Glass Protector



- ProSolve™ Glass Protection Film is widely used throughout the construction and maintenance industry protecting windows from plastering excess, paint, sanding dust and dirt.
- It eliminates the need for scraping the glass which gives a risk of scratching.
- The product is waterproof and its low tack adhesive grips securely to interior and exterior windows but is easily removed without leaving a sticky residue

04\$\$00309

Door Sleeve Protectors / Zip Doors



- An easy method to protect doors and still remain fully operational
- 1050mm x 2220mm
 04\$\$00311



- To provide dust protection for doorways or make a doorway within a screened off area.
- 2.15m. Pack of 2

04\$\$00312

Floorgard Std Corry Board Sheet



- All purpose fluted polyproplylene protection board
- Also available in flame retardent
- 2.44m x 1.2m x 2mm

04\$\$00310

Edge Protector / Door Jamb Protector



- Thick cardboard edge protection ideal for protecting round door frame edges during construction work
- 50mm x 50mm x 2m long 04\$\$00313



- A hardwearing thick foam casing for putting round door frames during construction work
- 13mm x 2m

04SS00314

Adjustable Screen Props



• Screen Props I Various Sizes

Corrugated Paper



- Cushioned Protection for many light duty applications
- Various Sizes

04SS00315

Protective Bubble & Pallet Wrap



- Bubble wrap on a roll for temporary protection of surfaces
- Various Sizes Available 04\$\$00317



- Black pallet wrap **04SS00318**
- Clear pallet wrap 04\$\$00319

04\$\$00316

Rebar Caps





- 250 per bag
- Rebar protection cap 8mm 16mm **04SS00320**
- Rebar protection cap 16mm 32mm **04SS00321**





- Ratchet Strap, Retractable, Automatic
- Length: 3m
- · Load capacity: 300 Kg
- Strength break capacity: 500 Kg
- Automatic rewind function
- To secure loads against movement
- Galvanized housing
- Material: polyester
- Always inspect before use
- Do not use if frayed
- Replace regularly
- Do not over-tighten

04SS00322



- These Ratchet straps or tie down straps are made from webbing itself, fittings of the heads and tensioning device
- 5m 3 tonne rachet strap **04SS00323**

8m 5 tonne rachet strap 04\$\$00324

- 12m 5 tonne rachet strap **04SS00325**



- Made from high quality synthetic fibres,
- Up to 4 layers of polyester and strengthened mesh.
- Minimum elongation, available in capacities from 1 - 50 tonnes in accordance with SR EN 1492-1 and are colour coded.
- Working temperature is between -40°C and +100°C.
- Safety factor is 7:1, on request, it can be provided with safety factor 5:1 or 6:1.
- PRO-W webbing sling are TÜV certi!ed and marked in acordance with 2006/42/EC Directive.

Lifting Slings 1 ton x 1m 04SS00326 Lifting Slings 1 ton x 2m **04SS00327** Lifting Slings 1 ton x 3m **04SS00328** Lifting Slings 1 ton x 4m **04SS00329** Lifting Slings 1 ton x 5m **04SS00330** Lifting Slings 2 ton x 1m **04SS00331** Lifting Slings 2 ton x 2m **04SS00332** Lifting Slings 2 ton x 3m **04SS00333** Lifting Slings 2 ton x 4m 04\$\$00334 Lifting Slings 2 ton x 5m **04SS00335** Lifting Slings 3 ton x 1m 04\$\$00336 Lifting Slings 3 ton x 2m **04SS00337** Lifting Slings 3 ton x 3m **04SS00338** Lifting Slings 3 ton x 4m **04SS00339** Lifting Slings 3 ton x 5m **04SS00340** Lifting Slings 5 ton x 1m 04SS00341 Lifting Slings 5 ton x 2m **04SS00342** Lifting Slings 5 ton x 3m **04SS00343** Lifting Slings 5 ton x 4m 04SS00344 Lifting Slings 5 ton x 5m **04SS00345** Lifting Slings 5 ton x 6m 04\$\$00346

Temporary Fencing Pane



- Complete with feet, couplers and stabilising bar
- Horizontal Tube 38.1mm
- Vertical Tube 38.1mm
- Dimensions 3.5m x 2m
- Reinforced Corners
- Round Top
- Galvanised Finish

04\$\$00347

Couplers

 Standard Coupler
 Coupler for Securing Temporary Fence Panels Together



- Anti-tamper coupler
- Coupler for Securing Temporary Fence Panels Together with Anti-Tamper Security Fixing

04\$\$00351



- Anti-Tamper Spanner
- Specialist Tool for Installing and Dismantling Anti-Tamper Couplers


04SS00352

Pedestrian Barriers



- Dimensions 2.3m x 1.1m
- Hook Fastening
- Metal Feet or Rubber Blocks Required (Sold Separately)

04\$\$00348



- 2.3m x 1.1m
- Hook Fastening
- Fixed Metal Feet

04\$\$00349

Ruhhar Faat



- Standard Rubber Block for Temporary Fencing
- Rubber Block With "Hi-Viz" Ends

04\$\$00354



Tubesca Industrial Fibreglass 2 Section Extension Ladder



Tubesca Industrial Fibreglass 2 Section Extension Ladder has exceptional torsional rigidity. Manufacture from box section polyester reinforced fibreglass using a process combining pultrusion and filament winding, providing additional strength with minimal weight giving the best mechanical performance as well as electric insulation properties. The fibreglass uprights protect the user from low and medium voltage current, flashover between two treads 30,000 volts, laboratory tested. Other features include extra large slip-resistant feet & wall wheels. Suitable for industrial use. NOTE: Image displayed is 4322008 Tubesca Industrial Fibreglass 2 Section Extension Ladder 2x8 Rung

Features

- Easy to use push-up operation
- Large 100mm wall wheels for easy extension
- Rung clips secure sections together for safe and easy use and transport
- Large slip-resistant feet150kg load capacity130kg duty rating suitable for industrial use
- Safety certification: BS2037 Class 1 / EN131 / EN50528 / EN61478

GRP Trade Stepladders

The 527450 10 tread swingback S400 GRP Trade Stepladder is designed to withstand heavy trade use, with non-conductive stiles for working around electricity. Features include an integrated tool tray and bracing at the foot for extra support. The top tread height of this ladder is 2.79m.

Features

- Non-conductive fibreglass stiles, ideal for working around electricityIntegrated tool tray for holding tools whilst you work
- Extra bracing at the foot to enhance support
- H-spreaders offer single handed operation and provide strength and stability
- Slip-resistant treads
- Semi-tubular rivets provide rigid fixingGenerous 0.3m tread pitch gives excellent reach heights
- 150kg load capacity suitable for heavy trade use
- Safety certification: BS EN131
 - 10 Tread 2.79m **04SS00358**
 - 8 Tread 2.23m **04SS00359**
 - 6 Tread 1.67m **04SS00360**
 - 4 Tread 1.12m **04SS00361**



GRP Trade Platform Stepladder

The 527460 10 tread S400 GRP Trade Platform Stepladder has non-conductive fibreglass stiles making this ladder ideal for working around electricity. Features include a large platform to provide a secure and comfortable work area, slip-resistant treads and heavy duty internal spreaders. With a platform height of 2.33m, this ladder is excellent for working at one level. Suitable for heavy trade use.

Features

- Large platform provides secure and comfortable work areaIntegrated tool tray for holding tools whilst you work
- Extra bracing at the foot to enhance support
- Non-conductive fibreglass stiles, ideal for working around electricity
- Slip-resistant treads
- Semi-tubular rivets provide rigid fixing
- Heavy Duty internal spreaders increase usability and ease of stowage
- Generous 0.3m tread pitch gives excellent reach heights150kg load capacity suitable for heavy trade use
- Safety certification: BS EN131
- 10 Tread Height to Platform 2.34m 04\$\$00362
- 8 Tread Height to Platform 1.87m 04SS00363
- 6 Tread Height to Platform 1.41m 04\$\$00364
- 4 Tread Height to Platform .94m **04SS00365**



Megastep

The 300908 8 tread Megastep features twin handrails for safety when climbing the ladder and has non-conductive fibreglass stiles for working around electricity. With a platform height of 1.7m, the extra large platform combined with a safety chain provides security and comfort. Suitable for trade use.

Features

- Twin handrails for safety
- Non-conductive fibreglass stiles, ideal for working around electricity
- · Safety chain for security
- Extra Large platform of 0.37m x 0.57m to provide secure and comfortable work area
- · Large treads for comfort
- 110kg duty rating suitable for trade use
- Safety certification: EN131



• 6 Tread Height to Platform 1.28m 04SS00367

• 4 Tread Height to Platform .85m **04SS00368**

• 2 Tread Height to Platform .43m 04\$\$00369



Platinium Industrial 2 Section Extension Ladder

• 2x18 Rung Extended Height 9.42m **04SS00370**

• 2x16 Rung Extended Height 8.3m

• 2x14 Rung Extended Height 8.07m 04\$\$00372

• 2x12 Rung Extended Height 6.05m 04\$\$00373

• 2x10 Rung Extended Height 4.86m 04SS00374

• 2x8 Rung Extended Height 4.02m

• 2x6 Rung Extended Height 2.9m

04\$\$00371 04\$\$00375 04\$\$00376

The Platinium Industrial 2 Section Extension Ladder has exceptional torsional rigidity. This industrial grade ladder combines rugged strength and durability with unrivalled sturdiness and rigidity. Features include extra large, slip-resistant feet and high-performance box section alloy stiles. Suitable for industrial use.

Features

- Tough, high performance box-section alloy stiles
- Distance between rungs: 280mm
- Rungs: 30x30mm slip resistant
- Crimped expanded stiles/rungs connection
- Easy to use push-up operation
- Large 100mm wall wheels for easy extension on 2422712 -2422718
- Rung clips secure sections together for safe and easy use and transport
- Large slip-resistant feet
- Hooks optional150kg load capacity
- 130kg duty rating suitable for industrial use
- Safety certification: BS2037 Class 1 & EN131

The 2410118 5.21m Platinium Single Section Ladder has exceptional torsional rigidity. This industrial grade ladder combines rugged strength and durability with unrivalled sturdiness and rigidity. Features include extra large, slipresistant feet and high-performance box section alloy stiles. Suitable for industrial use. NOTE: Image displayed is 2410108 Platinium Single Section Ladder 8 Rung

Features

- Tough, high performance box-section alloy stiles
- Distance between rungs: 280mm
- Rungs: 30x30mm slip-resistant
- Crimped expanded stiles/rungs aluminium connection
- Large slip-resistant feet
- Hooks optional
- Also available: anodizing, with steps, splayed-base models... (consult us)150kg load capacity130kg duty rating suitable for industrial use
- Safety certification: BS2037 Class 1 & EN131

• 18 Rung Leaning Height 4.83m 04SS00377

• 16 Rung Leaning Height 4.31m 04\$\$00378

• 14 Rung Leaning Height 3.79m 04\$\$00379

12 Rung Leaning Height 4.43m

04\$\$00380 04\$\$00381

• 10 Rung Leaning Height 2.75m

04\$\$00382

• 8 Rung Leaning Height 2.23m

• 6 Rung Leaning Height 1.72m

04\$\$00383



Odd Job 600 Work Platform

The 312898 Odd Job 600 Work Platform is easy to use and store with large slip-resistant platform and splayed base for extra stability. With a platform height of 0.51m, this work platform is the perfect tool for giving you a boost for odd jobs around your home and workshop.

Features

- Large slip-resistant platform 0.60x0.60m
- Splayed base for extra stability
- Compact folded dimensions for easy storage 0.63x0.68x0.18m
- · Lightweight and easy to transport
- Simple to use
- Perfect for all odd jobs
- Load Capacity 110kg (17.3st)

04\$\$00384

- Fibreglass (GRP) legs reducing risk of electrical shock
- Electrical isolated properties: 22kV/mm ASTM D149 04\$\$00385





The 2272185 Raptor 5 tread offers a large working platform with compact storage and transport dimensions. Very tough, this work platform has a comfortable clearance over obstructions in confined spaces. Wheels allow for easy repositioning and a solid work platform with toeboards offers added security. With a platform height of 1.18m, this ladder is excellent for working at one level. Suitable for professional and domestic use.

Features

- Safety guardrail for comfort and security
- Platform dimensions 500x400mm
- Solid work platform with toe boards for added security
- Lightweight aluminium construction
- Quick and easy to assemble
- Tool bag
- 80mm deep treads
- Wide base for extra stability on 3 & 4 tread models
- Stabilisers fold and adjust for convenience and extra safety, on 5 tread models only
- 100mm wheels allow for repositioning when erected
- Comfortable clearance over obstructions in confined
- Package dimensions 2.80x0.26x0.63m
- Tested to a huge 260kg working load
- 150kg load capacity
- Suitable for Industrial use



• 5 Tread Height to Platform 1.18m 04\$\$00386

• 4 Tread Height to Platform .95m

04\$\$00387 04\$\$00388

• 3 Tread Height to Platform .71m • 2 Tread Height to Platform .52m

04\$\$00389



Spill Kits



- Spill kit available as oil only or universal
- 15 litre universal **05EV00001**
- 30 litre universal **05EV00002**
- 15 litre oil **05EV00003**
- 30 litre oil **05EV00004**
- Ideal first response to oil spills
- Contains absorbant sock & pads, disposable bag & tie

Oil Spill Kit Wheelie 120



- 120 litre oil spill kit in wheelie bin 05EV00004
- 240 litre oil spill kit in wheelie bin **05EV00005**
- Contains absorbant sock, pads & pillows, disposable bag & tie

Spill Kit Bag



- 50 litre spill kit bag oil
- 50 litre spill kit bag universal
- Contains absorbant sock & pads, disposable bag & tie

05EV00003

Universal Spill Kit Wheelie 120



- 120 litre spill kit in wheelie bin **05EV00006**
- Contains absorbant sock, pads & pillows, disposable bag & tie

Universal Spill Kit Wheelie 240



- 240 litre universal spill kit in wheelie bin **05EV00007**
- Contains absorbant sock, pads & pillows, disposable bag & tie

Spill Trays x 3



- Plastic drip trays
- 900 x 500 x 150mm **05EV00008**
- 1170 x 400 x 50mm **05EV00009**
- 1000 x 1000 x 150mm **05EV00010**

ABX10 Granules



- Environmentally friendly
- Non-toxic and fire retardant

Oil Spill Accessories



Oil spill accessories

- Pads **05EV00012**
- Pillow **05EV00013**
- Roll **05EV00014**
- Sock **05EV00015**

CO2 Extinguishers



- 2kg CO2 fire extinguisher **05FE00001**
- 5kg C02 fire extinguisher **05FE00002**

Dry Powder Extinguishers



- 1kg ABC powder fire extinguisher **05FE00003**
- 2kg ABC powder fire extinguisher **05FE00004**
- 6kg ABC powder fire extinguisher **05FE00005**
- 9kg ABC powder fire extinguisher **05FE00006**

Fire Blanket



• 1.2m x 1.2m fire blanket **05FE00011**

Fire Hose



- Lay flat fire hose **05FE00012**
- Lay flat fire hose red **05FE00013**

Foam Extinguishers



- 6 litre foam fire extinguisher **05FE00007**
- 9 litre foam fire extinguisher **05FE00008**

Smoke & Carbon Monoxide Detectors



- Carbon monoxcide detector **05FE00009**
- Smoke alarm **05FE00010**

Air Horn & Rotary Fire Bell



- Manual air horn 05FE00014
- Rotary fire bell **05FE00015**

Standpipe & Keys



- Threaded standpipe **05FE00016**
- Bayonette standpipe **05FE00017**
- Standpipe key oval 05FE00018
- Standpipe key square **05FE00019**



Fire Reel Hose



• 19mm x 36m fire hose reel

05FE00020

Fire Extinguisher Stands



- Heavy duty plastic stand single **05FE00024**
- Heavy duty plastic stand double **05FE00025**

Fire Accessories



- Standpipe reducer 19mm **05FE00021**
- Brass tap for standpipe 19mm **05FE00022**
- Fire hose nozzle **05FE00023**

Fire Extinguisher Cover



- Fire hose nozzle
- For use with lay flat fire hose

05FE00027

Life Buoy Housing



• Heavy duty PVC life buoy housing

05WS00001

Auto Inflate Life Jacket



- Automatic Lifejacket with HarnessConforms to European Standard EN 396-150N>40kg
- Easy to repack as bladder is attached to the cover.
- Lightweight and comfortable.Takes 33g CO2 cylinder.

05WS00003

30" Life Buoy



• 30" Life buoy

05WS00002

Life Buoy Float Rope



• 30m float rope for use with 30" life buoy

05WS00004



HSA 1: 1-10 person first aid kit



- Adhesive Plasters 20
- No16 Eye Pad Sterile 2
- Triangular Bandage I/W 2
- Safety Pins 6
- Medium Dressing No 8 2
- Large Dressing No 9 2
- Extra Large Dressing No 3 2
- Alcohol Free Wipes 10
- ParaMedic Shears 1
- Pair Of Latex Gloves 5
- Pocket Face Mask 1
- Crepe Bandage 7.5cm 1

HSA 1C: 1-10 person first aid kit



- Adhesive Plasters 20
- No16 Eye Pad Sterile 2
- Triangular Bandage I/W 2
- Safety Pins 6
- Medium Dressing No 8 2
- Large Dressing No 9 2
- Alcohol Free Wipes 10
- ParaMedic Shears 1
- Pair Of Latex Gloves 5
- Sterile Water * NA
- Pocket Face Mask 1
- Burn Dressing 10cmx10cm
- Burn Dressing Large
- Extra Large Dressing No 3 2 Crepe Bandage 7.5cm 1

05MS00001

HSA 2: 11-25 person first aid kit



- Adhesive Plasters 20
- No16 Eye Pad Sterile 2
- Triangular Bandage I/W 6
- Safety Pins 6
- Medium Dressing No 8 2
- Large Dressing No 9 6
- Extra Large Dressing No 3 3
- Alcohol Free Wipes 20
- ParaMedic Shears 1
- Pair Of Latex Gloves 10 Pocket Face Mask 1
- Crepe Bandage 7.5cm 1

05MS00002

HSA 2C: 11-25 person first aid kit



- Adhesive Plasters 20
- No16 Eye Pad Sterile 2
- Triangular Bandage I/W 6
- Safety Pins 6
- Medium Dressing No 8 2
- Large Dressing No 9 6
- Extra Large Dressing No 3 3
- Alcohol Free Wipes 20
- ParaMedic Shears 1
- Pair Of Latex Gloves 10
- Sterile Water
- Pocket Face Mask 1
- Burn Dressing 10cmx10cm
- Burn Dressing Large
- Crepe Bandage 7.5cm 1

05MS00003

05MS00004

HSA 3: 26-50 person first aid kit



- Adhesive Plasters 40
- No16 Eye Pad Sterile 4
- Triangular Bandage I/W 6
- Safety Pins 6

VMedium Dressing No 8 4

- Large Dressing No 9 8
- Extra Large Dressing No 3 4
- Alcohol Free Wipes 40
- ParaMedic Shears 1
- Pair Of Latex Gloves 10
- Pocket Face Mask 1
- Crepe Bandage 7.5cm 1

HSA 3: 26-50 person first aid kit



- Adhesive Plasters 40
- No16 Eye Pad Sterile 4
- Triangular Bandage I/W 6
- Safety Pins 6
- Medium Dressing No 8 4
- Large Dressing No 9 8
- Alcohol Free Wipes 40
- ParaMedic Shears 1
- Pair Of Latex Gloves 10
- Sterile Water
- Pocket Face Mask 1
- Burn Dressing 10cmx10cm
- Burn Dressing Large
- Extra Large Dressing No 3 4 Crepe Bandage 7.5cm 1

05MS00005

First Aid Kit 105



- Adhesive Plasters 20
- Triangular Bandage I/W 2
- Medium Dressing No.8 1
- Large Dressing No.9 1
- Alchol Free Wipes 10
- Safety Pins 10
- 20ml Eye Wash 1
- 3.5ml Burn Free Sachet 1
- Vent Aid 1
- ParaMedic Shears 1
- Pair Of Latex Gloves 1
- Surgical Tape 0.5 1

05MS00006

Burns Kit



- 1 x Burn Kit Box
- 1 x Paramedic Shears
- 1 x 120ml Bottle Of Burnfree Cooljel 118ml
- 2 x 10cm x 10cm Burnfree Dressings
- 2 x Pks (3) Burnfree Sachets
- 2 x 3" Conform Bandages
- 1 x 1" Zinc Oxide Tape
- 2 x Steropad Non-Adherant Dressings
- 1 x Pair Of Latex Gloves

05MS00008



First Aid Cabinet



- Adhesive Plasters 40
- No16 Eye Pad Sterile 4
- Triangular Bandage I/W 6
- Safety Pins 6
- Medium Dressing No 8 4
- Large Dressing No 9 8
- Extra Large Dressing No 3 4 Crepe Bandage 7.5cm 1
- Alcohol Free Wipes 40
- ParaMedic Shears 1
- Pair Of Latex Gloves 10
- Sterile Water
- Pocket Face Mask 1
- Burn Dressing 10cmx10cm
- Burn Dressing Large

Medical Carry Bag 1 - 10 Person



- Adhesive Plasters 20
- No16 Eye Pad Sterile 2
- Triangular Bandage I/W 6
- Safety Pins 6
- Medium Dressing No 8 2
- Large Dressing No 9 6
- Extra Large Dressing No 3 3 Crepe Bandage 7.5cm 1
- Alcohol Free Wipes 20
- ParaMedic Shears 1
- Pair Of Latex Gloves 10
- Sterile Water
- Pocket Face Mask 1
- Burn Dressing 10cmx10cm
- Burn Dressing Large

05MS00009

Eye Wash Station



- Complete with pods and eye dressings **05MS00011**
- 2 x 500ml sterile eyewash 05MS00012

05MS00010

First Aid Contents



- No16 Eye Pad Sterile **05MS00013**
- Triangular Bandage I/W 05MS00014
- Safety Pins **05MS00015**
- Medium Dressing No 8 05MS00016
- Large Dressing No 9 05MS00017
- Extra Large Dressing No 3 05MS00018
- Alcohol Free Wipes **05MS00019**
- ParaMedic Shears **05MS00020**
- Pair Of Latex Gloves 05MS00021
- Sterile Water **05MS00022**
- Pocket Face Mask 05MS00023
- Crepe Bandage 7.5cm **05MS00024**

Burn Dressings



- BF4 Burn Free Dressing 10cm x 10cm **05MS0025**
- BF6 Burn Free Dressing 5cm x 15cm **05MS00026**
- BF7 Burn Free Dressing 20cm x 20cm 05MS00027
- BF8 Burn Free Dressing 30cm x 30cm 05MS00028
- BF9 Burn Free Dressing 5cm x 5cm **05MS00029**

Eyewash



- Box of eyewash pods 25mm x 20mm **05MS00030**
- Bottle of eyewash 500ml 05MS00031

Plasters / Sharps Kit / Body Fluid Kit




- Sharps kit for disposal of syringes **05MS00033**
- Accident report book 05MS00034
- Body fluid kit 05MS00035

Additional First Aid Products





NF 1200 lpad Fully Automatic Defibrillator **05MS00037** (Other models available)





Cardiac Science Adult Defibrillator Pads **05MS00038**



Burco Boiler



- 10 litre burco boiler **05CT00001**
- 20 litre burco boiler **05CT00002**
- 30 litre burco boiler **05CT00003**
- Economy 20 litre water boiler **05CT00004**

Cutlery



- Cutlery sets
- Also available individually ie. knife, fork, teaspoon, dessert spoon

Burco Auto Feed Water Boiler



- Burco 7.5L Wall Mounted Water Boiler
- High capacity tank making it ideal for industries requiring greater output.

05CT00005

Delph



- Dinner plate **05CT00007**
- Side plate **05CT00008**
- Soup/breakfast bowl **05CT00009**
- Mug **05CT00010**

Dishwasher



• Various models available

05CT00011

Disposable Cutlery



- Plastic knives 05CT00013Plastic forks 05CT00014
- Plastic spoons **05CT00015**
- Plastic tea spoons **05CT00016**

Disposable Cups



• 12oz double wall disposable coffee cup

05CT00012

Fridge



Various models available

05CT00017



George Foreman



- 5 portion George Foreman grill 05CT00018
 7 portion George Foreman grill 05CT00019

Kettle Toasters



- Morphy Richards Kettle **05CT00020**
- Elgento Electric Kettle **05CT00021**
- 4 slice standard toaster **05CT00022**

Microwave



• Standard microwave oven

Portable table



• Folding canteen table

05CT00024

Sandwich Makers



- Elgento sandwich maker **05CT00025**
- Morphy Richards sandwich maker **05CT00026**

Tea, Coffee & Sugar





- Catering size box of sugar **05CT00027**
- 750g coffee **05CT00028**
- 500 Teabags **05CT00029**

Wheelie Bin



- 240l wheelie bin **05CT00030**
- 120l wheelie bin 05CT00031

Plastic Stacking Chair



- Plastic stacking chair
- Available in various colours

05CT00032



Black PVC Dustbin



- Black PVC dustbin
- 50 litre **05HY00001**
- 90 litre **05HY00002**

Pedal Binstand Complete With Lid



Pedal bin stand

Wire Bin Stand



• Wire bin stand

05HY00003

Black Bags Box



- Heavy duty black bags
- 200 per box

05HY00005

Office Bins



- Office waste paper bin **05HY00006**
- Swing bin. Available in 10 litre **05HY00007**
- 30 litre **05HY00008**
- 45 litre **05HY00009**

Rubble Sacks



• Rubble sacks

05HY00011

Galvanised Dustbin



• Galvanised dustbin

05HY00010

Bin Liners



Binliners

05HY00012



Cleaners





- 1. Washing up liquid **05HY00013**
- 2. Multi surface spray **05HY00014**
- 3. Window spray **05HY00015**
- 4. Kitchen spray **05HY00016**
- 5. Toilet cleaner **05HY00017**
- 6. Channel blocks 05HY00018

Detergents x 5





- 1. Washing up liquid **05HY00024**
- 2. Bleach **05HY00025**
- 3. Pine Disinfectant **05HY00026**
- 4. Lemon gel floor cleaner **05HY00027**
- 5. Anti-bacterial handsoap **05HY00028**
- 6. Anti-bacterial handsoap dispenser **05HY00029**

Cloths



- 1. All purpose cloths **05HY00019**
- 2. Tea towels **05HY00020**
- 3. Absorbant cloths **05HY00021**
- 4. Furniture polish **05HY00022**
- 5. Cotton fresh **05HY00023**

Hand Cleaners



- 1. Loctite hand cleaner 05HY00030
- 2. DT4 Hand Cleaner 05HY00031
- Top quality heavy duty industrial hand cleaner
- Unique product formulation easily removes stubborn soiling like grease, tar, rust, lubricants and adhesives
- \bullet Cleans and moisturises hands and prevents skin irration.
- Premium Quality with Sericin and Microspheres.

Hand Soap & Barrier Cream



- 1. Anti-bacterial soap **05HY00032**
- 1. Barrier hand protection cream **05HY00033**

Disposable Hand Wipes



- 1. Disposable Hand Wipes **05HY00039**
- Removes grime and grease
- Cleans hands
- No need to use water
- Effective against WEILS DISEASE
- 250 wipes per dispenser
- CO030

2. Alcohol Hand Sanitizer 05HY00040

- Alcohol hand sanitation
- Use on hands and skin
- Dries in open air
- No need to wipe
- 300ml pump bottle
- CO005

DEB Hand Protection Products



- DEB protect pure suncream **05HY00034** DEB protect pure suncream dispenser **05HY00034A**
- 2. DEB lime cleanser **05HY00035**
- 3. DEB refresh 05HY00036
- 4. DEB universal protect **05HY00037**
- 5. Skin safety dispenser board **05HY00038**

Miracle Wipes



- Dargan Miracle Wipes are an industrial wipe used for the cleaning of paint, adhesive, sealant, oil and much more.
- 80 Wipes per Tube

05HY00041



Centre Pull Hand Paper Blue & Dispenser





- 1. Blue centre pull hand paper **05HY00042**
- 2. Centre pull dispenser **05HY00043**

Centre Pull Hand Paper White





- 1. White 2 ply centre pull hand paper **05HY00044**
- 2. Twin wiper hand roll **05HY00045**

Z Fold Hand Towels & Dispenser



- 1. Zfold hand towels **05HY00046**
- 2. Zfold dispenser **05HY00047**

Forecourt Roll & Dispenser





- 1. Forecourt Roll **05HY00048**
- 2. Forecourt dispenser **05HY00049**

Kitchen Rolls & Facial Tissue





- 1. Kitchen roll **05HY00050**
- 2. Cube facial tissue **05HY00051**

Toilet Roll & Dispenser





- 1. 48 pack toilet roll **05HY00053**
- 2. Twin toilet roll holder **05HY00054**

Bag of Rags



• 10kg bag of rags

05HY00052

Mini Jumbo Toilet Roll & Dispenser





- 1. Mini jumbo toilet roll **05HY00055**
- 2. Mini jumbo toilet roll dispenser 05HY0006



Mops



- Kentucky Mop **05HY00057**Standard Mop **05HY00058**

Mop Buckets



- Plastic mop bucket **05HY00059**
- Galvanised mop bucket **05HY00060**

DOSCO Mop Bucket



- DOSCO mop bucket 26litre **05HY00061**
- DOSCO mop bucket 46litre **05HY00062**

Wet Floor Sign



• PVC A frame wet floor sign

05HY00063

Dustpan & Litter Picker



- Dust pan & brush **05HY00064**
- Long handled dust pan & brush **05HY00065**
- Litter picker **05HY00066**

Dishwasher Tablets



• Astonish all in one dishwasher tablets

Sweeping Brushes



- 1. Platform brush complete with stays **05HY00067**
- 2. Platform brush **05HY00068**
- 3. Yard brush with clamp **05HY00069**
- 4. Standard yard brush **05HY00070**
- 5. Deck scrub **05HY00071**

Toilet Brush & Plunger



- Toilet brush set **05HY00073**
- Toilet plunger **05HY00074**

Beaumark Vacuum Cleaner



- Henry Hoover has a tough cleaning attitude. It is compact and convenient, and has four wheel mobility for easy use while having a 6 litre capacity that will capture all unwanted dirt
- Henry Hoover bags box of 10

05HY00075

Boot Scraper





- Boot scraper **05HY00078**
- Dirt stopper rubber mat **05HY00079**

Heavy Duty Boot Scraper



- Heavy duty boot scraper **05HY00076**
- Available without footbath **05HY00077**

Rubber Back Mats



Sizes available

- 2' x 1' **05HY00080**
- 3' x 2' **05HY00081**
- 4' x 2' **05HY00082**
- 5' x 3' **05HY00083**
- 6' x 4' **05HY00084**

Tacky Mats



- Stamp the dirt off before you walk on clean floors.
- Ideal for maintaining clean room and laboratory standards
- Anti-microbial adhesive surface removes dirt from shoes, wheels, etc, on contact
- 30 peel off layers for maintaining a clean, fully effective mat at all times

If you can't find what you are looking for please call our sales team on 01 281 1116 or email sales@site-mate.ie

SITE-MATE

05HY00085

Disposable Overshoes 16 inch (40cm) / CPE/PP



- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof

11DW00009

• Ideal for decorating to protect carpets and flooring



Overshoes have been made from a durable nonwoven upper with an elasticated ankle and embossed PE sole offering durability, comfort and grip. They are latex free and available in white with blue soles. One size fits all.

- Deluxe overshoe
- Polypropylene upper
- Compressed PE embossed sole for extra grip
- Elasticated opening
- 16" Overshoes

One size

11DW00010



One size

Markers & Pens



- Permanent markers **05ST00001**
- Highlighters **05ST00002**
- Pens (all colours) **05ST00003**

5 Star Stapler & Puncher



- Office stapler **05ST00009**
- Office staples **05ST00010**
- Office punch **05ST00011**

Key Safe



Available sizes

30 key
60 key
100 key
200 key
300 key
5ST00006
05ST00007
05ST00008

Copier Paper



- A4 copier paper **05ST00012**
- A3 copier paper **05ST00013**

Dry Wipe Board & Accessories



600 x 450mm
 900 x 600mm
 1200 x 900mm
 1800 x 1200mm
 Dry wipe board starter kit
 5ST00018

Cork Notice Board



600 x 450mm
 900 x 600mm
 1200 x 900mm
 1800 x 1200mm
 05\$T00020
 05\$T00021
 05\$T00022

5 Star Office Desk / Chair





05ST00026

5 Star Filing Cabinet



2 drawer3 drawer4 drawer05\$T0002855T00029



With years of experience supplying signs to the construction, civil engineering and industrial sectors, we have built up a reputation as a company who delivers on quality and service. We understand the importance of having a fast turnaround speed and an extensive stock range. We can also offer a bespoke print service for all your branded corporate signage.

Available sizes:

460mm x 610mm. 600mm x 600mm x 900mm x 900mm. 1200mm x 1200mm. 2400mm x 1200mm. Bespoke sizes also available.

We manufacture our signs on the following materials:


Corriboard



- Lightweight yet strong, durable and tear & crack resistant.
- Corona treated, it is the perfect substrate for printing for indoor and outdoor applications.
- Withstands moisture, greases and most chemical agents and will protect your product against these aggressive influences.
- Polypropylene is extruded out of PP-PE Polymer, it lasts longer than cardboard and is fully recyclable, which makes it more eco-friendly than most other materials.

4mm White Corriboard Sign **06SCBW04** 6mm White Corriboard Sign **06SCBW06** 10mm White Corriboard Sign **06SCBW10** 4mm Orange Corriboard Sign **06SCB004**

Composite Aluminium



Aluminium Composite Panel or ACP is a flat, highly rigid aluminium sheet comprising 2 very thin layers of aluminium on a Polyethylene (PE) plastic core. The sheet is favoured by sign makers for its versatility, extreme flatness and rigidity and is used in many applications including display, fabrication and for use as robust hoarding panel on building sites. It is ideal as an outdoor signage sheet as it is weather proof and impervious to water. Sign Panel, Fabrication Panel or Hoarding Panel are available determined by the thickness of aluminium skin.

3mm Standard Display Panel **06SCADP** 3mm Sign Panel **06SCASP** 3mm Hoarding Panel **06SCAHP**

Rigid PVC



PVC wall cladding sheet has many superb features to allow cladding solutions whatever the job!. Offering high fire rating and high impact strength, this sheet is non toxic and creates a high sanitation environment that becomes easily cleanable.

2mm Rigid PVC 06SRPVC.

Flexible PVC



Inexpensive and lightweight plastic typically used for handling-trays which accommodate lightweight products. Marginal resistance to impact and tearing, although it can be modified with a rubber additive to improve its durability. It is commonly used in the Printing industry in ID tags, Dials and Decals and in Lithographic or Flexographic printing of display.

.75mm FLEXIBLE PVC 06SFPVC01 1mm FLEXIBLE PVC 06SFPVC02 3mm FLEXIBLE PVC 06SFPVC03

Self Adhesive Labels



Our Safety Labels & Decals are fabricated using a Self Adhesive Pressure Sensitive Vinyl, with an estimated infinite indoor life span, and a 3 - 5 year expected outdoor lifespan. The self adhesive vinyl can be applied to any flat, clean surface just like a sticker.

Suitable for use as company branding and induction stickers for helmets.

Self Adhesive Labels **06SSA** Helmet Sticker **06SSAHS**


Magnetic Signs



Vehicle grade .85mm thick magnetic sheeting for vehicle door panels. Gloss white finish. Suitable for vinyl graphics, screen printing and digital solvent printing.

Magnetic Signs 06SMAG

Banners



We stock a large range of banner types and finishes offering excellent printability and durability. Our banner materials are ideal for indoor and outdoor signage, posters, digital advertising signs, building signs, trade show displays and much more.

PVC Banners 06SBAN



Mesh Without Liner I 270 GSM ensures quality performance at unbelievable value. Our bsmart mesh range is a polyester fabric mesh, both with and without liner and is ideal for indoor and outdoor mesh applications, scaffolding coverings, Signage, POS and general wall coverings etc. Excellent printability, easy operation mesh offering good ventilation and lighting.

Mesh Banners **06SMBAN**





A tidy area is a safer area

Site-Mate

610mm x 460mm SS001



Site safety starts here

YOUR LOGO HERE

610mm x 460mm SS002

SITE SAFETY

Days since the last lost time accident on this site

1220mm x 2440mm SS003

SITE SAFETY

Under the Safety, Health and Welfare at Work Act 2005 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



Construction work in progress. Parents are advised to warn children of the dangers of entering this site



Safety helmets must be worn



High visibility jackets must be worn



Unauthorised entry to this site is strictly forbidden

1200mm x 900mm SS004

SITE SAFETY

Under the Safety, Health and Welfare at Work Act 2005 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



warn children of the dangers of entering this site



Safety helmets must be worn



Protective footwear must be worn



Unauthorised entry to this site is strictly forbidden

1200mm x 900mm SS005

SITE SAFETY



DANGER CONSTRUCTION SITE



NO UNAUTHORISED
ACCESS



ALL VISITORS MUST REPORT TO SITE OFFICE



SAFETY HELMETS MUST BE WORN ON THIS SITE



SAFETY FOOTWEAR
MUST BE WORN
SAFETY GLASSES TO BE



WORN IN DESIGNATED AREAS



HI-VIS CLOTHING MUST BE WORN
REPORT ALL ACCIDENTS TO



SITE SAFETY OFFICER



SMOKING IS PERMITTED IN DESIGNATED AREAS ONLY

600mm x 900mm SS006



460mm x610mm SS007

SAFETY STARTS HERE



DANGER CONSTRUCTION SITE



Unauthorised entry to this site is strictly forbidden



SAFETY BOOTS MUST BE WORN AT ALL TIMES ON THIS SITE



Safety helmets must be worn



Safety glasses must be worn



Ear protection must be worn



High visibility jackets must be worn

1200mm x 2400mm SS008







1220mm x 1220mm SS010



600mm x 900mm SS011



600mm x 900mm SS012



900mm x 900mm SS013

Heavy plant and machinery operate on this site Vehicles must not enter the site without the authority of the site supervisor Unsupervised reversing in and out of site is strictly forbidden Speed and parking restrictions must be observed

1200mm x 900mm SS014



1200mm x 900mm SS015

Site agent

STE-MATE

IN001

Site office

YOUR LOGO HERE

IN002

YOUR LOGO HERE

Surveyors

IN003

YOUR LOGO

Quantity Surveyor

IN006

YOUR LOGO

Resident Engineer

IN009

Ladies
Toilets

IN012

T YOUR LOGO HERE

Deliveries

IN015

YOUR LOGO

Stores

IN018

Site Foreman

STEMATE

IN004

Safety Officer

YOUR LOGO HERE

IN005

Drying room

STEMATE

IN007

Meeting Room

YOUR LOGO HERE

IN008

Gents Toilets

YOUR LOGO HERE

IN011

Canteen

STE-MATE

IN010

Deliveries



YOUR LOGO HERE

IN014

IN013

Site Office



IN016

Site Office



STE-MATE

IN017











FA005






























FA017

FA018

FA019





PS001

WE WILL PROSECUTE

TRESPASSERS

Site-Mate

PS004



YOUR LOGO HERE

PS002



PS003



SITE STAFF **ONLY**

YOUR LOGO HERE



PS006



PROHIBITED Do not climb gates or hoarding

> **YOUR LOGO HERE** PS008

NO PEDESTRIAN

ACCESS

YOUR LOGO HERE

PS011

NO MOBILE

PHONES

YOUR LOGO HERE

PS014

YOUR LOG0 HERE

FOOTPATH CLOSED

PS009



YOUR LOG0 **HERE**

DO NOT TOUCH



YOUR LOG0 HERE

NO FOOD

PS015



YOUR LOG0 HERE

NO SMOKING



PS005



PROHIBITED It is illegal to tamper with scaffold

STE-MATE

PS007



DANGER KEEP OUT

STE-MATE

PS010



DO NOT REMOVE

Site-Mate

PS013



STE-MATE PS016

DANGER NO ACCESS STE-MATE

PS017

PS018



SITE-MATE

PS019

Unauthorised persons

not to use this

machine

SITE-MATE



PS020



PS021



NO SWIMMING

YOUR LOGO HERE

PS023



YOUR LOG0 HERE

DANGER OPE BELOW DO **NOT REMOVE**

PS024



KEEP CLEAR

NO PARKING

YOUR LOGO HERE

PS026

YOUR LOGO HERE

PS029

YOUR LOG0 HERE

No unauthorised persons beyond this point

PS027



YOUR LOG0 HERE

DO NOT WALK **OR STAND HERE**



PS030



YOUR LOG0 HERE

NO MOBILE PHONES WHILE DRIVING

PS033



DANGER EXCLUSION ZONE

Site-Mate

PS025



CONSTRUCTION SITE KEEP OUT

SITE-MATE

PS028

DANGER

closed

SITE-MATE

PS031



Keep gate CLOSED



NO PARKING

PS032

YOUR LOGO HERE



DESIGN YOUR OWN SIGN

PS034

SIZES AVAILABLE

A: 460mm x 610mm B: 600mm x 600mm C: 900mm x 900mm D: 1200 x 1200mm

ALL SIGNS ARE MADE TO ORDER. BESPOKE SIZES/PORTRAIT SIGNS AVAILABLE.



YOUR LOG0 **HERE**

YOUR LOG0 HERE

YOUR LOG0 HERE

YOUR LOG0 **HERE**

YOUR LOG0

YOUR LOG0 HERE

MS016 MS017 MS018

YOUR LOGO HERE

STE-MATE



MS019



Eye protection must be worn when operating this machine

YOUR LOGO HERE

MS020



Wear goggles your eyes cannot be replaced

MS021



MS022



Safety helmets must be worn in this area

STE-MATE

MS023



Respirators must be worn

YOUR LOGO HERE

MS024



Wear anti-static footwear

MS025



Wear high visibility clothing

MS026



Place all rubbish in bins provided

MS027



Permit to work must be provided

YOUR LOGO HERE

MS028



Sound horn
Drive
slowly

MS029



Keep locked

MS030



Switch off all mobile phones

SITE-MATE

Lift correctly

YOUR LOGO HERE



Pedestrians must use this route

MS033



Use handrail

MS034

MS031

MS032





MS035





MS036



All site vehicles & personnel must sign in at security

> **YOUR LOGO HERE** MS039



MS037

YOUR LOG0

All site vehicles & personnel must sign in at office

MS040

SITE-MATE MS038

Please leave

toilets clean



SEATBELTS MUST BE WORN

STEMATE

MS041



Now wash your hands

YOUR LOGO HERE



YOUR LOG0 HERE

A tidy site is a safe site

MS043

MS042



CHECK BRAKES

YOUR LOGO HERE

YOUR LOG0 HFRE

REDUCE SPEED **NOW Pedestrian** crossing ahead

STE-MATE MS044

Drive in centre

of road



MS047



MS048



MS049

bay




max clearance height

MS050

SIZES AVAILABLE

A: 460mm x 610mm B: 600mm x 600mm C: 900mm x 900mm D: 1200 x 1200mm

ALL SIGNS ARE MADE TO ORDER. BESPOKE SIZES/PORTRAIT SIGNS AVAILABLE.





Caution refuelling point

STE-MATE

WS001



DANGER

Live cables overhead

YOUR LOGO HERE

WS002



YOUR LOG0 HERE

Caution

Road sweeper in operation

WS003



Caution unloading of goods

Site-Mate

WS004



DANGER High voltage

YOUR LOGO HERE

WS005



YOUR LOG0 HERE

CAUTION safe working load

WS006





Caution **School entrance**

STE-MATE

WS007

Caution

Corrosive material

STE-MATE

WS010





Caution **Pedestrians crossing** & oncoming traffic

YOUR LOGO HERE

WS008



YOUR LOG0 HERE

Caution construction traffic ahead



DANGER **Open excavations**

YOUR LOGO HERE

WS011



YOUR LOG0 **HERE**

DANGER **Deep water**

WS012



DANGER

Underground live cables

YOUR LOGO HERE WS014

YOUR LOG0 HERE

DANGER Live electrical circuits

WS015



YOUR LOG0 HERE

DANGER volts

WS018

SITE-MATE WS013

CAUTION

Trip hazard



CAUTION

Biological material

STE-MATE

WS016





Caution

Underground water mains

YOUR LOGO HERE

WS017

152



Keep within the pedestrian walkways

STE-MATE

WS019



Caution Site entrance

YOUR LOGO HERE

WS020

Caution

Oxidising material

YOUR LOGO HERE

WS023

Caution

Holes in floor

YOUR LOGO HERE

WS026

Caution

Working overhead

YOUR LOGO HERE

WS029

DANGER

Discarded syringes

YOUR LOGO HERE

WS032



YOUR LOG0 HERE

Caution **lodising radiation**

WS021





YOUR LOG0 HERE

Caution Harmful material

WS024





YOUR LOG0 HERE

Caution **HGVs turning**

WS027



YOUR LOG0 HERE

BEWARE Guard dogs on patrol

WS030



YOUR LOG0 HERE

DANGER Moving plant & machinery

WS033



Caution Laser beam

SITE-MATE

WS022



Caution Mind your head

Site-Mate

WS025



Caution **Falling objects**

SITE-MATE

WS028



DANGER Highly flammable liquid

Site-Mate

WS031



DANGER **Underground gas services**

WS034

SIZES AVAILABLE

A: 460mm x 610mm B: 600mm x 600mm C: 900mm x 900mm D: 1200 x 1200mm

ALL SIGNS ARE MADE TO ORDER. BESPOKE SIZES/PORTRAIT SIGNS AVAILABLE.



DANGER Gas pipes

STEMATE

WS035



CAUTION

Toxic material

YOUR LOGO HERE

WS036

DANGER

Demolition in progress

YOUR LOGO HERE

WS039

DANGER

Fragile Roof

YOUR LOGO HERE

WS042

WARNING

Confined Space

YOUR LOGO HERE

WS045

DANGER

Welding in progress

Keep clear

YOUR LOGO HERE



YOUR LOGO HERE

DANGER

Roof slippery when wet

WS037



YOUR LOGO HERE

DANGER

Explosive Atmosphere no Ignition sources

WS040



YOUR LOGO HERE

DANGER

Live Services

WS043



YOUR LOGO HERE

CAUTION

Cable pulling in progress

WS046



YOUR LOGO HERE

CAUTION

Cable pulling in progress

WS049



YOUR LOGO HERE

Danger

Construction traffic

WS052

DANGER

Floor slippery when wet

SITE-MATE

WS038



DANGER

ASBESTOS

STE-MATE

WS041



Pressure Testing

SITE-MATE

WS044



DANGERHigh voltage testing

in progress

WS047



WS050



YOUR LOGO HERE

WS051

154



WS053



YOUR LOGO HERE



WS055



CAUTION Reduce speed now **Check brakes**

> **YOUR LOGO HERE** WS057

BEWARE

Moving vehicles

YOUR LOGO HERE

WS060

Caution

Heavy vehicles

turning ahead

YOUR LOGO HERE

WS063



YOUR LOG0 HERE

DANGER **Unprotected edge**

WS058



YOUR LOG0 HERE

Danger **Plant crossing**



WS061



YOUR LOG0 HERE

YOUR 1060

Danger Unsafe structure

WS064





Confined space

No unauthorised persons beyond this point

WS067



WS056



DANGER

Risk of electric shock

SITE-MATE

WS059



Caution

Drain covers removed

SITE-MATE

WS062



Danger Deep excavations

SITE-MATE

WS065



All visitors please report to site office

STEMATE

WS068



WS066



A: 460mm x 610mm B: 600mm x 600mm C: 900mm x 900mm D: 1200 x 1200mm

ALL SIGNS ARE MADE TO ORDER. BESPOKE SIZES/PORTRAIT SIGNS AVAILABLE.







EE022


Push bar to open

Fire exit only

Caution This door is alarmed

EE019







Fire













Fire

EE032



FE001



FE002



FE003



FE004



FE005



FE006



FE007



FE008



FE009



FE010



FE011



FE012



FE013



FE014



FE015





FE017

FE018







FE020



FE021



FE022









FE025



FE026





All signs available in cone mounted PVC, composite aluminium & corriboard.

Sizes:


600 x 600mm

750 x 750mm

900 x 900mm

1200 x 1200mm









DIAMOND FRAMES:

- 600mm x 600mm frame **06SS00001**
- With supplementary plate provision **06SS00002**
- 750mm x 750mm frame **06SS00003**
- With supplementary plate provision 06\$\$00004
- 900mm x 900mm frame **06SS00005**
- With supplementary plate provision **06SS00006**

SQUARE FRAMES:

- 600mm x 600mm frame **06SS00007**
- With supplementary plate provision **06SS00008**
- 750mm x 750mm frame **06SS00009**
- With supplementary plate provision **06SS00010**
- 900mm x 900mm frame **06SS00011**
- With supplementary plate provision **06SS00012**




Cone Mounted Chapter 8 Signage is made with 2mm rigid PVC plastic and fitted with elasticated webbing straps for extra grip. Straps are riveted for extra durability. **06CM00001**

ALL OLIB CHAPTER & ROAD SIGNAGE IS MADE WITH AVERY HIGH INTENSITY PRISMATIC VINYL W6500 WHITE W65004 ORANGE

Quick Fit Frames


Cougar Quick Fit 600mm 25x25mm Steel Box Section Toggle Centres - 300mm Width



Overall Width 600mm

Quick Fit Frame 600mm / 300mm toggles **06SS00013**

Cougar Quick Fit 600mm 25x25mm Steel Box Section Toggle Centres - 450mm Width




Overall Width 600mm

Quick Fit Frame 600mm / 450mm toggles **06SS00014**

Cougar Quick Fit 900mm

25x25mm Steel Box Section Toggle Centres - 750mm Width




Overall Width 900mm

Quick Fit Frame 900mm / 750mm toggles **06SS00015**

Cougar Quick Fit 1200mm

25x25mm Steel Box Section Toggle Centres - 750mm Width



Overall Width 1200mm

Quick Fit Frame 1200mm / 750mm toggles **06SS00016**



Hand Protection Information



C∈ Implies that the gloves comply with the basic requirements laid down by the EEC directive: Personal Protective Equipment.

Simple Design

For areas of 'minimal risk' where the effects of not wearing a glove are easily reversible or superficial. Such products are self-certified.

Intermediate design - category 2 (CAT II)

For areas of specific risk, i.e. mechanical risks. Such products will have been EC type tested against European test methods and certified by a notified body.

Complex design - category 3 (CATIII)

For areas/applications that can seriously or irreversibly harm the health. Such products, in addition to the CE type test, will also have to be either produced under an approved quality system OR be type tested on an annual basis.

Understanding glove markings

EN 388 - This standard applies to all kinds of protective	() Mechanical Hazards	Performance Level
gloves giving protection from mechanical risks, in respect of	EN 388	
physical problems caused by abrasion, blade cut, puncture or		
tearing. This standard also covers risk of electrostatic discharge.	(a) Abrasion Resistance	0 - 4
	(b) Blade-Cut Resistance	0 - 5
, pag	(c) Tear Resistance	0 - 4
EN 374 - This standard specifies the capability of gloves to	(d) Puncture Resistance	0 - 4
protect the user against chemicals and/or micro-organisms.		
	₹%1 Cold Hazards	Performance Level
	EN 511	
EN 511 - This standard applies to gloves which protect the		
hands against convective and contact cold.	(a) Convective Cold	0 - 4
	(b) Contact Cold	0 - 4
EN 407 - This standard specifies thermal performance for	(c) Waterproofness	0 - 1
protective gloves against heat and/or fire.	· , .	
EN 659 - This standard defines performance requirements for	Thermal Hazards	Performance Level
gloves designed to protect fire fighters against heat and flames.	EN 407	T OTTOTINGHOOD EOVOI
EN 421 - This standard lays down test methods and	(a) Burning Behaviour	0 - 4
performance criteria for gloves offering protection against	(b) Contact Heat	0 - 4
	(c) Convective Heat	0 - 4
ionising radiation and radioactive contamination.	(d) Radiant Heat	0 - 4
	(e) Small splashes of Molten Meta	I 0 - 4
If a glove is to be used for food handling, it is required to	(f) Large splashes of Molten Meta	
carry either the words: 'For Food Use' or this symbol.	(i) maigo opiacitos di motton mota	0 7

Contact Heat Testing



A sample is taken from the palm area of the glove. The outside of the glove is put on a hot surface and the temperature of the inside of the glove is then monitored. The temperature on the inside of the glove must take 15 seconds or more to rise by 10°C from room temperature.

EN 407 Performance Level	Contact Temperature °C	Threshold Time Seconds
1 2 3 4	100 250 350 500	>15 >15 >15 >15 >15

Explanation of glove marking to EN374: 2003

	EN 374	A	K	L
A K L	A K L	METHANOL PERMEATION LEVEL 2	SODIUM HYDROXIDE 40% PERMEATION LEVEL 6	SULPHURIC ACID 96% PERMEATION LEVEL 1
EN 374 J K L	J	K	L	
	N-HEPTANE PERMEATION LEVEL 6	SODIUM HYDROXIDE 40% PERMEATION LEVEL 6	SULPHURIC ACID 96% PERMEATION LEVEL 1	

Glove terminology

Cabretta: A thin, fine leather made from Brazilian sheep hair.

Cape or Capeskin: A superior thin leather made from South African sheep hair.

Clute Cut: A glove style with a one piece palm with no seam at the base of the finger. The seams are along the fingers on the inside.

Cuff: The cuff is the part of the glove extending beyond the palm that covers the wrist and part of the forearm.

Fourchette: The piece of leather sewn between the fingers on some kinds of gloves. Also known as the sidewall or gusset.

Gauntlet: A very long cuff to protect the forearm.

Grain: The side of the leather that had the hair, i.e the outside. Full Grain has the original surface, whereas corrected grain has been abraded to make the leather smoother and more uniform.

Gunn Cut: A glove style with seams at the base of the fingers. The seams between the fingers are on the back of the glove.

Gusset: The piece of leather sewn between the fingers on some kinds of gloves. Also known as the sidewall or fourchette.

Canadian Red High Quality Riggers



- Grey split leather.
- Heavyweight cotton backing and safety cuff.
- · Vein patch.
- Good fitting large size with fleecy lined palm and thumb-face for added comfort.
- EN388: 2003
- Level 4 Abrasion
- Level 1 Cut Resistance
- Level 4 Tear Resistance
- Level 4 Puncture

07G00001

Available sizes XL(10)

Canadian Double Palm Riggers



- Heavy duty double palm rigger style glove.
- Generous hand size.
- Robust yet supple.
- Part fleece lined.
- Cotton drill back.
- Knuckle strap.
- Pasted cuff with vein patch.
- EN388: 2003
- Level 4 Abrasion
- Level 2 Cut Resistance
- Level 3 Tear Resistance
- Level 4 Puncture

07G00002

Available sizes XL(10)

Cat II Welders Gauntlet





- Red Welders Gauntlet 14"
- Finger welts
- Fully lined hand and cuff
- Conforms to EN388 Cat.11 3.2.3.3
- Conforms to EN407 4.2.3.X.4.X

CAT II Blue/Gold Welders Gauntlet



- 16" royal blue shoulder split leather gauntlet
- Fully lined
- Gold leather welts
- Gold leather reinforced thumb and part palm
- Kevlar sewn
- Conforms to EN388 Cat.II 3.2.3.3
- Conforms to EN407 4.3.3.X.4.X

07G00004 Available sizes XL(10)

07G00003 Available sizes XL(10)

Gripster Skins



- Ideal for mechanics, engineers, agriculture, general use, wet dry and oily grip.
- A fish scale grip with extra thickness and chemical resistant.
- A powder free nitrile glove with dexterity level 5
- Conforms to EN388 1000 EN388 1000 EN374-2 1000

07G00005

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Latex Examination Gloves



- Disposable gloves
- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- Available in pre-powdered or powder free

Pre-powdered **07G00007** powder free **07G00008** Available sizes S(7), M(8), L(9), XL(10)

ChemPlus



- Offer excellent protection against a wide range of chemical products such as concentrated detergents, oils & fats, solvents and acids
- Conforms to EN1186 EN374-2 EN374-3 EN388 2010

07G00006

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Nitrile Examination Gloves Powder Free





- Powder free nitrile gloves
- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling including foodstuffs

Blue **07G00009** Black **07G00010** Available sizes S(7), M(8), L(9), XL(10)



B-Brand Powertool Gloves





- · Hard wearing stretch nylon backing
- Fleece lined
- Black leather double palm interlined with foam for comfort
- Wraparound thumb and index finger to aid trigger wear
- Lightweight fourchetts to keep hands cool when used for long periods
- Elasticated velcro adjustable cuff closure

07G00011

Available sizes M(8), L(9), XL(10), XXL(11)

B-Brand Fingerless Gel Gloves





- High quality fingerless gloves
- Leather palm
- Gel inserts
- Terry towel backing
- Comfort fit
- Reflective piping
- Ideal for use with power tools
- Sport or gymnasium use

07G00012

Available sizes M(8), L(9), XL(10), XXL(11)

Fully Coated Nitrile HW Gloves



- Excellent protection for heavy duty applications
- Soft jersey liner for wearer comfort
- Coating resists puncture, cuts and abrasion
- Conforms to EN388 Cat.II 4.2.2.1

Available sizes XL(10)

PVC Double Dip Chemical Glove



- Handling of oils, detergents and alcohols
- General handling
- Chemical handling
- Conforms to EN388:2003 Cat.III

Level 4 - Abrasion

Level 1 - Cut resistance

Level 2 - Tear resistance

Level 1 - Puncture resistance

07G00014

Available sizes XL(10)

Fully Coated Knitwrist Gloves





- Polyester seamless shell Full nitrile coating
- · Lightweight for maximum dexterity and comfort with sensitivity
- Liquid proof
- Conforms to EN388 Cat.11 4.1.2.1

07G00015 Available sizes **S**(7), M(8), L(9), XL(10)

18" Industrial Latex Gloves



- 18" black medium weight industrial gauntlet
- Satin unflocked interior
- · Sanitised to inhibit bacterial growth
- Silicon free
- 1.00mm thickness +/- 0.03
- Conforms to EN388 Cat.II 4.1.3.1
- Conforms to EN374

07G00017

Available sizes M(8), L(9), XL(10), XXL(11)

Heavyweight 24" (60cm) Gauntlet





- Heavyweight natural rubber industrial gloves
- Double wall thickness, 3mm approx
- For use against chemical, mechanical and micro organism hazards
- Conforms to EN388 Cat.III 4.1.2.1
- Conforms to EN374

07G00016

M(8), L(9), XL(10), XXL(11)

Open Cuff Gauntlet





- PVC Gauntlet
- Liquid proof
- Available in 11"
- Available in 14"Available in 16"
- Conforms to EN388 Cat.II 3.1.1.1

07G00018

Available sizes XL(10)



Mediumweight Household Gloves





- Cotton flock lining
- Flexible and comfortable to wear
- Offers a high degree of sensitivity

Blue **07G00019** Pink **07G00020** Yellow **07G00021** Available sizes **S**(7), M(8), L(9), XL(10)

Tronix Blue Dot





- Nylon fibre knitted glove
- Comfort fit
- Offering excellent dexterity
- PVC dots to palm area for added grip
- Conforms to EN388 Cat.II 3.1.4.1

07G00024

Available sizes S(7), M(8), L(9), XL(10)

Nitrile Gauntlet Flock Lined



- Unsupported nitrile glove
- A high level of resistance to abrasion, solvents and animal fats
- Pebble finish to palm
- Food safe
- Silicon and wax free
- Conforms to EN388 Cat.111 4.0.0.1

07G00022 (12") **07G00023** (18")

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Stockinette Knitwrist Super





- Knitted stockinette glove
- Lightweight
- Many and varied uses, light handling of dry product
- Makes an excellent liner

07G00025

Available sizes Mens / Ladies

Glovezilla



GLOVEZILLA ANTI-VIBRATION GLOVE



- Anti-vibration glove
- Ideal for heavy construction drilling and mining
- Conforms to EN388 EN420 ENISO 10819

07G00026

Available sizes L(9), XL(10)

Sharpsmaster II Glove



- Highest needlestick resistance available provided by the layering of SuperFabric® brand material.
- Tested using 25 gauge hypodermic needles.
- Highest level of cut resistance on noted areas; EN388 Cut Level 5
- Single glove needle solution with incredible dexterity and comfort.
- Wrinkle rubber palm coating with Actifresh anti-microbial treatment.

EN388 4.5.4.4 CE

07G00028

Available sizes M (8), L(9), XL(10)

Electro-Static Spray Painting Gloves



- Helps eliminate paint spray-back by grounding to the spray gun.
- Lint free, cleanroom compatible material, double folded hemmed cuff edge, ensures the lowest particulate counts.
- A continuous highly conductive silver strip runs from the inside surface of the palm to the outside palm surface, grounding a worker when holding a spray gun.
- Laminated polyurethane fabric resists solvents, cleanroom compatible.

APPLICATIONS Automotive Electronics Cleanroom Assembly

07G00027

Available sizes L(9), XL(10)

TenActiv Glove Nitrile Palm



- High-strength fibre that is stonger than steel on an equalweight basis
- Nitrile-coating is foamed to increase your grip in oil by displacing oil on surfaces, while the thermo plastic rubber (TPR) backing reduces back-of-hand injuries and increases impact protection, all without impeding flexibility or dexterity
- Handling Sharp Objects, Glass Plants, Construction
- Conforms to EN388 4544
- 4 Abrasion
- 5 Cut Resistance
- 4 Tear Resistance
- 4 Puncture Resistance

07G00029

Available sizes L(9), XL(10)



Thermo-Star Fully Dipped Latex Gloves



- Mixed fibre heavyweight knitted liner with latex coating to palm area
- Double dip to fingers or added protection Vented back
- Highly visible fleece liner
- Ideal for refrigeration, coldstore & winter conditions
- Thick latex coating for durability and grip
- Conforms to EN388 Cat.11 2.2.4.1 / EN511 1.4.X

Orange **07G00030** Yellow **07G00031** Available sizes M(8), L(9), XL(10), XXL(11)

14" Chemical Gauntlet



- Knitted nylon liner
- Nitrile/water based PU
- Fully coated double palm gauntlet
- Textured black palm area
- Gimped cuff
- Robust yet light
- Good hand form
- Conforms to EN388 Cat.III 4.1.2.1
- Conforms to EN374

Bi Colour HW Yellow/Blue Latex



- Heavy weight rubber glove
- Neoprene blended natural latex
- Offers sensitivity and comfort
- EN388: 2003, 2. 0. 1. 0
- EN 374-2: 2003
- EN 374-3: 2003

07G00032

Available sizes L(9), XL(10)

Wondergrip Comfort



- Double latex coating
- Comfort and sensitivity for precision handling in wet and dry
- Natural fit with a high degree of comfort
- Reduced hand fatigue for a strong and effective grip
- EN388
- Level 2 Abrasion
- Level 1 Cut resistance
- Level 3 Tear resistance
- Level 1 Puncture

Orange **07G00034** Yellow **07G00035**

Available sizes L(9), XL(10)

07G00033

Available sizes M (8), L(9), XL(10)

Wonder Grip Thermo Plus



- Double coated latex
- 13-gauge napped acrylic liner
- Wet/dry grip
- Extra cold resistance
- Conforms to EN388 Cat.11 2.2.3.1
- Conforms to EN511 0.1.X

07G00036

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Multi-Purpose Gloves







CLICK°

- Multi-purpose glove
- Latex rubber coated palm
- Knitted base construction to allow air passage and aid comfort
- Conforms to EN388 Cat.II 2.2.4.3

Blue **07G00038** Green **07G00039** Orange **07G00040** Available sizes M(8), L(9), XL(10), XXL(11)

Wonder Grip Aqua



- 13-gauge nylon liner
- Fully coated with latex
- Water resistant
- Dry/wet grip
- Conforms to EN388 Cat.II 2.1.3.1

07G00037

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Economy Grip Gloves





- Economy multi-purpose glove
- Natural rubber coated palm
- Knitted area on back of glove aids breathability and comfort
- Conforms to EN388 Cat.II 2.1.2.1

Orange **07G00041** Green **07G00042** Available sizes M(8), L(9), XL(10)



Micro Foam Nitrile Cut 5





- High cut resistance
- Nitrile micro foam palm coating
- Dexterity with comfort
- Conforms to EN388 Cat. II 4.5.4.2

07G00043

Available sizes S(7), M(8), L(9), XL(10)

Cool Grip Kevlar String Gloves



- Protects hands from thermal heat between 200°C and 315°C (400°F and 600°F)
- Kevlar® string-knit glove body will not drip or melt when exposed to open flame
- Silicone/Kevlar®-blend Temperbloc plams are highly durable, provide amazing wet/dry grip
- Conforms to EN388 4542.
 EN407 43XXXX
- 4 Burning behaviour 3 Contact heat
- X Convective heat X Radient heat
- X Small splashes of molten metal
- X Large splashes of molten metal

14"(35cm) / 18" (45cm) Kevlar Sleeve





- Gives excellent cut resistance
- Soft & comfortable against the arm. Elastication allows sleeve to remain in place.
- Thumb slot also helps keep sleeve in place during rigorous tasks
- Conforms to EN388 Cat.II 1.4.4.X

07G00044 (14") **07G00045** (18")

Available sizes ONE SIZE

Dexcut Cold Resistant Gloves



- The napped liner makes hands feel warmer in cold conditions
- Innovative Nitrile coating offers strong grip and maintains flexibility at -20°C
- 10-gauge acrylic pile liner combines aramid and glass fibre that offers cut 5 protection
- EN388
- Level 4 Abrasion
- Level 5 Cut resistance
- Level 3 Tear resistance
- Level 2 Puncture
- EN511 010

07G00046 Available sizes L(9), XL(10) **07G00047**

Available sizes L(9), XL(10)

PU Coated Cut 5 Gloves





- High engineered nylon/spandex yarn
- Seamless liner
- PU coating, palm coated
- High quality cut resistance
- Excellent dexterity
- Conforms to EN388 Cat.II 4.5.4.3

07G00048

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Kutstop Micro Foam Nitrile Amber Cut 3



- Kutstop system
- Cut 3 amber intermediate cut protection
- 13g HPPE plus nylon liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Construction industry, automotive industry, electrical industry and handling materials with sharp edges
- Conforms to EN388:2003 4,3,4,2

07G00050

Product code KS13 Available sizes S - XXL

Multi-Purpose Black Latex Gloves





- Multi-purpose glove
- Polyester knitted base for comfort
- Natural latex rubber coating to palm and fingers
- Open back to help hand breathe and limit moisture
- Conforms to EN388: 2003 2.1.2.1

07G00049

Available sizes S(7), M(8), L(9), XL(10)

Kutstop Micro Foam Nitrile Green Cut 5





- Kutstop system
- Cut 5 green highest cut protection
- 15g HPPE plus fibre and spandex liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal
- Conforms to EN388:2003 4,5,4,4
- Conforms to EN388:2003 4,3,4,2

07G00051

Available sizes S - XXL



PU Coated Gloves Puggy





- Nylon glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Ideal for handling light components
- Conforms to EN388 2003 4.1.3.1

07G00052 (grey) **07G00053** (black) Available sizes M(8), L(9), XL(10), XXL(11)

PU Coated 3 Fingerless Gloves EC10



- Polyester glove
- Polyurethane coated palm
- Machine knitted
- Integrated elasticated wrist
- EN388
- Level 4 Abrasion
- Level 1 Cut Resistance
- Level 2 Tear Resistance
- Level 1 Puncture

Available sizes M(8), L(9), XL(10)

Nitrile Foam Nylon Gloves EC7





- 100% nylon shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and light engineering
- Ideal for dry or slightly oily applications
- Conforms to EN388 Cat.II 4.1.2.1

07G00054

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

PU Coated Black Gloves EC9





- Polyester glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Ideal for handling light components
- Conforms to EN388 2003 4.1.2.1

07G00056

Available sizes S(7), M(8), L(9), XL(10), XXL(11)

Nitrile PU Mix Coated Gloves BF1





- Knitted nylon/lycra glove
- Nitrile/water based PU palm and finger coating
- Breathable, soft and tactile finish
- Conforms to EN388 Cat.11 4.1.2.1

07G00057

Available sizes S(7), M(8), L(9), XL(10)

Nite Star Dipped Gloves





- 100% Nylon seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Conforms to EN388 Cat.II 3.1.2.1

07G00059

Available sizes M(8), L(9), XL(10), XXL(11)

Nitrile Fully Coated Polyester Gloves





- Polyester seamless shell Full nitrile coating
- Lightweight for maximum dexterity and comfort with sensitivity
- Liquid proof
- Suitable for general assembly handling and engineering applications
- Conforms to EN388 Cat.II 4.1.2.1

07G00058

Available sizes S(7), M(8), L(9), XL(10)

Nitrile Palm Coated Polyester Gloves





- 100% Polyester seamless shell
- Nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximun dexterity and comfort with sensitivity
- Suitable for general assemblyhandling and engineering applications
- Conforms to EN388: 2003 4.1.2.1

07G00060

Available sizes S(7), M(8), L(9), XL(10)



Head Protection Information





EN Standards and markings

EN 397 specifies physical and performance requirements of industrial safety helmets. Certain tests are mandatory if the product is to receive EN 397 approval. These cover:

- Shock absorption
- · Resistance to penetration
 - Flame resistance
 - Chinstrap anchorage

A manufacturer can choose to submit his products to additional optional tests. Such tests could lead to one or more of these markings appearing on a helmet.

 $-20^{\circ}/-30^{\circ}\text{C}$ - The helmet will provide some protection when worn in an environment at or above this temperature.

440V a.c. - The helmet will protect against short term, accidental contact with live electrical conductors up to this voltage.

 $\boldsymbol{L}\boldsymbol{D}$ - The helmet will provide some protection from lateral compressive loads

Head Protection Selection



Identifying hazards

A safety helmet is required where there is a risk of being injured by falling objects. Bump caps are not a substitute for safety helmets and must not be used to protect the head from falling objects.

Identifying materials

Shells are primarily made using UV stabilised high density polyethylene (HDPE) or ABS (Acrylonitrile Butadiene Styrene).

Harnesses are made using low density polyethylene or terylene webbing.

Shelf life

To comply with European Standards, all helmets are marked with the quarter or month and year of manufacture. If helmets are stored in boxes in which they were supplied and do not experience environmental extremes, the shelf life of a helmet is not limited.

However, it is not recommended that a helmet should be in use 5 years after date of manufacture.

Accessories

Some helmets have sweatbands/a chinstrap, or both already fitted. Either can be purchased separately. Safety helmets can be fitted with hearing protection through clip on ear defenders.

Care and maintenance

A helmet may be cleaned with soap and water, drying with a soft cloth. A helmet should not be cleaned with abrasive substances or solvents and must not be stored in direct sunlight or in contact with chemicals. The wearer should inspect a helmet regularly.

Any helmet showing more than superficial abrasions or scuffing to the shell should be replaced.







Head Gear/Face Guards





Head Gear 08HP00001

- Fully adjustable
- Ratchet fastening
- Soft nylon brow guard
- Face guards sold separately (listed)

Face Guards

- Standard face visor **08HP00002**
- Mesh visor **08HP00003**
- Metal edged face visor 08HP00004

One Size

Safety Baseball Cap





- Standard peaked cap
- Cap is fitted with a lightweight ABS shell
- Ventilation holes
- Comfortable to wear over long periods
- Conforms to EN812

Forestry Kit





Kit comes complete with:

- •1 x safety helmet
- •1 x set of clip-on ear defenders
- •1 x chin strap
- •1 x mesh face shield with mount
- Suitable for forestry, strimming, agricultural and chainsaw use
- Conforms to EN397, EN352-2, EN1731 Universal BBFK

08HP00005

One Size

One Size

Vented Safety Helmet Ratchet Harness



- Modern stylish design
- ABS Shell
- Vents to crown
- Lightweight
- Wheel ratchet adjustment harness
- Slots for attachments
- Complete with terry towelling sweatband
- Conforms to EN397

Available in all colours **08HP00007**

007

08HP00006 One Size

Vented Safety Helmet Premium





- Stylish, lightweight helmet
- Extremely durable ABS shell
- Rain gutters for use in exposed environments
- Branding option
- Also available with a wheel ratchet adjustable harness

08HP00008

One Size

Safety Baseball Cap



- Standard peaked cap
- Cap is fitted with a lightweight ABS shell
- Ventilation holes
- Comfortable to wear over long periods
- Conforms to EN812

08HP00010

One Size

Vented Safety Helmet Economy



- Extremely durable ABS shell
- Rain gutters for use in exposed environments
- Branding option
- Also available with a wheel ratchet adjustable harness

08HP00009

One Size

Reduced Peak Safety Helmet



- Vented
- 6 point webbing harness
- Ratchet adjustment
- Comfort fit sweatband
- Complete with chinstrap

08HP00011

One Size



Worker Emergency ID - Standard



- Stores workers medical info & emergency contacts for use in the event of an accident or medical emergency
- 70mm x 15mm
- Fixes securely to workers hard hat

08HP00012

Worker Emergency ID - Universal



- A fully versatile worker ID that can be used in a number of different configerations
- 60mm x 30mm x 10mm

Worker Emergency ID - Data Window



- Stores workers medical info & emergency contacts for use in the event of an accident or medical emergency
- 85mm x 20mm
- Fixes securely to workers hard hat
- Data / name window that permits workers basic info to be seen without having to open ID sleeve

08HP00013

Chin Strap & Sweat Band



- Sweat band for vented helmet **08HP00015**
- 2 point chin strap for vented helmet **08HP00016**

EVOSpec® Safety Eyewear & Sweat Band



- Easy assembly kit for adding a smoke/clear polycarbonate, retractable eyeshield to an existing EVOLite® / EVO3&;8482; helmet 08HP00017
- Conforms to EN166.1.F
- Sweat band for JSP Evo range helmets **08HP00018**

Cold Weather Helmet Warmer



- Full head & face comforter easily attached to the helmet harness for comfort and warmth.
- Available for MK7® / EVOLite™ / EVO2® / EVO3® / EVO8®

VisiLite





The VisiLite® helmet illumination system has been developed as a method of increasing worker visibility without dazzling colleagues in close proximity. VisiLite®offers three lighting modes to suit the user's needs.

- 50m Visibility
- Easy Secure Fit
- USB Rechargeable

08HP00019

B-brand Winter Liner / JSP Beanie



- B-brand winter helmet liner **08HP00021**
- JSP Beanie hat for under helmet use **08HP00022**

One Size



STAR RATING SELECTION GUIDE

JSP's Star Guide is based on the ability of a helmet to absorb impact energy measured in Joules (J) and the perceived RISK to the user from their working environment.



Objects ARE falling or swinging around. HIGH RISK of side impact.

Objects MIGHT be falling or swinging around. RISK of side impact.



Objects MIGHT be falling or swinging around. LOW RISK of side impact.



Objects MIGHT be falling or swinging around. LOW RISK of side impact.

110+ JOULES

Ultimate energy absorption

80 - 110 JOULES

80 - 110 JOULES

80 - 110 JOULES

EN14052

Testing requirements



Testing requirements





Testing requirements

5kg at 1m

50 JOULES

3kg at 1m 29 JOULES



EN397

Testing requirements

5kg at 1m

50 JOULES

3kg at 1m 29 JOULES



















- Construction
- Transport maintenance
- Engineering & utilities

- ▼ Heavy construction
- Mining, tunnelling
- Demolition, refinery
- Wind energy
- ✓ Scaffolding & construction
- Telecoms & utilities
- Construction
- Transport maintenance
- Engineering & utilities

EN STANDARDS EXPLAINED

EN14052 - HIGH PERFORMANCE **INDUSTRIAL SAFETY HELMETS**

The specification includes the requirement for side impact protection. Tests require that the shell is subjected to a total of 150J of impact energy, 100J to the top of the helmet and 50J to the side (up to 60° from the crown) of the helmet. Penetration testing is also required with a "blade" striker being dropped from 2.5m to give an impact energy of 25J on to the top of the helmet and on to the side of the helmet with an impact energy of 20J from 2m.

EN12492 - MOUNTAINEERS HELMETS

A helmet complying to the mountaineering standard is impact tested with two 5kg

strikers. A hemispherical striker is dropped from 2m onto the crown of the helmet and a flat striker from 500mm on to the front, rear or side by tilting the headform to 30°. In all cases, the transmitted force through the neck of the headform must not exceed 10kN. Two penetration tests with a 3kg pointed striker are also performed within a 50mm radius of the helmet's crown without making contact with the headform. *Meets the shock absorption and impact test of EN397.





Objects MIGHT be falling or swinging around. LOW RISK of side impact.

80 - 110 JOULES

EN397 Testing requirements









- Construction
- Transport maintenance
- Engineering & utilities



MINIMAL RISK of objects falling. MINIMAL RISK of side impact.

50 - 80 JOULES

EN397

Testing requirements











- Construction
- Transport maintenance
- Engineering & utilities

Protecting from BUMPS AND SCRAPES to the top and side of the head.

12 JOULES

Ultimate energy absorption

EN812

Testing requirements









- ✓ Internal telecoms work
- Manufacturing
- Light maintenance



Protecting from BUMPS AND **SCRAPES** to the top of head.

12 JOULES

Ultimate energy absorption

EN812

Testing requirements









- ✓ Internal telecoms work
- Manufacturing
- Light maintenance

EN397 - INDUSTRIAL SAFETY HELMETS

This standard goes back over 50 years and testing is only carried out to the top of the helmet. A 49J impact only to the crown of the helmet measures the shock absorption and a penetration test with a 3kg conical striker from 1m. There is no side impact test in this standard only a lateral rigidity test, which is a slow, progressive force loading, and is not an impact test.

EN50365 - ELECTRICAL INSULATION FOR INDUSTRIAL SAFETY HELMETS

An additional specification for helmets used for working live installations up to 1000V. Testing is carried out at voltages of 10,000V (On non-vented). The EN50356 standard is marked on the helmet with a sticker.

EN812 - INDUSTRIAL BUMP CAPS

This specification requires the cap being

hit four times by a 5kg flat steel striker falling with 12 Joules of energy. A bump cap is intended to provide protection against bumps and scrapes to the head, it should not be used where falling or thrown objects are likely and should not be used where an industrial safety helmet is required.





0)	XFORD, ENGLA	ND		ST	ANDA	RD			TE	STING	a PI	RFOF	RMAN	ICE		
			EN14052	EN12492	Multi-Standard (ANSI, CSA, GB)	EN397	EN812	Impact resistance	Side impact	Electrical insulation	LD – lateral deformation	MM – molten metal	+50°C	-30°C	-40°C	
SX RISK	EVO®8 High impact, side impact	See page 15	✓			*		100 Joules	50 Joules	Unvented version EN14052 - 440V			*			
RISK 08HP000024	EVOLITE® SKYWORKER™ The height safety helmet	See page 17		~		*		100 Joules	50 Joules		V		*	₩ s		
RISK	EVO®5 OLYMPUS® Multi-standard protection	See page 19			**	V		50 Joules		Unvented version EN50365 – 1000V	V		*			
PROTECTION FOR A THE RISK	EVO®3 Surpasses EN397tests	See page 21				✓		50 Joules		Unvented version EN50365 – 1000V			*	Ma		
PROTECTION FOR 4 X RISK	EVO®2 Cost effective, high quality	See page 23				V		50 Joules		Unvented version EN50365 – 1000V			*			
RISK	EVOLITE® The lightest EN397 helmet	See page 25				✓		50 Joules		Unvented version EN50365 – 1000V	V		*	<i></i>		
RISK 08HP00029	HARDCAP™ A1+ Side impact bumpcap	See page 41					√	12x4 Joules	4				*			
RISK 08HP00030	HARDCAP AEROLITE® The lightest bumpcap	See page 39					\	12x4 Joules					*			

^{*} Mandatory shock absorption & penetration requirements

** Also includes international standards ANSI Z89.1 (USA),
CSA Z94.1 (Canada), GB2811 (China)



3 □ = 3D Adjustment[™] depth setting harness

QUICK REFERENCE & SELECTION GUIDE

	SHELI			H	ARNES	SS		0	PTIO	NS: GI	ENERA	L	SP	ECIAL	IST	LO	GO PI	RINTI	NG
ABS	НОРЕ	Recyclable	DPE	Textile	Depth adjustment	Wheel ratchet	Slip ratchet	Reduced peak sizes	Ventilated	Reflective option	Integrated eyewear	ID card holder	Universal Accessories slots	4-pt chinstrap	Lamp bracket & cable loop	Side	Rear	Front	Individual name
	√			✓	30	R			V				✓	V	V	8		8	
✓				✓	30	R		As standard	As standard	8		✓	V	√		8	8	8	8
✓				✓	30	R		\	\	9	\	\	~	\		0	٩	٩	9
	✓			~	30)	R		✓	√	St.	✓	✓	~	√	✓	0	0	9	8
	√		V		30			✓	√	\h_		\	~	\		٩	٩	٩	9
✓				~	30)	R		✓	√	°€,	✓	✓	V	√		0	0	0	8
	√						✓	√	√	As standard						0		0	8
	~						~	V	V	As standard						0		0	9











Ear Protection Information



LEVELS OF PROTECTION PHYSICAL AGENTS (NOISE) DIRECTIVE - 2003/10/EC

This Directive is now in place and became law in early 2006. It requires that persons working in noise levels between 80dBA (Lower Action Level) & 85dBA must be provided with suitable hearing protection on request. Where noise levels are at or above 85dBA (Upper Action Level, suitable hearing protection MUST BE SUPPLIED AND WORN. In addition, the new "Exposure Limit Value" requires that no worker may be exposed to more than "87dBA 8 Hour Equivalent" under any circumstances, taking into account any hearing protection worn, (the 87dBA level is that INSIDE the Hearing Protector). There are also new "Action Values" for IMPACT NOISE and the requirement for Risk Assessments in the workplace is reinforced by Article 4 of the new Directive.

Noise meters

As part of risk assessment, noise meter readings should be taken by a competent person to monitor sound level.

Electronic hearing protection

The latest in sound technology - hearing protectors which amplify weak sounds while attenuating loud noises.

Ear muffs

A traditional method of ear protection. Today's range of muffs cope with a very wide spectrum of industrial hazards. It is important to study the attenuation characteristics of each model as they do vary in performance across the range of sound frequency.

Helmet mounted ear muffs

Popular with safety officers, head and ear protection in one. Today's models are styled to be sensibly 'parked' when not in use.

SNR (Standard Noise Reduction)

SNR (Standard Noise Reduction) is only a general means of comparing different ear muffs.

Generally the higher the SNR number, the better the performance of the ear muff across a range of noise frequencies.

Example: a SNR of 30 may not give a 30 decibel attenuation at all frequencies. The figures associated with H, M and L indicate the level of protection within the range of High, Medium or Low frequency noise.

Examples: For the wearer of an ear muff where H=35 a high frequency noise of 100 decibels will drop to 65 decibels.

Wearing the same ear muff, where M=25, a medium frequency noise of 100 decibels will drop to 75 decibels.

Ear Protection Types











Communication head sets

For people covering large areas within a noisy environment, ear muffs that incorporate communication systems.

Plugs

Can be worn conveniently with all other PPE items. Easy to use, with attenuation provided often exceeding that of ear muffs, whilst disposable they provide excellent protection with long term comfort.

Flex and corded plugs

These versions are favoured for carrying around the neck when not in use. Most plugs are also available in a corded version.

European standards

٠.									
	Ear muffs and plugs are tested to the relevant European Standards and are CE marked								
	EN352 Part 1 - Ear Muffs	EN352 Part 5 - Active Noise Reduction Ear Muffs							
	EN352 Part 2 - Ear Plugs	EN352 Part 6 - Ear Muffs with Electrical Audio Input							
	EN352 Part 3 - Helmet Mounted Ear Muffs	EN352 Part 7 - Level Dependent Ear Plugs							
	EN352 Part 4 - Level Dependent Ear Muffs								

Superior Ear Defenders





- Superior ear defender
- Padded adjustable headband
- Conforms to EN352
- SNR 25dB, H=31, M=21, L=12

Product code **09ER00001**

Economy Ear Defenders





- Economy ear defender
- Lightweight robust design
- Adjustable headband
- Conforms to EN352
- SNR 27dB, H=33, M=24, L=15

Folding Ear Defenders



- Premium quality ear defender
- Adjustable fold away headband
- Self aligned earcups
- Conforms to EN352
- SNR 30dB, H=36, M=28, L=18

Product code **09ER00002**

Corded Ear Plugs





- Corded Foam Earplugs, disposable
- Tested by Inspec in accordance with EN352-2:1993
- It is found to be in conformity with council directive 89/686/ EEC relating to PPE
- Conforms to EN352-2
- SNR 34dB, H=33 M=31 L=28

Product code **09ER00004**

Detectable Corded Ear Plugs






- Blue corded foam detectable earplugs
- Detectable brass metal safety component
- Tested by Inspec in accordance with EN352-2:1993
- It is found to be in conformity with council directive 89/686/ EEC relating to PPE
- Conforms to EN352
- SNR 37db, H=36 M=35 L=34

Product code 09ER00005

Banded Ear Plugs





- Extremely light
- Comfortable to wear
- Soft absorbent foam caps
- Worn under the chin
- Conforms to EN352
- SNR 21dB, H=24, M=16, L=14

Product code 1: **09ER00007** Product code 2: **09ER00008**

Standard Ear Plugs





- Foam disposable ear plugs
- Found to be in conformity with council directive 89/686/EEC relating to PPE
- Conforms to EN352
- SNR 34db, H=33, M=31, L=28

Product code 09ER00006

Ear Plug Dispenser



- Free standing or wall mounted
- Robust design
- Easy twist action dispenser
- Bottle rotates and unscrews easily for refilling
- Contains 500 pairs distinctive hi-vis disposable ear plugs
- Refill bag 09ER00010 and replacement bottle 09ER00011 to be used in conjunction with Ear Plug Dispenser
- Contains 500 pairs of ear plugs
- Ear plugs conform to EN352
- SNR 34db, H=33, M=31, L=28



Reusable TPR Moulded Ear Plugs





- 3 flange plugs
- Ease of fit into ear canal
- Reusable
- Shaped stem for ease of fitting
- Ear plugs conform to EN352-2: 2002
- SNR 27, H=27, M=23, L=23

Product code **09ER00012**

QED 31 Ear Defenders



- Padded Headband
- Soft Foam Ear Cushions for Wearer Comfort
- Ease of Headband Adjustment
- Lightweight 218g
 SNR 31 H(dB) 35 M(dB) 28 L(dB) 20
- Conform to EN352

QED 27 Ear Defenders



- Padded Headband
- Soft Foam Ear Cushions for Wearer Comfort
- Ease of Headband Adjustment
- Lightweight 187g
 SNR 27 H(dB) 33 M(dB) 25 L(dB) 16
- Conform to EN352

Product code **09ER00013**

QED 33 Ear Defenders



- Padded Headband
- Soft Foam Ear Cushions for Wearer Comfort
- Ease of Headband Adjustment
- Lightweight 227g
 SNR 33 H(dB) 32 M(dB) 30 L(dB) 23
- Conform to EN352

Product code **09ER00015**









extreme protection

extra visibility







09ER00016

Available for: (No ite) (No ite)





09ER00017

Interex™ EAR DEFENDERS

EN352-3 SNR=29 (SNR levels may vary dependent on helmet used)

Frequency (Hz)

H = 32

M = 26

L = 19

SNR = 29

Results are dependent on helmet they are fitted to. Above attenuation is based on being fitted to an EVO®2/3 safety helmet.

AEK020-005-400

InterEX™ ear defenders

Qty 10

InterEXV™ EAR DEFENDERS

EN352-3 SNR=29 (SNR levels may vary dependent on helmet used)

Frequency (Hz)

H = 32

M = 26

L = 19

SNR = 29

Results are dependent on helmet they are fitted to. Above attenuation is based on being fitted to an EVO®2/3 safety helmet.

AEK020-001-600

InterEXV[™] extra visibility ear defenders

Qty 10

















09ER00018







09ER00019

InterGP™ EAR DEFENDERS

EN352-3 SNR=25 (SNR levels may vary dependent on helmet used)

Frequency (Hz)

H = 29

M = 22

L = 14

SNR = 25

Results are dependent on helmet they are fitted to. Above attenuation is based on being fitted to an EVOLite® safety helmet.

AEK010–005–300 InterGP™ ear defenders

Qty 10



EN352-3 SNR=25 (SNR levels may vary dependent on helmet used)

Frequency (Hz)

H = 29

M = 22

L = 14

SNR = 25

Qty 10

Results are dependent on helmet they are fitted to. Above attenuation is based on being fitted to an $\textsc{EVOLite}^{\textsc{B}}$ safety helmet.

AEK010-001-600

InterGPV™ extra visibility ear defenders

SONIS[™] HELMET MOUNTED EAR DEFENDERS








The Sonis™ range has been stylishly designed with a traffic light colour code for easy identification. Materials have been chosen for both performance and comfort for extended periods of use.





PERFORMANCE

Designed by the JSP R&D team and developed with a leading UK acoustic engineering research facility, the Sonis™ range of helmet mounted ear defenders peaks at an unbeaten 36 SNR.



COMFORT

The force the helmet adaptor applies and the cushion surface area work together to provide optimum cushion pressure and comfort.



CUSTOMISATION

Sonis[™] cups can be coloured to meet a corporate identity. They can also be printed with a company logo for improved brand recognition and to prevent theft. MOQ's apply.



ADJUSTABLE STEEL ARMS

The wearer can tilt and adjust the position of the cup for optimum comfort and fit, also offering even distribution of pressure.



HYGIENIC

The headband is manufactured from TPE, making it easy to wipe clean. The sealing rings are easy to replace. Hygiene kits are available for each model.



UNIVERSAL COMPATIBILITY

The universal slots of JSP helmets allow for the easy fitting of the Sonis™ ear defenders, along with the JSP Surefit™ visor system for maximum protection.







09ER00020











SONIS[™] 1 HELMET MOUNTED EAR DEFENDERS

EN352-3 SNR=26

Frequency (Hz)

H = 32

M = 23

L = 15

SNR = 26

AEB010-0CY-800

Sonis™1 helmet mounted ear defenders









09ER00021













SONIS™ COMPACT HELMET MOUNTED EAR DEFENDERS

EN352-3 SNR=31

Frequency (Hz)

H = 35

M = 28

L = 20

SNR = 31

AEB030-0CY-000

Sonis™C helmet mounted ear defenders

Qty 10









Available for:













SONIS™ 3 HELMET MOUNTED EAR DEFENDERS

EN352-3 SNR=36

Frequency (Hz)

H = 37

M = 35

L = 26

SNR = 36

AEB040-0C1-A00

Sonis™3 helmet mounted ear defenders



Safety Eyewear Information



Type of protection

1. GOGGLES -

Can provide protection for all types of hazards. May be worn over spectacles

2. SPECTACLES -

Comfortable and available in a variety of styles. Will not keep out dust, gas or molten metal.

Choosing safety eyewear

To help choose safety eyewear best suited to your needs the following information may be useful. Whilst every effort should be made to remove hazards as the result of a Workplace Risk Assessment, if Safety Eyewear is necessary as a last resort, the following selection criteria should be considered:

• Type of Hazard • Type of Protection • Type of Lens

Type of protection

Both employee and employer have a responsibility to keep all eye protection in good order. User instructions are provided and give cleaning and maintenance information. We provide a full range of products to help keep eyewear in optimum condition.

Type of lens

1. Clear -

Suitable for general use.

2. Anti-Glare -

Suitable for use in high glare situations such as finished concrete slabs in bright sun light.

3. Yellow -

Suitable for those moving from light to dark environments.

Type of lens

Hazards fall into 4 main categories:

1. Mechanical -

Flying Debris, Dust or Molten Metal.

2. Chemical -

Fumes, Gases or Liquid Splash.

3. Radiation -

Heat (Infrared), Ultraviolet light or Glare.

4. Laser Light -

Over a wide spectrum of wavelengths from Ultraviolet to Infrared.

Identifying eyewear markings

To assist you in your understanding of markings on eye protection products covered by this standard, this chart should be of help. You should note:

OPTICAL STANDARD:	FRAME	LENS
Class 1: For continuous work		1
Class 2: For intermittent work	-	2
Class 3: For occassional work, but must not be worn continuously	-	3
AREAS OF USE:	FRAME	LENS
AREAS OF USE: Liquids (chemical)	FRAME 3	LENS -
		LENS -
Liquids (chemical)	3	LENS
Liquids (chemical) Large dust particles	3	


MECHANICAL PROPERTIES:	FRAME	LENS
High energy impact (190m/sec)	Α	Α
Medium impact energy (120m/sec) Grade 1	В	В
Low energy impact (45m/sec) Grade 2	F	F
Increased robustness - General purpose impact - Performance at extreme temperature	Т	Т
OPTIONAL:	FRAME	LENS
Resistance to misting/fogging	-	N
Resistance to mechanical damage (Anti-Scratch)	-	K

^{*}NB: The "A", "B", "F" and "S" markings on frame and lens represent tests carried out on each component and therefore may be different - in which case the lower level must be assigned to the complete unit when making an assessment.

EN169 - Welding Filters • EN170 - Ultraviolet Filters • EN171 - Infrared Filters • EN172 - Solar Protection Filters for Industrial Use

Lens and Frame Markings





Understanding lens markings

3	1	F	9	K	N	C€	
MANUFACTURER'S IDENTIFICATION CODE	OPTICAL CLASS 1 - BEST CLASS 2 - MEDIUM CLASS 3 - LOW QUALITY* * NOT FOR CONTINUOUS USE	SYMBOL OF MECHANICAL STRENGTH (OPTIONAL)	SYMBOL OF NON-ADHERENCE OF MOLTEN METAL AND THE RESISTANCE TO PENETRATION OF HOT SOLIDS (OPTIONAL)	SYMBOL OF RESISTANCE TO SURFACE DAMAGE BY FINE PARTICLES (OPTIONAL)	SYMBOL OF RESISTANCE TO FOGGING (OPTIONAL)	SYMBOL OF CONFORMITY TO CE DIRECTIVE 89/686 EEC	
		S - INCREASED ROBUSTNESS	F - LOW ENERGY IMPACT (45 m/s)	B - MEDIUM EN			

Understanding frame markings

3	166	34	В	CE	0196	
MANUFACTURER'S IDENTIFICATION CODE	NUMBER OF EN STANDARD	FIELD(S) OF USE (OPTIONAL)	SYMBOL OF RESISTANCE TO HIGH SPEED PARTICLES (OPTIONAL)	SYMBOL OF CONFORMITY TO CE DIRECTIVE 89/686 EEC	CERTIFICATION MARK, NUMBER OF CERTIFIED BODY	
NO SYMBOL - Basic Use	3 - LIQUIDS	4 - LARGE DUST PARTICLES	NON - INCREA ROBUSTNESS	F - LOW ENERG		
5 - GAS & FINE DUST PARTICLES	8 - SHORT CIRCUIT ELECTRIC ARC	9 - MOLTEN METALS & HOT SOLIDS	B - MEDIUM ENE IMPACT (120 m/s			

Colorado Safety Spectacles



- Wrap around single lens.
- Nylon frame.
- Adjustable side arms.
- Conform to EN166: Optical Class:1
- F (Low impact energy)
- 2-1.2 UV Filter

Clear 09EP00001 Smoked 09EP00002 Amber 09EP00003

Richmond Safety Specs



- Wrap around style "one piece moulding" single clear lens spectacles
- Integrally molded nose bridge
- Scratch resistant
- Ratchet side arms to facilitate accurate fitting
- Informative "point of sale" packaging
- Opical Class 1
- Conforms to EN166 Optical Class:1, F K (Low impact energy at extreme temperatures)

Yale Safety Spectacles



- Ultra lightweight
- Wrap around design
- Contoured shape
- Polycarbonate anti fog lens (PC lens)
- Soft nose bridge
- Non slip coloured rubber tips
- Conforms to EN166 Optical Class:1, F (Low impact energy at extreme temperatures)

Clear 09EP00004 Smoked 09EP00005 Amber 09EP00006

Vegas Safety Spectacles



- Ultra lightweight
- Polycarbonate wrap around lens
- Scratch resistant
- One piece side arm
- Soft nose bridge
- Conforms to EN166 Optical Class:1, F (Low impact energy at extreme temperatures)

Clear **09EP00007** Smoked **09EP00008**

Clear **09EP00009** Smoked **09EP00010** Amber **09EP00011**

Boston Safety Spectacles



- Wrap around clear visitors spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 157mm
- Conforms to EN166 Optical Class:1, F (Low impact energy at extreme temperatures)

09EP00012

Verona Safety Spectacles



- Lightweight frameless design protective eyewear
- Single piece lens
- Straight temple

09EP00015

- Rubber nose pad and temple tips for added comfort
- Individually packaged with Euro slot
- Conforms to EN166 Optical Class:1, FT (Low impact energy at extreme temperatures)

Roma Safety Spectacles



- Wrap around protective eyewear
- Anti-fog clear lens
- Black frame
- Rubber nose bridge and temple tips for added comfort
- Orange ratchet inclination system (allows lens angle modification)
- Individually packaged with Euro slot
- Conforms to EN166 Optical Class:1, FT (Low impact energy at extreme temperatures)

Clear 09EP00013 Smoked 09EP00014

General Purpose Goggles



- Polycarbonate lens with PVC frame
- Comfortable
- Lightweight
- Direct vent
- Conforms to EN166 Optical Class:1

09EP00016

M05 Welding Goggles



- High quality goggle
- · Comfort fit face seal
- Hinged frame feature for improved strap attachment
- Shade 5 (welding) polycarbonate lens
- PVC frame/lens housing
- Elasticated fabric strap with adjustment
- BT9 Medium impact/molten metal
- Conforms to EN166 Optical Class:1, BT (Medium impact energy at extreme temperatures)

09EP00017

Premium Goggles



- Wide vision anti-scratch, anti-mist lens
- Unvented
- Soft and flexible for extra comfort
- Adjustable wide head band
- Available in 2 frame colours
- Conforms to EN166 Optical Class:1, BT (Medium impact energy at extreme temperatures)

Hamilton Goggles/Detachable Visor



- Protective safety goggles
- Indirect ventilation
- Comfortable face seal and nose bridge
- Wide adjustable elastic
- Excellent field of vision
- Limited protection against chemicals
- Goggle lens & face visor both polycarbonate
- · Excellent protection against impacts and dust
- Conforms to EN166 Optical Class:1, BT (High impact energy at extreme temperatures)

09EP00018

Bollé Goggles



- Super blast goggle complete with face visor
- Pilot goggle
- Unbeatable comfort and essential modular design
- With the Visor accessory, the Blast model can be used as a face shield with protection guaranteed

09EP00020

Flip Front Welding Goggles



- Green soft PVC frame
- Green polycarbonate lens shade 5
- 4 indirect vents
- · Black ABS lens holder
- Conforms to EN175: 1997 and EN166: 2001

09EP00021

Uvex Lens Cleaning Station



- Complete cleaning station for eyewear **09EP00023**
- Can be wall mounted
- Includes replaceable cleaning fluid and tissues
- Dimensions 340mm (w), 480mm (I), 165mm (h)
- Includes replaceable cleaning fluid and tissues
- Uvex replacement tissues 09EP00023A
- Uvex replacement fluid 09EP00023B

Lens Cleaning Station



- Contains 600 tissues
- 250ml bottle of lens cleaning fluid in pump dispenser
- Tissues dispense from left and right sides
- Stands freely or wall mountable
- Not to be used with contact lenses

09EP00022

Safety Spectacle Accessories



- Spectacle Case **09EP00024**
- Neck Cord 09EP00024A
- Lens Cloth 09EP00024B



Stealth™ 16g - Smoke/Clear Safety Spec



Z4000 Clear Anti-Mist lens with Cord

- Stealth™ 16g is the world's lightest safety eyewear, weighing just 16g.
- Next generation ultra-thin and ultra-strong optically perfect lenses moulded using the latest technology to deliver a thinner lens that meets the EN166 1.F requirements.
- Available with two types of lens coating. The first is our advanced Premier Shield™ coating which offers antiscratch and anti-mist protection and is available on the clear spectacles. The second coating is our Hardia+™ anti-scratch coating which offers scratch protection and is available in clear, smoke and amber lens.
- · Conforms to EN166 1.F

Stealth™ 16g 09EP00025

Z4000 Clear Anti-Mist lens with Cord 09EP00025A

Surefit Carrier & 20cm Poly Visor



- Offers protection against medium energy high-speed particles at 120 m/s (270 mph), liquid droplets and molten metal
- Conforms to EN166.1.B.3.9

Stealth™ 8000 Smoked/Clear Lens



- A lightweight safety spectacle, weighing just 26g
- The wraparound 9 base curve polycarbonate lens has a built in adjustable PVC nose piece for added comfort and stability.
- Low profile tension control temples provide extra grip and are suitable for use with hearing protection.
- The temple tips have a spectacle cord anchor point for further practicality. UVA, UVB and UVC protection.
- EN166 1.F.K

Product code **09EP00026**

Avenger™ Faceshield with 170mm Poly Visor





- Heavy-duty industrial browguard and visor with ratchet adjustable head harness and integral chinguard
- Offers all round protection to the face area and to the sides including the temple area
- Polycarbonate visor included.

Product code 09EP00028

Stealth™ 9000 Polarised





- A lightweight safety spectacle with dual wraparound 9 base curve polycarbonate lenses
- The Optical Class 1 lenses are polarised to stop horizontal glare
- Ideal for outdoor applications around reflective surfaces (water / offshore / ports / driving)
- Stealth[™] 9000 Polarised conforms to EN166.1.F.K & EN172
- Lens filters 99.9% of harmful UV light
- UVA, UVB and UVC protection 5-3.1

Product code **09EP00029**

Stealth™ 9000 Smoked/Amber



- Lightweight safety spectacle, weighing just 25g, with a wraparound 9 base curve Polycarbonate lens.
- All of the Stealth[™] 9000 safety spectacles come with class 1 optical lenses and block 99% of ultraviolet radiation.
- Bespoke Branding available
- Conforms to EN166 1.F
- Smoked lense K & N Rated
- Amber N rated

Product code 09EP00031

Stealth™ 9000 Indoor/Outdoor HC lens





- Lightweight safety spectacle, weighing just 25g, with a wraparound 9 base curve Polycarbonate lens.
- All of the Stealth™ 9000 safety spectacles come with class 1 optical lenses and block 99% of ultraviolet radiation.
- Bespoke Branding available
- Conforms to EN166 1.F

Product code **09EP00030**

Stealth™ 9000 Welding Lens





- Lightweight safety spectacle, weighing just 25g, with a wraparound 9 base curve Polycarbonate lens.
- All of the Stealth™ 9000 safety spectacles come with class 1 optical lenses and block 99% of ultraviolet radiation.
- Bespoke Branding available
- Conforms to EN166 & EN169

Product code **09EP00032**



Bollé Tracker





- Provides the comfort of a safety spectacle with the fit and seal of a goggle
- Foam seal provides full brow and cheek protection
- Fully adjustable headband that can be easily removed
- Straight sports temples
- Optical Class 1 Platinum Anti-scratch/Anti-fog polycarbonate lenses
- Wrap around base curve 6
- Insert can be glazed to +4.00/-4.00 •
- Supplied c/w hard case, cleaning cloth and neck cord
- Approved to EN 166 1BT 34 CE (when worn with headband)

09EP00033

Bollé Tryon





- New brand signature, TRYON is available in 3 versions: safety spectacles, OTG and prescription spectacles.
- Ultra-wrap-around, sporty design, co-injected FLEX 160° temples, adjustable and non-slip bridge, PLATINUM® coating... TRYON perfectly combines style, innovation and absolute protection.
- EN166 FT
- Anti-scratch/anti-fog



Bollé Contour Specs



- 21g of power guarantees against the risk of impact from solid particles
- Sturdy, protective, stylish, comfortable and lightweight.
- Contour is one of the top three best-selling models in the range.
- Clear lense
- Smoked lense
- ESP (Extra Sensory Perception) is an innovating coating to reduce dazzle and the harmful effects of blue light.
 ESP is a perfect coating for Outdoor/Indoor use.

Bollé Rush +







- The RUSH + adopts an ultra-sporty design with its co-injected and ultra-flexible temples
- 100% customisable
- Upper protection
- Platinum coating
- Non-slip bridge
- Bi-colour temples
- Anti-scratch
- Anti-fog
- Lens marking: 5-3,1 1 FT KN CE
 Frame Marking: EN166 FT CE

09EP00038

Bollé Rush





- Available in twilight version, the panoramic and lightweight RUSH model offers perfect optical quality, permanent comfort and modern design.
- Upper protection
- Adjustable non-slip bridge
- Non-slip temples
- EN166 FT
- Anti-scratch/anti-fog







RUSHTV

09EP00039

Bollé Slam Welding Shades



- Stylish and easy-to-wear. The SLAM model provides protection at all times while offering unbeatable comfort.
- EN166 FT
- Anti-scratch

09EP00041

Bollé Slam





- Stylish and easy-to-wear. The SLAM model provides protection at all times while offering unbeatable comfort.
- EN166 FT
- Anti-scratch/anti-fog





09EP00040

Bollé Cleaning Station









- B600 is a plastic dispenser delivered with 2 boxes of tissues and a cleaning spray. It can either be free standing or wall mounted 09EP00042
- B-Clean by Bollé Safety is a complete and efficient cleaning solutions range. Alcohol and silicone free, its aqua formula guarantees perfect cleaning and protection for your glasses and googles.
- Bollé replacement tissues 09EP00043
- Bollé replacement fluid 09EP00044



Respiratory Protection Information



Selecting a respirator

Workplace conditions such as temperature, humidity and work rate affect wearer comfort and the relevance of the different respirator features that are available. A respirator must allow you the freedom to communicate easily with colleagues and fit well with the rest of your safety equipment.

Achieving a good fit is essential to the level of protection. A leaking respirator could be perceived as comfortable, but is not much better than using no respirator at all.

Always select a respirator that meets the European Standard, is CE Marked and offers you the right level of comfort and protection...and ensure that you fit it correctly.

Nuisance dust masks

Many types of masks and respirators seem similar but there are significant differences in the use of materials, design technology and protection levels. Make sure you always use an approved respirator to protect your health.

Nuisance Dust Masks vs. Disposable Respirators

Disposable Respirators are typically white face masks with two straps and often an exhalation valve for improved comfort. They are also printed with 'EN149:2001', the 'CE' mark and they are designed to provide effective protection against fine respirable dusts, mists and metal fumes.

Nuisance Dust Masks and Gauze Pads do NOT meet the European Standard (EN149:2001) for respirators and are not CE marked so they don't have any of this information printed on the mask. They do not provide protection against fine lung damaging dusts and cannot be used as personal protective equipment.

Assigned Protection Factors: The higher the factor the greater the protection

Fit testing

Checking that a respirator with a tight fitting facepiece provides an adequate seal to the wearer's face has long been considered best practice as part of a general Respiratory Protective Equipment (RPE) programme.

Fit testing has been a mandatory requirement under the UK Asbestos Regulations and now, with the introduction of the Control of Substances Hazardous to Health Regulations 2002 (COSHH) and the supporting Approved Codes of Practice, fit testing is an industry wide requirement. Respirators with tight fitting facepieces include disposable respirators, half masks and full face masks.

Fit testing should be carried out:

- On all wearers of RPE with tight fitting facepieces where fit testing has previously not been performed
 - · During initial selection of RPE

Fit testing should be repeated at appropriate times such as:

- If the RPE wearer significantly loses or gains weight, has major dental work or sustains a major facial injury
 - If a different size or model of RPE is specified
- If specified by the company policy eg.repeated with annual health surveillance check.

Fit testing is in addition to the requirement to perform a pre-use fit check.

Two main methods of fit testing are available:

Qualitative fit testing

Qualitative fit tests provide a pass or fail result based upon the wearer detecting a test agent. They provide a subjective measure of the quality of the seal of the facepiece to the wearer's face. These tests may be carried out by a suitably trained company Safety Advisor.

Quantitative fit testing

Quantitative fit tests give an objective measure of the quality of the seal between the wearer's face and the facepiece. Afit factor number is produced. These tests will usually be carried out by a consultant.

For more information or advice contact your safety advisor.

Mask and Respirator Selection Guide



APPLICATION	FA	CE MAS	KS	FILT	ERS	APPLICATION	FA	CE MAS	KS	FILT	ERS
CONSTRUCTION	FFP1	FFP2	FFP3	A 1	P2	WELDING	FFP1	FFP2	FFP3	A1	P2
Demolition		•	•		•	Stainless Steel			•	•	
Groundwork		•	•		•	MIG/TIG			•	•	
Low Level Asbestos			•		•	Spot Welding			•	•	
Scabbling	•	•			•	Brazing/Silver Solder			•	•	
Shot Creting	•	•	•		•	Galvanized Welding*			•	•	
METAL WORKING	FFP1	FFP2	FFP3	A1	P2	TRADES/DIY	FFP1	FFP2	FFP3	A1	P2
Molten Metal Handling			•	•		Rust		•	•		•
Maching		•	•	•		Filler Dust		•	•		•
Grinding	•	•	•		•	Concrete & Plaster		•	•		•
Polishing	•	•	•		•	Wood (Soft & Hard)		•	•		•
Linishing	•	•	•		•	Plastic Dust	•	•	•		•
						Paint Dust**		•	•		•
						Boiler Maintenance		•	•		•
						*Not in confined spaces **Not Isocyanates					

Selection guide for gas/vapour/hazardous particulates

Gas Filters	Hazard Type	Examples	Maximum Use Level	Colour	
A1	Organic	Solvents such as White Spirit Toluene,	1000 ppm or 10 x OEL	Brown	
AI	Vapour	Carbon Tetrachloride (CCI4)	whichever is lower	Brown	
B1	Inorganic	Chlorine (CI2),	1000 ppm or 10 x OEL	Grey	
ום	Gases	Hydrogen Sulphide (H2S)	whichever is lower	uicy	
E1	Acid	Sulphus Diovido (SO2)	1000 ppm or 10 x OEL	Velleur	
EI	Gases	Sulphur Dioxide (SO2)	whichever is lower	Yellow	
K1	Ammonia	Ammonia (NH3) and certain Amines	1000 ppm or 10 x OEL	Green	
N I	Allillollia	Animonia (1913) and Certain Animes	whichever is lower	ureell	
ABEK1	OV/IG/AG/AM	Combine Filter ABEK1	1000 ppm or 10 x OEL	Striped	
ADERI	O V/IG/AG/AINI	COMBINET INC. ADLKI	whichever is lower	Stripeu	
P1	Particulate	Fine Toxic Dust	4 x OEL	White	
DO.	Particulate	Fine Toxic Dust, Water and Oil based	10 x OEL	\\/\.	
P2	Particulate	Mists/Aerosols	IU X UEL	White	
P3	Particulate Particulate	Fine Toxic Dust, Fumes, Water and Oil	30 x OEL	White	
ro	r'ai licuiale	based Mists/Aerosols	30 X UEL	White	

SHELF LIFE: 5 years from the date of manufacture (if stored between -5°C and +50°C and humidity not over 80%).



- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters
- Conforms to EN149

P1 Premium Mask Moulded/Valved



- Collapse resistant double shell
- Withstands hot and humid conditions
- Embossed fringe seal
- Compatible with glasses/goggles
- Reduces fogging
- Adjustable nosepiece

P1 Premium Mesh Mask Valved

BRAND



- Soft foam nose seal for added comfort
- Mesh shell for more durability and resists collapsing
- Adjustable clip strap for simple and quick release
- Dolomite clogging tested, gives better breathing resistance and for a longer time period
- Easy breathe exhale valve
- Conforms to EN149: 2001 +A1: 2009 FFP1 NR D

09BP00014

P1 Premium Fold Flat Mask Valved





- Adjustable nose bridge
- Space saving desing
- Adjustable elastic straps
- Dolomite clogging tested for better breathing resistance and for a longer time period
- Easy breathe exhale valve
- Individually packed
- Fits neatly into a breast pocket
- Conforms to EN149: 2001 +A1: 2009 FFP1 NR D

09BP00015

P2 Charcoal Mask Valved





- Loaded with a high performance acid-resistant active carbon pre-filter to protect against nuisance organic vapour
- Polypropylene (P.P) outer layer
- Smooth lining avoids loose fibres
- Compatible with glasses/goggles
- Adjustable nosepiece

09BP00018

P2 Fold Flat Mask Moulded/Valved





- Vertical fold flat design
- Low pressure exhale valve
- Comfortable face fit
- Low breathing resistance

09BP00016 (moulded mask) **09BP00017** (valved mask)

P2 Mask Moulded/Valved





- Polypropylene (P.P) outer layer
- Smooth lining avoids loose fibres
- Compatible with glasses/goggles
- Adjustable nosepiece

09BP00019 (molded mask) **09BP00020** (valved mask)



P2 Premium Mask Non-Valved/Valved



- Soft foam nose seal for added comfort
- Adustable elastic straps
- High quality construction
- Dolomite clogging tested gives better breathing resistance and for a longer time period
- Comfortable face fit
- Easy breathe exhale valve
- Conforms to EN149: 2001 + A1: 2009 FFP3 NR D

09BP00021

P3 Mask Valved





- Unique 'Big Eye' design provides very low breathing resistance due to increased filtration area
- Polypropylene (P.P) outer layer
- Smooth lining avoids loose fibres
- Compatible with glasses/goggles
- Adjustable nosepiece

09BP00023

P2 Premium Fold Flat Mask Valved



- Adjustable nose bridge
- Space saving desing
- Adjustable elastic straps
- Dolomite clogging tested for better breathing resistance and for a longer time period
- Easy breathe exhale valve
- Individually packed
- Fits neatly into a breast pocket
- Conforms to EN149: 2001 +A1: 2009 FFP1 NR D

09BP00022

P3 Premium Mask Valved





- Soft foam nose seal for added comfort
- Adustable elastic straps
- High quality construction
- Dolomite clogging tested gives better breathing resistance and for a longer time period
- Comfortable face fit
- Easy breathe exhale valve
- Conforms to EN149: 2001 + A1: 2009 FFP3 NR D

09BP00024

P3 Premium Mesh Mask Valved



- Soft foam nose seal for added comfort
- Mesh shell for more durability and resists collapsing
- Adjustable clip strap for simple and quick release
- Dolomite clogging tested gives better breathing resistance and for a longer time period
- Easy breathe exhale valve
- Conforms to EN149: 2001 + A1: 2009 FFP3 NR D

09BP00025

Force 12[™] Full Face Mask



- The Force12[™] is a well-balanced full face single canister mask
- Made from EPDM to increase user comfort.
- Features a completely clear visor increasing light levels within the mask and decreasing the feeling of claustrophobia often felt whilst using full face masks.
- Offers superior comfort with it's 5-point suspension harness and quick release buckles.
- The mask accepts any of the wide range of Force DIN thread canisters.
- Conforms to: BS EN136:1998 Class3.

09BP00027A

P3 Premium Fold Flat Mask Valved



- Adjustable nose bridge
- Space saving design
- Adjustable elastic straps
- Dolomite clogging tested gives better breathing resistance and for a longer time period
- Easy breathe exhale valve
- Individually packed
- Fits neatly into a breast pocket
- Conforms to EN149: 2001 + A1: 2009 FFP3 NR D

09BP00026

Force10[™] Twin Face Mask



- The Force12™ is a well-balanced full face single canister mask made from EPDM to increase user comfort.
- Features a completely clear visor increasing light levels within the mask and decreasing the feeling of claustrophobia often felt whilst using full face masks.
- Offers superior comfort with it's 5-point suspension harness and quick release buckles.
- The mask accepts any of the wide range of Force DIN thread canisters.
- Conforms to: BS EN136:1998 Class3.

09BP00027B



PRESS(U

DAILY FACE-FIT REASSURANCE

Face-fit testing is reassuring but how can you be sure that you have donned the mask correctly each time you wear it? With PressToCheck™ filters you can instantly check that you have the correct seal every time you don your mask before entering the hazard zone.



ABEK1 P3 R D



A2 P3 R D





- ✓ Longer life/greater filter efficiency.
- Better protection in wet environments.
- ✓ Less chance of damage from foreign objects.
- ✓ Resistance to clogging from very fine dust environments (passes Dolomite test).
- **▼** Improved hygiene.

WINNEK
BSIF PRODUCT
INNOVATION AWARD







BS EN 143 BS EN 14387

212

Tel: +353 (01) 281 1116 / 281 1133 / 281 1102 Email: sales@sitesmate.ie

V FIT IT



DON THE MASK - Put the straps and harness over your head and pull the straps to a suitably tight and comfortable fit.



PRESSTOCHECK™ - Press the front and backs of both filter covers together to stop air from entering through the filters.

✓ PRESS IT ✓ CHECK IT



INHALE - No air should come through the mask. 1 look forward and adjust the mask until a seal is created. Repeat this process whilst looking **2 up**, 3 down, 4 left and 5 right to complete the check.


CARTRIDGE PERFORMANCE



The PressToCheck[™] filter allows air to flow across the full area of the filter material.

PressToCheck[™] cartridge inhalation resistance performance comparison.

Performance based on single filter cartridge at 47.5 LPM (Litres per minute).




FORCE™8 PRESSTOCHECK™ DAILY FACE-FIT REASSURANCE





The Force™8 twin cartridge half mask with Typhoon™ valve offers superior low breathing resistance and a 4-point suspension harness with quick release buckles. The mask accepts the full range of low-profile Force™8 filters, providing protection against particulates, many gases and vapours.







SUPERIOR COMFORT & FIT

Durable thermoplastic rubber mask available in three sizes for superior fit to most face shapes. Fully adjustable 4-point cradle suspension ensuring an effective facial fit.



▼ TYPHOON™ VALVE

Low resistance exhalation valve for easy breathing, with stable mask configuration. Made from silicone it performs well at very low temperatures.



COMPATIBILITY

The low-profile, swept-back design Force™8 PressToCheck™ enables excellent visibility, allowing the filters to be worn effectively behind all types of faceshield and welding visor.



FORCE™8 + PRESSTOCHECK™ P3

Force™8 respirator: EN140 PressToCheck™ P3 filter: EN143

Force™8 (medium size) fitted with PressToCheck™ P3 dust filters.

BHT0A3-0L5-N00

Qty 10



FORCE™8 + PRESSTOCHECK™ A2P3

Force™8 respirator: EN140 PressToCheck™ A2P3 filter: EN14387

Force[™]8 (medium size) complete with PressToCheck™ A2P3 organic gas vapour + dust filters.

Half Mask Respirator 09BP00028

BHT0B3-0L5-N00

Qty 10



FORCE™8 + PRESSTOCHECK™ABEK1P3

Force™8 respirator: EN140 PressToCheck™ ABEK1P3 filter: EN14387

Force[™]8 (medium size) complete with PressToCheck™ ABEK1P3 multi-gas vapour + dust filters.

BHT0C3-0L5-N00 Qty 10



BHG003-1L5-000

Qty 10

Qty 10



FORCE™8 MEDIUM (MASK ONLY) Force™8 respirator: EN140

BHT003-0L5-000

Qty 10

Qty 10



FORCE™8 LARGE (MASK ONLY) Force™8 respirator: EN140

BHG003-2L5-000

Qty 10



PRESSTOCHECK™ P3 PressToCheck™ P3 filter: EN143

PressToCheck™ P3 dust replacement filters.

BMN990-001-700

09BP00029A



PRESSTOCHECK™ A2P3

PressToCheck™ A2P3 organic gas vapour + dust replacement filters.

BMN740-000-600

09BP00029B



PRESSTOCHECK™ ABEK1P3 PressToCheck™ ABEK1P3 filter: EN14387

PressToCheck™ ABEK1P3 multi-gas vapour + dust replacement filters.

BMN750-000-600

Qty 10

09BP00029C



FORCE8™

COMPATIBLE TWIN CARTRIDGE FILTERS RANGE

FILTERS RANGE 09BP00029			
Filters are sold in pairs in hangbags x 80 Filter Name Filter Type Product Code	F8-003.1 P3 BMN990-001-700	F8-123.1 A2 P3 BMN740-000-600	F8-713.1 ABEK1 P3 BMN750-000-600
Organic vapours (>WEL*) (A)		V	✓
Inorganic vapours (>WEL*) (B)			V
Acidic vapours (>WEL*) (E)			✓
Ammonia vapours (>WEL*) (K)			✓
Nuisance odours (<wel*)< td=""><td></td><td>✓</td><td>✓</td></wel*)<>		✓	✓
Dusts (P)	Very Fine	Fine	Fine
Mists	Z	V	✓
Water based painting	✓	V	✓
Solvent based brush painting		V	✓
Rubbing down paint	Power Tool	V	✓
Paint stripping, chemical or heat		V	✓
White spirit		V	√
Chlorine (cleaning & pools)			✓
Glyphosate (weed killer)	✓	V	√
Brick acid (graffiti removal)			✓
Formaldehyde			✓
Fibres & fibre glass	✓	V	✓
Plaster	✓		
Silica (concrete/stone cutting)	✓		
Woods (hard & soft)	✓	V	✓
MDF (machine tooling)			✓
Welding (ferrous & lead)	.		
Earth moving (contaminated)			✓

PRESS TO CHECK™ FILTER RANGE



F8-713 ABEK1 P3 BMP520-011-700	F8-712 ABEK1P2 BMP580-011-700	F8-710 ABEK1 BMN330-011-700
V	✓	✓
✓	✓	▼
V	V	✓
✓	✓	✓
V	V	✓
Fine	Fine	
V	V	
✓	✓	
V	✓	✓
✓	✓	
V	✓	
V	✓	✓
V	✓	✓
V		
V	V	V
V	✓	✓
V	V	
V	V	
V	V	
V	V	

CLASSIC FORCE8™ FILTER RANGE

















F8-512 AB1 P2 BMP540-011-700	F8-510 AB1 BMN320-011-700	F8-123 A2 P3 BMP300-011-700	F8-112 A1 P2 BMP550-011-700	F8-120 A2 BMN190-011-700	F8-110 A1 BMN210-011-700	P3	F8-002 P2 BMN380-011-700
V	Z	✓	✓	✓	✓		
V	✓						
V	✓	V	V	V	V		
Fine		Fine	Fine			Very Fine	Fine
V		V	V			V	V
✓		✓	✓			✓	√
✓	V	✓	✓	✓	✓		
V		✓	V			Power Tool	Hand Tool
V		V	V				
V	✓	✓	✓	✓	√		
V	V						
√		✓				✓	✓
	_						
✓	~	_	_			_	_
V		√	✓			✓	√
						√	
- .		- .	- .				- ,
✓		√	√			√	√
✓							
						√	

Jetstream® Welder Kit



Contents

- Waist Belt
- Jetstream® Pack (contains PSL Filter)
- Hose
- Airfed Cobra™ Welding/Grinding Visor (Meets The Requirements Of EN175:1997)
- Flow Meter
- UK Plug
- Carry/Storage Box

09BP00030

Jetstream® Industrial Kit



Contents

- Waist Belt
- Jetstream® Pack (contains PSL Filter)
- Hose
- · Airfed Grinding Visor
- Flow Meter
- UK Plug

Carry/Storage Box

09BP00032

Jetstream® Constructor Kit UK Plug



Contents

- Waist Belt
- Jetstream® Pack (contains PSL Filter)
- Hose
- MK7 Helmet With a Full Face Polycarbonate Visor
- Flow Meter
- UK Plug
- Carry/Storage Box

09BP00031

Jetstream® Constructor Kit Euro Plug



Contents

- Waist Belt
- Jetstream® Pack (contains PSL Filter)
- Hose
- MK7 Helmet With a Full Face Polycarbonate Visor
- Flow Meter
- Euro Plug
- Carry/Storage Box

09BP00033

PowerCap[®] Infinity[®]

PRODUCT CODE: CEA646-001-100

POWERCAP® INFINITY®: JSP'S FIRST FOUR-IN-ONE HEAD UNIT, OFFERING COMPLETE ABOVE THE NECK PROTECTION

TECHNICAL SPECIFICATION

RESPIRATORY PROTECTION

INSTRUCTIONS FOR USE

The airflow of the unit should be checked prior to use

Fit helmet on head and tighten wheel ratchet to ensure the correct fit

For adequate respiratory protection this helmet must be worn with the peak facing forward and adjusted to the size of the user's head

To remove saturated filters rotate each filter upwards and remove all parts and dispose of them

To fit new filters align the fittings on the filter with those on the filter housing and twist in to place.

Care must be taken to ensure that the correct respiratory protection device is selected for the work to be carried out. If in doubt seek professional advice



FITTER CASING: ABS (Acrylonitrile Butadiene Styrene)



PERFORMANCE

Powercap® Infinity® offers respiratory protection to TH3, with an Nominal Protection Factor of 500 (UK APF 40).

Grade B rated visor offers impact protection up to 270 mph, with an optical rating of Class 1, ensuring that users are able to wear the unit for the necessary time without strain. The visor is also anti-scratch – a necessity for industrial work.

The unit uses our EVO®5 helmet, with ABS shell and Evolution 3D adjustment harness, offering unrivalled comfort for all day use.

PÜWERCHP INFINITY®

CLEANING & MAINTENANCE

The plastic parts can be cleaned with a damp cloth. Chemical or abrasive cleaners should not be used.

Do not immerse the unit in water.

The unit should be stored out of direct sunlight, away from chemicals and not exposed to extremes of temperature.

CONFORMITY

Meets the requirements of EN 12941:1998+A2:2008 TH3 as a Respiratory

EC Type Examination Certificate Number 59716

Faceshield: EN166:2001 1.B

Helmet: EN 397:2012+A1:2012

rubber

FACESHIELD:

K2[™] 5-Point Harness



- Comfortable anti-tangle airmesh on the shoulder, leg and waist
- Ventral and Sternum attachment points
- Quick release buckles
- Conforms to EN 361:2002, EN 358:1999 & EN 813:2008
- 2-point harness FAR0401 **10FA00001**
- 3-point harness FAR0402 10FA00002

Pro-Fit[™] Dielectric Insulated Harness



- Electrically insulating polymers
- 3-points of attachment
- Elasticated elements for ultra comfort
- Conforms to EN 361:2002 & EN 358:1999

Product code: 10FA00003

Pro-Fit™ 1/2-Point Harness



- Fully ElasticatedLightweight
- Ultra comfort
- Conforms to EN 361:2002
- 1-point harness 10FA00004
- 2-point harness 10FA00005

Spartan[™] 1/2/3-Point Harness



- Front & Rear attachment
- Cost effective
- Conforms to EN 361:2002
- 1-point harness FAR0301 10FA000062-point harness FAR0302 10FA00007
- 3-point harness FAR0303 10FA00008

Webbing Retractable Fall Limiters



- 2m Webbing Retractable Fall Limiter FAR0702 **10FA00009**
- 3.5m Webbing Retractable Fall Limiter FAR0703 **10FA00010**
- Polymer casing
- Durable and rugged
- Conforms to EN 360:2002

Wire Retractable Fall Limiters



- 5m Wire Retractable Fall Limiter FAR0705 10FA00012
- 10m Wire Retractable Fall Limiter FAR0706 10FA00013
- 15m Wire Retractable Fall Limiter FAR0707 10FA00014

The range of retractable fall limiters are encased in nearly indestructible polymer to give them an edge on sites where they are used. The fall limiters have been tested rigorously in all types of situations. All wire fall limiters are Atex approved and can be used in potentially explosive atmospheres.

2m Retractable Fall Limiter



- Lightweight
- Fall indicator

10FA00015

- External shock absorber
- Conforms to EN 360:2002

DSend™600 30m Evacuation Device



The DSend600 $^{\text{TM}}$ is JSP's new evacuation device. In the event of an accident the DSend600 $^{\text{TM}}$ is used for safe evacuation of personnel

Using it's direct drive mechanism the DSend600TM is capable of handling weights up to 282Kg. This is roughly the weight of 3-4 people. The ability for this product to handle a number of people at a time allows for a much quicker rescue.

Complies with EN 341-2011 class A, ANSI Z359.4-2013 & CSA-Z259.2.3-L2:2012 class B



Pioneer™ 2m Scaffolders Lanyard



- Complete with 1 captive pin aluminium karabiner and 1 aluminium scaffold hook.
- Lanyard conforms to EN 355:2002
- Connectors conforms to EN 362:2004 Class B/T

10FA00017

Pioneer™ 2m Captive



- Complete with 2 captive pin aluminium karabiner at attachment ends.
- Lanyard conforms to EN 355:2002
- Connectors conforms to EN 362:2004 Class B

Pioneer™ 2m Twin Tail Lanyard



- Complete with 1 captive pin aluminium karabiner and 2 aluminium scaffold hooks.
- Lanyard conforms to EN 355:2002
- Connectors conforms to EN 362:2004 Class B/T

10FA00018

Spartan™ 2m Single Tail Lanyard



- Complete with 1 steel karabiner and 1 steel scaffold hook.
- Lanyard conforms to EN 355:2002
- Connectors conforms to EN 362:2004 Class B/T

Spartan™ 2m Twin Tail Lanyard



- Complete with 1 steel karabiner and 2 steel scaffold hooks.
- Lanyard conforms to EN 355:2002
- Connectors conforms to EN 362:2004 Class B/T

10FA00021

Height Safety Accessories







Steel Twist Gate Karabiner 10FA00025

Spartan™ 2m Single Tail Lanyard



- Complete with 2 steel karabiners.Features & benefits
- Lanyard conforms to EN 355:2002
- Connectors conforms to EN 362:2004 Class B

10FA00022

Confined Space Tripod & Winch



- Tripod
- 5mm Galvanised cable
- Braking systemConforms to EN 1496:2006 Class A

10FA00026



- Winch
- Works on uneven surfaces
- Conforms to EN 795:2012 Class B

Pro-Fit™ Construction Height Safety Kit



- 2-Point Pro-Fit™ Harness
- 2m Retractable Fall Limiter
- JSP® Rucksack
- Harness conforms to EN 361:2002
- Retractable fall limiter conforms to EN 360:2002

10FA00028

Pro-Fit™ Twin Scaffolder Kit



- 2-Point Pro-Fit™ Harness
- Twin Internal Fall Arrest Limiter with Scaffold hooks and Anchorage end
- JSP® Rucksack
- Harness conforms to EN 361:2002
- Retractable fall limiter conforms to EN 355:2002

Pro-Fit™ Single Scaffolder Kit



- 2-Point Pro-Fit[™] Harness
- Internal Fall Arrest Limiter with Scaffold hook and Anchorage end
- JSP® Rucksack
- Harness conforms to EN 361:2002
- Retractable fall limiter conforms to EN 355:2002

10FA00029

Pro-Fit™ IPAF Height Safety Kit





- 2m Adjustable Restraint Lanyard
- JSP® Woven draw-string bag
- Harness conforms to EN 361:2002

Spartan™ Fall Arrest Kit



- 2-Point Spartan™ Harness
- 1.8m Fall Arrest Lanyard
- JSP® woven draw-string bag
- Harness conforms to EN 361:2002
- Fall Arrest Lanyard conforms to EN355 : 2002

10FA00031

Pioneer™ Roofers Height Safety Kit



- 2-Point PioneerTM Harness
- 10m Adjustable Restraint Lanyard JSP® Rucksack
- Harness conforms to EN 361:2002
- Retractable fall limiter conforms to EN 358:1999 and EN 353-2:2002

Spartan™ Restraint Kit





- 1-Point Spartan™ Harness
- 1.8m Fixed Length Lanyard
- JSP® woven draw-string bag
- Harness conforms to EN 361:2002
- Retractable fall limiter conforms to EN 354:2010

10FA00032

Pioneer™ IPAF Height Safety Kit





- 1-Point Pro-Fit™ Harness
- 2m Adjustable Restraint Lanyard
- JSP® Woven draw-string bag
- Harness conforms to EN 361:2002
- Restraint lanyard conforms to EN 358:1999



Disposable Polyprop Boilersuit



B CLICK

- Fabric disposable boilersuit
- Non woven fabric
- 33gsm SMS (spunbond + meltblown + spunbond nonwovens)
- Elasticated hood
- Elasticated waistband and ankles
- No.3 nylon spiral one-way zip front opening
- Zip colour matches garment shell fabric.

11DW00001

Available sizes: S - XXL

Microporous Disposable Coverall 5/6





- Protective coverall CE Type 5 & 6
- For fine dust particles, reduced spray and limited splash
- Anti static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Microporous breathable fabric
- Individually packaged
- Very economical
- EN 13034 :2005 + A1:2009
- EN 13982-1 :2004 + A1:2010
- EN 1149-5 :2008
- EN 14126 :2003

11DW00003 Available sizes: S - XXXL

Disposable Coverall





- Protective coverall CE Type 5 & 6
- For fine dust particles
- Reduced spray and limited splash
- 2 way zip front with adhesive storm flap
- Elasticated cuffs, ankles, waist and hood
- Breathable fabric
- Ideal for hazardous waste removal
- Individually packaged
- Very economical
- EN13034:2005 + A1:2009
- EN13982-1:2004 + A1:2010

11DW00002

Available sizes: S - XXXL

Microporous Disposable Coverall 4/5/6





- CLICK

- Disposable coverall
- 60G microporous fabric
- Laminated finish
- Light spray and limited splash protection
- 2 way zip front with flap
- · Elasticated cuffs, ankles, waist and hood
- Fully taped seams
- Individually packaged
- CE Type 4,5 & 6

Conforms to:

- EN 14605 :2005 + A1:2009
- EN 13034:2005 + A1:2009
- EN 13982-1 :2004 + A1:2010
- EN 1149-5 :2008
- EN 14126 :2003

11DW00004

Available sizes: S - XXXL

Microporous Disposable Coverall 3/4/5/6



Microporous type 3/4/5/6 disposable coverall

- 90gm 56% SMS polypropylene, 44% polyethylene
- Polyethylene laminated +3 layers of polypropylene
- Ultrasonic taped seams
- Elasticated hood, wrists, ankles and waist
- Zip front with storm flap
- Elasticated thumb loops

Ideal uses:

- Maintenance & Repair
- Powder coating
- Insulation laying
- Pharmaceutical manufacture
- Paint spraying
- Wood & Metal processing
- Low level chemical handling
- Resin application
- Pressure/Steam water cleaning
- Fibreglass manufacture



11DW00005

Available sizes: S - XXXL

Disposable Polyprop Visitors Coat



- Non woven polypropylene
- Disposable visitors coat with collar

14 Inch (35cm) Oversleeves

Hook and loop fastening

11DW00006

Available sizes: M - XL



• White colour

11DW00007

- Halter neck and ties around the waist
- Bacteria and fluid penetration resistant
- Aprons measure 42" x 27" (107x69mm) approx.

Disposable Apron Packs



- Elasticated cuffs and upper arm
- Offers secure comfortable fitting
- Ideal for use in the food industry
- Available in 4 distinctive colours
- 2000 loose (1000 pairs)
- Non compliant to any EN standard

11DW00008

One size

One size



Disposable Overshoes 16 inch (40cm) / CPE/PP



- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring

11DW00009 One size



Overshoes have been made from a durable nonwoven upper with an elasticated ankle and embossed PE sole offering durability, comfort and grip. They are latex free and available in white with blue soles. One size fits all.

- Deluxe overshoe
- Polypropylene upper
- Compressed PE embossed sole for extra grip
- Elasticated opening
- 16" Overshoes

11DW00010 One size

Disposable Mob Cap / Disposable Hairnet



- Soft and lightweight hair net
- Fully elasticated cap
- Made from non woven fabric
- Standard size fits all





Our Industry leading 5mm mesh size hairnet is made from polypropylene for excellent moisture transportation and wicking properties.

The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort

- Standard size
- Pack size 144 (3 rings of 48)

11DW00011 One size **11DW00012** One size

Disposable Beard Snood



Our 5mm Close Mesh Beard Snood, is made from polypropylene for high moisture transportation and wicking properties. This helps to diffuse the risk of the wearer recycling carbon dioxide on inhalation; when compared to a non-woven Beard Cover.

- Mesh flame retardant to BS EN ISO 1021-1:2006.
- This product is Metal Free.
- Complete lower face cover
- Lightweight mesh encloses beards and moustaches
- Ideal method for eliminating loose hair contamination
- Fits comfortably and snugly around the face
- Standard size
- Pack size of 12

11DW00013 One size

Vinyl Examination Gloves



- Pre powdered vinyl disposable gloves
- 100% synthetic PVC
- Contains no latex / protein
- Ambidextrous
- Easy to pull on beaded cuff
- MINIMAL RISK PRODUCT

Latex Examination Gloves



CLICK[®]

- Disposable gloves
- Allows touch sensitive work to be carried out with ease
- Ambidextrous
- Easy to pull on beaded cuff
- EN455-1 (ALQ 1.5)
- MINIMAL RISK.

11DW00014

Available sizes: S(7), M(8), L(9), XL(10)

Nitrile Examination Gloves Powder Free



- Powder Free black textured Nitrile Gloves
- CE category III
- CE class I examination glove
- Medical device class 1
- Excellent elasticity
- Suitable for applications which are visible to the public catering, beauty and body art sectors.
- Dual labelling --> fulfilling medical requirements in the tattoo and piercing sector
- Skin friendly: free from phthalates/ softeners and allergenic latex proteins
- Tested and certified according to 1935/2004
 suitable for food contact
- AQL 1.5
- EN420: 2003 +A1:2009, EN 374-2: 2003, EN 374-3: 2003, EN455
- EN 388: 2003



07G00010

One size

SITEMATE

Coldstar Freezer Coverall



Blerick;

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- Knee pad pouch pockets
- 3 patch pockets
- Heavy duty zip & fly front
- 2" Reflective body band
- 2" Reflective leg bands
- Conforms to EN342

11WW00001

Available sizes S - XXXL

Coldstar Freezer Jacket



- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- 3 patch pockets
- Heavy duty zip & fly front.
- Hook and loop throat tab collar closure
- Zipped Sleeve pocket
- 2" Reflective body band.
- Conforms to EN342

11WW00002

Available sizes S - XXXL

Click Premium Boiler Suit







- Elasticated back design allows garment to move with you as you work
- Hardwearing 250gsm 65/35 polycotton fabric
- Internal kneepad pockets
- Concealed nylon zipped front
- 2 x breast pockets with unique design
- 2 x hook and loop hip pockets
- 2 x thigh pockets
- 2 x rear pockets
- 1 x left sleeve pocket
- Under arm ventilation system

Navy 11WW00003 Red 11WW00004 Black 11WW00005

Available sizes: 36" - 54" 91cm - 137cm

Super Click Polycotton Boiler Suit





- 65% polyester, 35% cotton
- Concealed two-way zip
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, one with hook and loop fastening
- Knee pad pockets
- 1 rule pocket
- 1 hammer loop

Navy **11WW00006** Black **11WW00007** Orange **11WW00008** Royal **11WW00009** Red **11WW00010**

Available sizes: 36" - 58" 91cm - 147cm

Click Polycotton Boiler Suit



- Lay down collar
- Yoke back
- Concealed stud front
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" (5cm) waistband with side elastication

Navy **11WW00011** White **11WW00012** Orange **11WW00013** Royal **11WW00014** Red **11WW00015** Green **11WW00016**

Available sizes: 34" - 60" 86cm - 152cm

Cotton Drill Bib & Brace



- Pre-shrunk cotton drill fabric
- Concealed button fly
- Bib pocket and pouch pocket
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rulepocket
- Braces with clips

Navy 11WW00019 White 11WW00020

Available sizes: 32" - 48" 81cm - 121cm

Cotton Drill Boilersuit





- Pre-shrunk 100% cotton (250gsm)
- Concealed stud front
- 1 breast pocket with stud flap
- Reinforced elasticated waist
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket

Navy 11WW00017 White 11WW00018

Available sizes: 34" - 62" / 86-157cm Navy 34" - 56" / 86-142cm White

Click Polycotton Warehouse Coat



- 65% polyester, 35% cotton
- Concealed stud front
- 1 breast pocket with pen divide
- 2 lower pockets
- Rear vents

Navy **11WW00021** Royal **11WW00022** Green **11WW00023** White **11WW00024**

Available sizes: Navy & Royal 32" - 56" Spruce 34" - 50" White 28" - 60"



Soft Shell Jacket 2 Tone Black / Grey



- High Stretch water resistant, windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 2 zipped front hip pockets
- · Right zipped breast pocket
- Adjustable cuffs
- Warm lined collar
- Hip drawcord

11WW00025

Available sizes S - XXXL

Fleece Jacket



- 280gsm polyester
- Chunky zip front fastening
- Drawcord waist
- Two zipped side pockets

Soft Shell Jacket



- High Stretch water resistant, windproof and breathable fabric
- Windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 3 zipped front pockets
- Adjustable cuffs
- Warm fleece lined collar
- Cordura® tear resistant trim on cuffs and bottom of garment
- Hip drawcord

Navy **11WW00026** Black **11WW00027** Available sizes: Navy XS - 4XL Black XS - 6XL

Hudson Bodywarmer





- Polycotton Outer
- Stand up collar
- Polyester padding
- Zip front with studded storm flap
- 2 stud top pockets
- 2 lower slanted pockets
- Shoulder cuffs
- Elasticated hem

Navy **11WW00030** Black **11WW00031**

Available sizes S - XXL

CI Premium Polycotton Sweatshirt



- 65% Cotton, 35% Polyester
- Heavy 365gsm fabric
- Fashionable drop shoulder style
- Cover seamed neck, shoulders armholes and waistband
- High quality ribbed cuffs and waistband

Navy 11WW00032 Black 11WW00033 Available sizes S - XXL

B-Cool Polo Shirt Navy



- 150gsm Polyester
- Wicking treatment
- Moisture absorbing
- Anti-Perspiring

11WW00037

Available sizes **S - 4XL**

Click Premium Polo Shirt



- 50% Cotton, 50% Polyester
- 260gsm heavy knit pique Polo Shirt
- High natural cotton content for wearer comfort
- 3 matching button placket
- Cuffed Sleeves
- Taped Neck

Navy **11WW00034** Royal **11WW00035** Black **11WW00036** Available sizes: S - XXXL

Oxford Shirt



- 70% cotton/30% polyester.
- Easy care fabric.
- Semi-fitted styling.
- Button down collar.
- Left breast mitred pocket.
- Button fastened cuffs that also fit cufflinks
- Back yoke with two side pleats.
- Curved hem.

White Long Sleeve **11WW00038** Blue Long Sleeve **11WW00039** White Short Sleeve **11WW00040** Blue Short Sleeve **11WW00041** Available sizes: 14.5' - 19" 37cm - 48cm



Shawbury Multi Pocket Trouser



CLICK

- Polycotton twill fabric
- Multi pocket design with tool pouches
- Tuck away holster pockets
- 1 rear pocket with hook and loop flap
- Hammer loop
- External knee pad pouches
- Reinforced knees
- Side elastic on waist for comfort and ease of fitting
- 30cm gusset at ankles with zip closure
- Available in regular and tall fit (T)

Navy 11WW00042 Black 11WW00043

Available sizes: 30" - 50" 76cm - 127cm

Super Click Polycotton Trousers





- 235gsm Poly Cotton
- Zip fly with hook/bar and button fastening
- Belt loops
- 2 Swing hip pockets
- 2 Cargo pockets
- 2 Rear pockets with stud flap
- Sewn in crease
- Knee pad pockets
- Available in tall fit (T)

Navy 11WW00046 Blue 11WW00047 Black 11WW00048 Green 11WW00049

Available sizes: Navy 28" - 52" Black 30" - 52" Royal & Green 30" - 48"

Click Premium Multi Pocket





- Rugged heavyweight polyester cotton fabric
- Multi-feature design
- Holster pockets
- Large pockets, tool holder, fasteners
- Hard wearing `Duratex` kneepad pockets and hip linings
- All main seams are triple stitched for maximum strength
- Available in Regular and Tall fit (T)
- · Also available in Navy Reg & Tall fit

Navy 11WW00044 Black 11WW00045

Available sizes: 30" - 46" 76cm - 116cm

Thinsulate Beenie Hat Navy





- Microfibre technology traps air to keep user warm
- Effective when wet and dries quickly
- Ideal for winter use
- Made from 3M Thinsulate
- Available as a non Thinsulate version (WHBL)

11WW00050

Thermal Terry Socks (1Pair)

- 80% cotton / 20% polyester
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Available in a pack of three colours
- Also available in longer length (TSLL)







Apache Knee Pad Holster Trouser





- A functional work trouser featuring Cordura holster pockets and knee pad pockets.
- Cordura reinforced hem and reflective piping.
- Side cargo pocket and large phone pocket to opposite leg. Triple stitched in key areas.
- Low rise comfort waist.
- Tunnel belt loop and YKK zip.
- Material Weight: 280g. 65% Polyester, 35% Cotton

Black 11WW00052 Navy 11WW00053

Available sizes: Waist 30-42 Leg 29/31/33

Apache Industry Trouser





- Lightweight cargo trouser with knee pad pocket.
- Two rear pockets, two traditional front pockets and side cargo pocket to right leg.
- Hammer loop to left side.
- A perfect trouser for warehouse/driving and many more industrial applications.
- Material Weight: 260g

Black 11WW00056 Navy 11WW00057

Available sizes: Waist 30-42 Leg 29/31/33

Apache Knee Pad Holster Trouser





- A functional work trouser featuring Cordura holster pockets and knee pad pockets.
- Cordura reinforced hem and reflective piping.
- Side cargo pocket and large phone pocket to opposite leg. Triple stitched in key areas.
- Low rise comfort waist.
- Tunnel belt loop and YKK zip.
- Material Weight: 280g. 65% Polyester, 35% Cotton

Black 11WW00054 Stone 11WW00055

Available sizes: Waist 30-42 Leg 29/31/33

Apache Holster & ATS Short & Belt







- work short with Cordura holster pocke
- A low rise comfort fit waist. Two rear Velcro pockets.
- Side cargo pocket to left leg and large phone pocket to right leg.
- Low rise comfort waist.
- Tunnel belt loop and YKK zip.
- A good functional work short for those warmer days.
- Material Weight: 255g

Cargo 11WW00058 ATS 11WW00059

Available sizes: Waist 30-40



11WW00060

- An adjustable cut to size stretch woven work belt.
- Nickel Apache detail buckle and nickel end tab. Will fit all Apache trousers.



ATS Soft Shell Jacket



- Lightweight, water resistant design for cooler days.
- This jacket is breathable and has a micro-fleece inner for added
- Two zipped secure side pockets.
- Soft expandable cuffs to sleeves.
- The detail to chest is reflective for added safety.
- Performance fabric.

11WW00061

Available sizes M-XXL

Apache Hooded Sweatshirt



- Brushed back fleece sweatshirt with toggle adjustable double hood.
- Tunnel front pocket.
- Durable cotton covered elbow patches.
- 5 thread stitch detail for durability.
- A quality hooded sweatshirt for all trades.
- Material Weight: 330g

ATS Waterproof Jacket



- Waterproof outer shell
- APTEX hard wearing panels
- Adjustable cuffs, hood and hem

11WW00062

Available sizes M-XXL

Apache Dry Max Polo Shirt



- A lightweight breathable high moisture wicking polo shirt.
- Fast drying.
- Secure zip to left breast.
- Modern style shirt with a fitted look.
- Material Weight: 150g

Black **11WW00064** Navy **11WW00065**

Available sizes M-XXL

Riveted Cap Knee Pads





- Heavy duty protection.
- Protects knees against injuries often sustained in rigorous working conditions when kneeling for long periods.
- Lightweight pads with hard riveted caps produced from abrasion resistant plastic.
- Soft foam padding and adjustable straps ensure hours of comfortable productive work.

11WW00066

Heavy Duty Gel Kneepad





- Heavy duty nylon construction to resist abrasion and tear.
- Adjustable clip buckle and hook and loop closure.
- Hard shell cap to aid swivelling.
- Gel foam centre to cap for even weight distribution when worn for long periods.
- An all round superior Knee Pad.
- Fully CE approved
- Conforms to EN14404:2004 Type 1 Level 1

11WW00068

Poly Ridged Knee Pads





- Deluxe model offering excellent protection.
- Made using non marking material.
- Rubber-like surface with grip ridges help prevent sliding and slipping.
- Hook and loop Adjustable straps.

11WW00067

Foldable Kneepads



- Universal sizing.
- Ergonmic design.
- Easily moulds around knee and can be trimmed to size.
- For use with all knee pad type work trousers.

11WW00069



Apache Knee Pads



- An ergonomic knee pad designed for optimal fit and comfort.
- This knee pad will fit all Apache trousers.

11WW00070

Atlas Back Support



- Simple Economy Belt.
- 4"/10cm Wide.
- Made from Rubber 'Bio Gel' with LECRA and Polyester Covering.
- Simple One Action hook and loop and Buckle Fastening.
- Individually Packaged with Header Card.

Standard Elastic Back Support





- 9" (22.8 cm) all-elastic body for extra firm support
- Contoured high-cut front panel
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Stretchable bias binding with zig-zag stitching
- Rubber track webbing
- Black

BRAND

11WW00071

Available sizes: Fits waist 34"-38" (89 - 97cm)

Titan Back Support



- Top of the Range
- 9"/23cm Wide.
- Contour Support with Wide Elastic Back Panels.
- 6 Plastic Stays to Eliminate Riding Up.
- Complete with Rapid Release Shoulder Straps.
- Easy hook and loop Fastening Action.
- Individually Packaged with Header Card.

11WW00073

Available sizes: Waist size 38"- 47"

Sioen Tornhill Rain Jacket



Performance, durability and style. The high-tech materials we used for this jacket (a laminated fabric) provide it with remarkably high performances in terms of breathability and waterproofness and a great handle for such a heavy-duty jacket. It has a perfect fitting (sizes starting from XS), and is available in a broad range of colours. Tornhill can be combined with several linings available in the same colours so as to make sure your corporate identity is visible in every clothing layer.

11WW00074

Available sizes XS - XXXL

Sioen Tempa Winter Jacket



Versatility reaches a whole new level with our Tempa. With its nice and warm detachable fleece lining and detachable sleeves you can adapt it to any kind of weather. Waterproof and very breathable, Tempa will keep you perfectly dry and comfortable. It is equipped with several clever details such as the mica pocket on the chest and the extended back.

Phoenix Jacket





- 100 % waterproof
- Windproof
- Highly breathable
- Water repellent outer fabric
- Moisture attracting coating on the inside
- Very comfortable
- Supple
- High tear resistance

11WW00075

Available sizes S - 3XL

Torreon Bonded Soft Shell Jacket



Voguish and versatile, our Torreon is made of top range and easy care materials. It is light, very supple and protects you from cold and wind. Torreon is equipped with several functional pockets. The zippers with handy zip pullers are of YKK quality. This softshell has a slightly different colour scheme and one extra asset: detachable sleeves for an all season versatility. Torreon can be zipped into our Tornhill jacket.

11WW00076 Available sizes S - XXXL

11WW00077

Available sizes S - XXXL



Salesbury Hydrosoft Waterproof Coverall



- Zip front covered by a double storm flap with press studs
- Fixed hood
- Wind cuffs
- Elasticated waist
- Adjustable leg opening with press studs
- Lightweight and durable
- 170 gsm PU coated Polyester fabric
- Multi use garment for agriculture, industrial and leisure
- Conforms to EN343 Class 3 Water penetration
- Conforms to EN343 Class 1 Breathability
- Available in Navy Blue, Olive Green, Royal Blue & Yellow

11WS00001

Available sizes S - 4XL

Southend Hydrosoft Waterproof Trousers



- Elasticated waist
- Adjustable leg opening with press studs
- Lightweight and durable
- 170 gsm PU coated Polyester fabric
- Multi use garment for agriculture, industrial and leisure
- Conforms to EN343 Class 3 Water penetration
- Conforms to EN343 Class 1 Breathability
- Available in Navy Blue, Olive Green, Royal Blue & Yellow

11WS00002

Available sizes S - 3XL

Sesley Hydrosoft Waterproof Jacket



- $\bullet\,$ Zip up front with storm flap and press stud closure
- Fixed hood
- Underarm ventilation
- Elasticated cuffs with press studs
- 2 front pockets with flap
- 85cm length offering extensive cover
- Lightweight and durable
- 170 gsm PU coated Polyester fabric
- Multi use garment for agriculture, industrial and leisure
- Conforms to EN343 Class 3 water penetration
- Conforms to EN343 Class 1 Breathability

Sandhurst Hydrosoft Bib & Brace



- Elasticated waist
- Adjustable leg opening with press studs
- Lightweight and durable
- 170 gsm PU coated Polyester fabric
- Multi use garment for agriculture, industrial and leisure
- Conforms to EN343 Class 3 Water penetration
- Conforms to EN343 Class 1 Breathability
- Available in Navy Blue, Olive Green, Royal Blue & Yellow

11WS00004

Available sizes S - 4XL

Nylon B-Dri Suit Pack



- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams

11WS00005

Available sizes S - XXL



- Breathable fabric
- Tasoft soft feel fabric
- Robust tensile strength
- Excellent water shedding characteristics
- Hi viz piping
- Concealed hood
- Lightweight

11WS00007

Available sizes S - XXXL

Dover Regatta Jacket



- Taped seams
- Thermo-guard insulated
- Lined
- Concealed hood
- Tear release storm flap
- Multiple pockets
- Adjustable cuffs
- Elasticated side hem
- Branding on back of collar
- Hydrafort 5000 Polyester outer

11WS00006

Available sizes S - 4XL

Springfield Trousers



- Tasoft PU breathable nylon
- Elasticated waist
- Lightweight
- Flexible
- Gusset at ankles with zip closure

11WS00008

Available sizes S - XXXL



PU Coverall



- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated storm cuffs
- Studded ankles
- Stitched and welded seams
- Reflective tape
- GO/RT 3279 only applies to orange garment

Yellow 12HV00001 Orange 12HV00002

PU Lined Jacket



Breathable fabric

- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Nylon/Polyester guilt lining
- Self double yoke back
- Lower pockets with flapElasticated storm cuffs
- Stitched and welded seams
- Reflective tape
- GO/RT 3279 only applies to orange garment

Yellow **12HV00003**

Sizes: S - XXXXL

Sizes: S - XXXXL

Elsener 7 in 1 Jacket



- Highly versatile garment
- Suitable for "All Seasons" use
- Breathable outer shell
- Removable hood
- External phone pocket
- D rings for attaching identity tags
- Fleece lined collar on outer garment
- Velcro adjustable cuffs
- Hand warmer pockets
- 3M® Scotchlite Tape
- GO/RT 3279 only applies to orange garment

Carnoustie Jacket



- 100% polyester with PU coating
- Concealed hood
- Double storm flap
- 2 lower zipped hip pc with flap
- Zipped breast pockets with flap Velcro adjustable elasticated cuffs
- Drawcord at hip
- 3M® Scotchlite tape
- Fully interactive with Carnoustie Fleece (CARF)
- GO/RT 3279 only applies to orange garment EN343: 2003/ EN471: 2003/ GO/RT 3279: Issue 5 clause 4.1 and 4.2

Yellow **12HV00006** Orange **12HV00007**

Sizes: S - XXXXL

Sizes: S - XXXXL

Constructor Traffic Jacket



- PU coated polyester
- · Quilt lining with heavyweight polyester filling
- Concealed hood
- Two way heavy duty zip front with storm flap
- and security pocket
- 2 lower pockets with flaps
- Inside breast pockets
- Knitted storm cuffs
- Internal wicking strip
- Fully taped seams
- Reflective tape

Yellow 12HV00008 Orange 12HV00009

Sizes: S - XXXXL

Eton Breathable Jacket



- Breathable fabric
- Waterproof Jacket fully taped seams
- Zip front closure to neck
- Velcro fastening storm flap
- Adjustable cuffs
- 6cm retro reflective tape
- Retro reflective piping
- 2 zip fastening front pockets
- Concealed hood
- Hip draw cord
- GO/RT 3279 only applies to orange garment

EN343: 2003 +A1: 2007/EN471: 2003 +A1: 2007/ GO/RT 3279: Issue 7 2012

Two-Tone Jacket



- Heavyweight PU coated polyester
- Quilted lining with polyester filling
- Concealed hood
- Two-way heavy duty zip front
- 2 lower pockets
- 1 inside pocket
- Knitted storm cuffs
- Fully taped seams
- Reflective tape

EN343: 2003 +A1: 2007/EN471: 2003 +A1: 2007

Orange/Navy 12HV00010 Orange/Black 12HV00011 Saturn Yellow/Navy 12HV00012 Saturn Yellow/Royal 12HV00013

Sizes: S - XXXXL

Two-Tone Multi-Panel Jacket



• Black contrast trim

• Breathable fabric Waterproof, fully taped seams

- Zip front closure to neck
- Stud fastening storm flap
- Adjustable cuffs
- 5cm retro reflective tape
- Retro reflective piping
- 2 zip fastening hip pockets
- 2 storm zipped breast pockets
- Concealed draw cord hood
- Part mesh lined
- EN ISO 20471 Class 3 High Visibility
- EN343

Class 3 Resistance to Water Penetration Class 3 Air Permeability

Yellow 12HV00014 Orange 12HV00015

Sizes: S - XXXXL

Yellow 12HV00016

Sizes: S - XXXXL



Lightweight EN471 Suit TS8

Jacket

- EN471 Class 3.
- PVC coated 150D polyester.
- · Concealed hood.
- Two-way heavy duty zip front with studded storm flap.
- 2 Lower pockets with flaps.
- Knitted storm cuffs.
- Fully taped seams.
- Retro Reflective Tape.

- PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 side access pockets
- Fully taped seams
- Reflective tape

EN343: 2003 +A1: 2007/ EN471: 2003 +A1: 2007 Hi-Vis Orange/Saturn Yellow





Yellow 12HV00017 Orange 12HV00018

Sizes: S - XXXXXXL

Concealed hood to orange garment • Full zip front with double storm flap • Self double yoke back

Reflective tape

• GO/RT 3279 only applies

PUJ EN471 Jacket

Polyester with PU coating

• Breathable fabric



Yellow 12HV00019 Orange 12HV00020

Sizes: S - XXXXL

• 2 handwarmer pockets

• Full zip out fleece lining

• Garment is EN471 Class 2

when sleeves are removed

Detachable sleeves

EN343:2003 +A1: 2007

Reflective tape

Constructor Fleece Lined Bomber

- Heavyweight polyester oxford outer shell with PU coating
- Press stud flap
- Fleece lining, including fleece collar
- Fully taped seams
- 2 Lower front pockets with flaps
- Internal breast pocket in collar



 Reflective tape EN343: 2003 +A1: 2007 EN471: 2003 +A1: 2007 Hi-Vis Orange/Saturn Yellow

Europa Bomber Jacket

- 100% polyester with nonbreathable coating
- Unlined hood with drawcord
- Zip closure with internal storm flap
- Pen pocket to upper left
- sleeve Exposed ribbed cuffs and
- Mobile phone pocket to right breast



Yellow 12HV00023 Orange 12HV00024

Sizes: S - XXXXXL

Yellow 12HV00021 Orange 12HV00022

Tel: +353 (01) 281 1116 / 281 1133 / 281 1102 **Email:** sales@site-mate.ie

Sizes: S - XXXXXXL

Super Bomber Jacket

- Heavyweight 100% polyester with PU coating
- 300 denier outer fabric with sewn on tape
- Two-way heavy duty zip front with storm flap
- Fleece lined collar
- 2 lower bellows pockets with flaps
- Security and phone pockets
- Access for ease of logo application
- Knitted storm cuffs
- Concealed hood
- Reflective tape
- Available in breathable, unlined versions



EN343: 2003 +A1: 2007

EN471: 2003 +A1: 2007

Saturn Yellow

Yellow 12HV00025

Sizes: S - XXXXL

Eton Soft Shell Jacket

- Class 3 "Soft shell" jacket
- Water resistant, windproof
- Fleece backed, breathable fabric
- 2 hand warmer front pockets
- Adjustable cuffs
- 6cm retro reflective tape



Yellow 12HV00026 Orange 12HV00027

Sizes: S - XXXXL

Carnoustie Fleece

• High density 300gm polyester



Yellow 12HV00028 Orange 12HV00029

Sizes: M - XXXL

Saturn Yellow/Navy Fleece

- 300gm polyester fabric
- Mesh lined
- Retro reflective bands and braces
- 2 Zipped outer pockets
- Detachable sleeves

• Lightweight, stylish &

EN471: 2003 +A1: 2007

Hi-Vis Orange/Saturn Yellow

comfortable

- Drawcord hem
- I.D pocket
- The EN471 standards above, only apply to sizes Medium to XXXXL



Yellow 12HV00030

Sizes: XS - XXXXL



Reversible Bodywarmer

- PU coating to hi-vis side
- Reversible bodywarmer 'interactive'
- Knitted collar
- Heavy duty zip
- Reflective tape
- GO/RT 3279 only applies to orange garment Saturn Yellow only:
- Navy polycotton diamond quilt on reverse
 • 2 patch pockets on quilted
- Grey polycotton lining



Yellow 12HV00031 Orange 12HV00032

Hi-Vis Orange/Saturn Yellow

Sizes: S - XXXL

• 2 horizontal zipped pockets

Mobile phone compartment

EN471:2003 +A1: 2007/ GO

Hi-Vis Orange/Saturn Yellow

RT 3279: Issue 6 2008


on reverse

Hooded Sweatshirt

- Hooded sweatshirt
- 280gsm fleece fabric
- 100% polyester • 2 band & brace

• 3M® Scotchlite tape

EN471: 2003 excluding clause 5.6.3





Yellow 12HV00033 Orange 12HV00034

Sizes: S - XXXXXL

Zipped Sweatshirt

• 280gsm fleece fabric

Zip front

Anti-pill



Yellow 12HV00035 Orange 12HV00036

Sizes: S - XXXXXL

Hi-Visibility Sweatshirt

- 280gsm fleece fabricAnti-pill
- 2 band & brace
- 3M® Scotchlite tape



Yellow 12HV00035 Orange 12HV00036

Sizes: S - XXXXXL

Hi-Visibility Polo Shirt

• 100% polyester Hi-Vis Orange/Saturn Yellow • 3 button placket (Available as Long/Short Reflective tape Sleeve) • Grey trim on collar and sleeve cuffs • GO/RT 3279 only applies to orange garment EN471: 2003/ GO/RT 3279: Issue 5 1999

Yellow 12HV00037 Orange 12HV00038

Sizes: M - XXXXL

Standard Long Sleeved Jerkin

- 100% polyester
- Velcro fastening
- Reflective tape



Yellow 12HV00041

Sizes: M - XXXL

Two-Tone Polyknit Polo Shirt

• 100% polyester

Reflective tape

Navy trim on collar and sleeve cuffs



Yellow 12HV00039 Orange 12HV00040

Sizes: M - XXXXL

Two-Tone Long Sleeved Jerkin

- Two-Tone Jerkin
- Two tone polyester
- Velcro front fastening
- Retro reflective bands & braces

EN471: 2003 +A1: 2007 Orange/Saturn Yellow / Saturn Yellow/Orange



Yellow 12HV00042 Orange 12HV00043

Sizes: L - XXL



Two-Tone Waistcoat



Yellow/Orange **12HV00044** Orange/Yellow **12HV00045** Sizes: M - XXL

Waistcoat Full App. G



Yellow **12HV00048** Orange **12HV00049** Sizes: Standard: M – XXXXL Short: L – XXL

Executive Waistcoat

- Saturn yellow polyester executive waistcoat
- Front zip fastening
- Retro reflective bands & braces

• Transparent ID pouch pocket

EN471: 2003 +A1: 2007



Yellow 12HV00046 Orange 12HV00047

Sizes: M - XXL

Hi Vis Short Vest



Yellow **12HV00050**

Two Tone Executive Vests









- Hi Vis executive waistcoat100% Polyester
- Front zip fastening
- Two large front pockets with flaps
 Mobile phone pocket with hook and loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent ID pouch pocketRetro-reflective tape
- Covered mesh back panel
- EN ISO 20471 Class 1 high visibility

Yellow/Red 12HV00051 Yellow/Navy 12HV00052 Yellow/Grey 12HV00053 Yellow/Green 12HV00054

Sizes: M - XXXL











Traffic Trousers

- Heavyweight PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 side access pockets



EN343: 2003 +A1: 2007/

EN471: 2003 +A1: 2007

Hi-Vis Orange/Saturn Yellow

Yellow 12HV00059 Orange 12HV00060

Sizes: S - XXXL

Belfry Trousers

- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with velcro closure
- 2 side access pockets
- Fully taped seams

EN343:2003 +A1:2007/



EN471:2003 +A1:2007

Hi-Vis Orange/Saturn Yellow

Yellow 12HV00061 Orange 12HV00062

Sizes: M - XXXL

Ladies Executive Hi-viz Jacket



- Tailored fit and fully breathable with grey mesh lining
- Concealed hood in collar, hook and loop closure.
- Heavy duty two way front zip to neck with studded storm flap.Zipped security pocket and part elasticated waist.
- Angled hip pockets with stud closure flaps & reflective piping.
- Internal right breast smartphone pocket.
- Internal left breast pocket with pen holder.
- Zipped access for badging.
- EN ISO20471 Class 3
- EN 343:2003 + A1:2007 Class 3. 3.

Ladies / Mens Hi-viz Trousers



- 80-20 polyester cotton.
- Seven loop belt waistband.
- 2 hip pockets.
- 1 left leg cargo pocket.
- 1 rear jetted pocket.
- Knee pad pouch pockets
- Hard wearing and durable.
- · Double sewn main seams for extra strength.
- Teflon treatment to aid soil release when washing.
- 3M Scotchlite tape.
- EN ISO 20471 Class 1

Yellow 12HV00064

Sizes: Ladies 26 - 34. Mens 28 - 48.

Sizes: XS - XXL

Standard Railspec Vest

- Hi Vis Orange 80/20 polyester cotton fabric
- All velcro closure.
- Quick release to front, shoulder and sides

Retro reflective tape

GO/RT 3279 issue 6 2008 EN471 Class 1 2003 EN510: 1994

EN471: 2003/GO /RT 3279: Issue 6 2008/ THRSV01510



Orange 12HV00065

Sizes: M - XXXXL

PUT EN471 Trousers

- Breathable fabric
- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- Reflective tape • GO/RT 3279 only applies to orange garment



Yellow 12HV00067 Orange 12HV00068

Sizes: M - XXL

100% Polyester Railspec Vest

- Hi Vis Orange 100% polyester fabric.
- All velcro closure.
- Quick release to front, shoulder and sides.
- Retro reflective tape

GO/RT 3279 issue 7 2012 EN471 Class 1 2003 +A1 2007

EN471: 2003 +A 2007 / GO/RT 3279: Issue 7 2012



Orange 12HV00066

Sizes: M - XXXXXXL

Two-Tone Trousers

- Breathable fabric
- Waterproof, fully taped seams
- 7 Belt loop part elasticated waistband, stud button closure
- Zip fly
- Zip and hook and loop ankle closure
- 2 Storm zipped hip pockets2 concealed rear pockets under yoke
- Retro-reflective tape
- EN ISO 20471
- Class 1 high visibility
- EN343
- Class 3 resistance to water penetration
- Class 3 breathability



Yellow 12HV00069

Sizes: S - XXXXL

Siopor Ultra Anfield Hi-vis Rain Jacket

- 100 % waterproof
- Windproof
- Highly breathable
- Waterrepellent outer fabric
- Moisture attracting coating on the inside
- Very comfortable
- Supple





Yellow 12HV00070 Orange 12HV00071

Sizes: S - XXXL

Skollfield Jacket with Bodywarmer



- All in one warm and waterproof winter coat., light rain jacket, ,blouson and body warmer
- All components are made in our Siopor Ultra quality, which guarantees excellent breathability and good waterproofness.

Yellow 12HV00073 Orange 12HV00074

Sizes: XS - XXL

Siopor Ultra Anholt Hi-vis Rain Trousers

- 100 % waterproof
- Windproof
- Highly breathable
- Waterrepellent outer fabric
- Moisture attracting coating on the inside
- Very comfortable
- Supple
- High tear resistance
- Good cold protection





Yellow 12HV00072

Sizes: M - XXXL

Siopor Ultra Cabin Winter Rain Coverall



- Windproot
- Highly breathable
- Waterrepellent outer fabric
- Moisture attracting coating on the inside
- Very comfortable
- Supple
- High tear resistance
- Good cold protection

Yellow 12HV00075 Orange 12HV00076

Sizes: S - XXXL

Brighton Hi-vis Rain Jacket



- Brighton is a classic style parka of exceptional quality.
- Made of a laminated fabric with a remarkably pleasant touch.
- Perfectly breathable and waterproof.
- Its extra assets are a detachable hood with chin protection, functional pockets and ILS compatibility with several different
- EN ISO 20471 : 2013 / Class 3 from size S
- EN 343: 2003 + A1: 2007 / Class 3-3

Yellow **12HV00077** Orange **12HV00077**

• EN ISO 13688 : 2013



Sizes: M - XXXXL

Tarviso Hi-vis Rain Trousers





- 100% waterproof
- Windproof
- Highly breathable
- Water repellent outer fabric
- Moisture attracting coating on the inside
- Comfortable
- Supple
- High tear resistance

Yellow 12HV00078 Orange 12HV00079

Sizes: XS - XXXL

Hydrowear Simply No Sweat Parka Jacket and Trousers





Uitdam Parka Jacket

- SIMPLY NO SWEAT EN 20471 RWS
- Raincoat 80 cm
- Mesh polyester lining
- Fixed hood
- Concealed zip with press-stud closure
- 2 front pockets with flap
- 210 gram 100% polyester laminate

- Ursum Rain pants
 Trousers SIMPLY NO SWEAT EN 20471 RWS
- Mesh polyester lining
- Elasticized waist with Elasticized draw cord
- 210 gram 100% polyester laminate





Hydrowear Simply No Sweat Unna Parka



- SIMPLY NO SWEAT EN 20471 BICOLOUR
- Parka 85cm
- Fixed hood
- Detachable quilted lining
- Lining can be ordered separately
- Double storm flap over the zip
- 2 front pockets with flap and Velcro
- 1 Inner pocket with Velcro closure
- 210 gram 100% polyester laminate

Yellow 12HV00082 Orange 12HV00083

Sizes: S - XXXXL

Hydrowear Harwich Summer Jacket



- Summer Jacket Trendy High Visible Line
- 2 chest pockets with flap
- 2 Side pockets
- ID badge holder loop
- Concealed zip with flap
- Cuffs adjustable with Velcro
- Shoulderdetails with stretch for free movement
- 300 gramm
- 65% polyester/35% cotton in canvas and 80% polyester/20% cotton in Hi-Vis

Hydrowear Simply No Sweat Furth Pilot



- SIMPLY NO SWEAT EN 20471 BICOLOUR
- Pilot Jacket
- Detachable quilted lining
- 2 side pockets
- Hood in collar with elasticized draw cords
- Special membrane in hood for better hearing
- Zip with storm flap
- Extended back with adjustable press-studs
- 2 chest pockets with flap
- Napoleon Pocket
- Inner pocket
- Extra reflective piping
- Reflective stripes on the shoulders
- 210 gram 100% polyester laminate

Yellow 12HV00084 Orange 12HV00085

Sizes: S - XXXL

Hydrowear Hertfort Summer Trousers



- Summer trouser Trendy High Visible Line
- Detachable swingpockets, not included
- · Adjustable waist by means of elastic in a tunnel
- 2 Side pockets
- Thigh pocket with flap and double rule pocket
- 2 back pockets and kneepockets
- Rear details with stretch for free movement
- 300g
- 65% polyester/35% cotton in canvas and 80% polyester/20% cotton in Hi-Vis

Yellow 12HV00088 Orange 12HV00089

BRAND YOUR WORKWEAR

Call a member of our sales team to discuss all of your branding requirements.

Heat Seal Badges



Heat transfer printing is a simple way to get blank apparel decorated with colorful designs. Heat-applied graphics are a great technique to brand garments at a low cost. Heat seal applied graphics are ideal for an array of markets. Heat-applied graphics can be a great way to advertise your business

Screen Printing



Screen printing, is a method of printing an image on fabric by pressing ink through a fine mesh with areas blocked off by a stencil. The technique is used both for making fine art prints and for commercial applications.

Embroidery



Using advanced embroidery technology, we produce the finest stitched artwork the industry has to offer. With a wide range of thread colours available, we can get your logo spot on. Be it business or casual wear, our embroidery can bring artwork to life, giving any garment a professional feel that's sure to make the right impression.

Click FR Boiler Suit



- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve

ISO 11611:2007 Class 1 A1

- Protective clothing for use in welding ISO 11612:2008 A1, B1, C1 - Protection against heat and flame

Navy **13FR00001** Red **13FR00002** Orange **13FR00003** Sizes: 36" - 60" 91cm - 152cm

Click Fr As Burgan B/Suit N 36



CLICK"

- 220 gram 100% lightweight cotton drill fabric
- Flame retardant/Anti static
- FR retro-reflective tape. (Nordic Design)
- Concealed zip front to neck
- Two breast pockets, brass zip closure
- Two hip pockets, vertical access
- One rear hip patch pocket with flap
- One plain patch hip pocket
- Rule pocket
- Half elasticated waist
- Plain cuffs and ankles

and design requirements

- ISO 11611: 2007 Class 1 A1
- Protective clothing for use in welding
- EN ISO 11612: 2008 A1, B1, C1
- Protection against heat and flame
- EN 1149-5: 2008 (EN 1149-3: 2004) -Anti Static - Material performance



Navy **13FR00005** Orange**13FR00006** Sizes: 36" 58" 91cm - 147cm

Tesla Fr/As B/S En471 S/Y 36

- Multi purpose 'utilties' boilersuit
- Fire Retardant
- Anti Static
- 320gsm fabric
- 80% Cotton 19% Polyester 1% anti static
- 2 Vertical side access hip pockets
- High visibility
- 1 left breast pocket with sewn down flap
- Concealed stud fly front to neck
- Plain back
- Internal knee pouch pockets
- Elastic to waist
- Plain cuffs and ankles
- Retro-reflective tape
- FR/AS embroidery to left sleeve

EN ISO 11612: 2008 Class A1. B1. C1.
- Protection against heat and flame
EN1149-5: 2008 - Anti Static - Material
performance and design requirements

- Test requirements for high visibility

EN ISO 20471: 2013 Class 3.



CLICK

13FR00004

Sizes: 36" - 58 " 91cm - 147cm

Tesla Fr/As Trs En471 S/Y 28

"TESLA" Fire retardant, anti static trousers.

- 320gsm Hi Vis flame retardant treated fabric with anti static grid
- YKK Brass zip fly
- Brass hook and bar waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- 2 Bands retro reflective tape to legs
- FR & AS logos embroidered to left hip
- Plain ankles
- Available in tall leg (T) option
- EN ISO 11612: 2008 A1, B1, C1 A Limited Flame Spread
- B Convective Heat Resistance
- C Radiant Heat Resistance
- EN1149-5: 2008 Electrostatic Surface Resistivity
- EN ISO 20471 Class 1 high visibility

13FR0007

Sizes: 30" - 48" 76cm - 121cm



CLICK

Fras Sat Yel Padded Jkt Lge





- 50% Polyamide, 50% polyurethane, 170 g/m²
- FR quilted cotton lining with polyester padding
- Microflex flame-retardant Hi-Viz winter rain jacket
- High frequency welded seams
- Zipper under storm flap with press studs
- Sleeves with adjsutable press stud
- Hood with drawstring, hidden in collar
- Drawstring at waist. With reflective tape
- 2 patch pockets
- Inside pocket

EN343 3 1 2003 + A1 2007 EN471 3 2 2003 + A1 2007 EN ISO 14116 2008 OUTER INDEX 1 INNER INDEX 3 EN1149-5 2008 EN1149-3 2004

13FR00008 Sizes: S - 4XL

Bseen Fr En Iso20471 Vest



- Flame retardant vest
- 100% polyester FR fabric
- Must be worn over EN ISO 14116 index 2 or 3 garments
- Do not wear next to skin
- Zip fastening
- FR retro-reflective hi-vis tape
- FR threads
- EN ISO 14116

For brief contact with small igniting flames

• EN ISO 20471 Class 2 high visibility

Orange 13FR00010 Yellow 13FR00011

Sizes: M - 4XL

Fr Anti Static Over Trousers





- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116: 2008 Index 1
- EN 1149-5:2008 EN 1149-3:2004
- Flame Retardant Anti static Hi Vis Trousers
- Elasticated Waist
- 2 side slits
- High frequency welded seams
- Press stud ankle adjustments
- Reflective bands on each leg

13FR00009

Sizes: S - 4XL

Bseen Fr Ls Jerkin En Iso20471





- Zip fastening.
- Retro-Reflective tape.
- Conforms to EN ISO 20471 Class 3 high visibility
- EN ISO 14116.
- Do not wear next to skin.
- Must be worn over EN533 Index 2 or 3 garments.

Orange **13FR00012** Yellow **13FR00013**

Sizes: M - 4XL



SIOEN Gladstone FR AST High Vis Rain Trousers



- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- 100% waterproof
- Windproof
- Highly breathable
- Water repellent outer fabric
- Moisture attracting coating on the inside
- Comfortable
- Supple / High tear resistance

European Standards

- EN 531 : 1995 / A B2 C1
- EN ISO 14116 : 2008 / Outer : Index 1/12H/40 Inner : Index 3/25H/40
- EN 1149-5 : 2008
- EN 13034 : 2005 Type PB (6)
- EN 471 : 2003 + A1 : 2007 / Class 1-2 • EN 343 : 2003 + A1 : 2007 / Class 3-3
- CF













13FR00014 Sizes: XS - XXXL

SIOEN Marex FR AST High Vis Jacket



258

- Functionality and multi-norm protection at an attractive price.
 Our light and waterproof Marex has a detachable FR fleece lining for extra warmth.
- The reflective stripings assure good visibility from all sides.

European Standards:

- EN 340 : 2003
- EN 531: 1995 / A B2 C1
- EN ISO 14116 : 2008 / Outer : Index 1/5H/40 Inner : Index 3/12H/75
- EN 1149-5 : 2008
- EN 13034 : 2005 Type PB (6)
- EN 471: 2003 + A1: 2007 / Class 3-2
- EN 343: 2003 + A1: 2007 / Class 3-3
- CE

Detachable Lining:

EN ISO 14116 : 2008 / Index 1EN 14058 : 2004 / Class 1 x x x x

















13FR00015 Sizes: S - XXXL

SIOEN Waddington FR AST High Vis Jacket



100% waterproof

Windproof

Highly breathable

Water repellent outer fabric

Moisture attracting coating on the inside

Comfortable

Supple / High tear resistance

ropean Standards:

EN 340: 2003

EN 531: 1995 / A B2 C1

EN ISO 14116 : 2008 / Outer : Index 1/5H/40 - Inner : Index

3/12H/75

EN 1149-5 : 2008

EN 13034 : 2005 Type PB (6)

EN 471 : 2003 + A1 : 2007 / Class 3-2 EN 343 : 2003 + A1 : 2007 / Class 3-3

CE

etachable Lining:

EN ISO 14116 : 2008 / Index 1
• EN 14058 : 2004 / Class 1 x x x x

















13FR00016 Sizes: S - XXXL

SIOEN Tielson FR AST High Vis Rain Trousers



- 100% waterproof
- Windproof
- Highly breathable
- Water repellent outer fabric
- Moisture attracting coating on the inside
- Comfortable
- Supple / High tear resistance

European Standards:

• EN 531 : 1995 / A B2 C1

• EN ISO 14116 : 2008 / Outer : Index 1/5H/40 - Inner : Index 3/12H/75

• EN 1149-5 : 2008

• EN 13034 : 2005 Type PB (6)

• EN 471 : 2003 + A1 : 2007 / Class 1-2 • EN 343 : 2003 + A1 : 2007 / Class 3-3

• CE













13FR00017 Sizes: S - XXXL



FR Anti-Static ARC Coverall



- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- FR properties will not diminish with repeated laundering.
- Ribbed cuffs & waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

13FR00018 Sizes: S - 6XL

FR Anti-Static ARC Hi-Vis GO/RT Coverall



- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 310gsm 40% Modacrylic 24% Viscose, 20% Polyester, 10% Cotton, 4% Aramid, 2% Anti-static Fibre.
- 2 hip pockets.

13FR00020

- Large bellows pocket to each leg with Velcro closure flap.
- Right leg mobile phone pocket with Velcro closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Adjustable leg bellows.

FR Anti-Static ARC Hi-Vis Two Tone Coverall



- 210gsm 60 / 40 Modacrylic / cotton blend Pique fabric.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs, Robust yet soft and comfortable to wear.

13FR00019 Sizes: S - 6XL

FR Anti-Static ARC Hi-Vis GO/RT Sweatshirt



- 275gsm 41% Protex, 30% Polyester, 27% Cotton, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

13FR00021 Sizes: S - 6XL

Sizes: S - 6XL

FR Anti-Static ARC Sweatshirt



- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- · Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

13FR00022 Sizes: S - 6XL

FR Anti-Static ARC Hi-Vis Polo Shirt



- 280gsm 60/40 Modacrylic/cotton blend PDR fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- · Ribbed cuffs.

13FR00024

• Very robust yet soft and comfortable to wear.

FR Anti-Static ARC Polo Shirt



- 210gsm 60 / 40 Modacrylic / cotton blend Pique fabric.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Robust yet soft and comfortable to wear.

13FR00023 Sizes: S - 6XL

FR Anti-Static ARC Hi-Vis GO/RT Polo Shirt



- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 220gsm 66% Modacrylic, 32% Polyester, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.

Sizes: S - 6XL

• Very robust yet soft and comfortable to wear.

13FR00025 Sizes: S - 6XL



FR Anti-Static ARC Long Sleeved T-Shirt



- Flame Retardant, Anti-Static; ARC Long sleeved T- Shirt (under garment).
- 210gsm 60/40 Modacrylic/ cotton with anti static.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread

13FR00026 Sizes: S - 4XL

FR Anti-Static ARC Hi-Vis Trousers



- Fire Retardant, Hi-Vis, Anti-Static, ARC Flash long sleeved polo shirt.
- 280gsm 60/40 Modacrylic/cotton blend PDR fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Very robust yet soft and comfortable to wear.

13FR00028

Sizes: 28" - 50" 71cm - 127cm

FR Anti-Static ARC Trousers



- 210gsm 60 / 40 Modacrylic / cotton blend Pique fabric.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs, Robust yet soft and comfortable to wear.

13FR00027

Sizes: 28" - 50" 71cm - 127cm

FR Anti-Static ARC Hi-Vis GO/RT Trousers



- 275gsm 41% Protex, 30% Polyester, 27% Cotton, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

13FR00029

Sizes: 30" - 50" 76cm - 127cm

FR Anti-Static ARC Long Johns



- Flame Retardant, Anti-Static; ARC Long sleeved T- Shirt (under garment).
- 210gsm 60/40 Modacrylic/ cotton with anti static.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread

13FR00030 Sizes: S - 4XL

Electrical Safety Wellington



- Yellow/black PU boot
- Water resistant
- Anti-shock
- Slipping resistant
- Non metallic APT Plate midsole
- Zero Perforation, with high electrical resistance
- Description: Resistance against electric shocks of the whole footwear

14FW00043 Sizes: 5 - 13

ARC Compliant Balaclava



- Flame Retardant, Anti-Static; ARC Long sleeved T- Shirt (under garment).
- 210gsm 60/40 Modacrylic/ cotton with anti static.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread

13FR00031 Sizes: One Size

Cofra Electrical Boot 82500-000



- Black water repellent grain leather ankle boot
- Textile lining
- Anti-shock
- Slipping resistant
- Non metallic APT Plate midsole Zero Perforation, with high electrical resistance.

14FW00044 Sizes: 6 - 13



Black 4 D-Ring Chukka Boot





DUAL DENSITY PU

- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-Static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345 S1P SRC

14FW00001

Available sizes UK 3 - 13

Click Traders Trenchers Boot





PU / RUBBER

- 200 Joule composite toe cap
- Composite Kevlar midsole protection
- Metatarsal impact protection
- Shock absorber, anti-static heel
- Heat resistant to 3000c and slip resistant
- Water resistant leather upper
- Breathable Thinsulate membrane lining
- Full length foam fabric footbed for excellent comfort
- Conforms to EN ISO 20345 S3 M SRC HRO

14FW00003

Available sizes UK 6 - 13

Metatarsal Boot Black





DUAL DENSITY PU

- 200 Joule steel toe cap
- Composite midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-Static
- Slip resistant
- Water resistant leather upper

14FW00002

Available sizes UK 4 - 13

HK1 Grippers Hiker Boot



- HK1 Black leather ankle safety hiker boot
- Black Full grain Buffalo crazy horse Leather upper with moulded anti scuff protection.
- Water resistant upper (not waterproof)
- 200 joules Steel toe cap
- Penetration resistant stainless steel midsole
- Woven pull on heel loop
- Deep padded foam ankle with TPU external support structure
- Eva foam comfort full length insole
- Antistatic
- Breathable / moisture wicking nylon mesh lining
- Fuel oil resistant dual density Polyurethane (PU) outsole with excellent slip resistance, slip rated to SRC.
- Standard / Specification EN ISO 20345:2011 S3 SRC

14FW00004

Available sizes UK 6 - 13

Click Premium Rigger Boot



DUAL DENSITY PU

- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Slip resistant and anti-static
- Apollo leather upper
- TPU structured heel support
- Fur lining
- Padded ankle
- Conforms to EN ISO 20345 S1P SRC
- CF8

14FW00005

Available sizes UK 6 - 13

B CLICK

Available sizes UK 3 - 13

Composite PUR Boot



PU/RUBBER

- 200 Joule composite toe cap
- Kevlar® midsole protection
- Shock absorber heel
- Anti-Static
- Slip resistant
- Water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Conforms to EN ISO 20345 S3 SRC HRO

Click Traders PUR Dealer Boot



PU/RUBBER

- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-Static
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345 S3 SRC

14FW00006

Available sizes UK 5 - 13

Managers Shoe/Brogue Tie Shoe



MONO DENSITY PU

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345

14FW00008

Available sizes UK 5 - 12



Apache AP715SM Boot



- Water resistant leather upper.
- Steel toe cap and steel midsole protection.
- Large padded collar and tongue for added comfort.
- Dual density PU/TPU outsole.
- Anti-scuff toe guard.
- Comfort Insole.
- Anti-static.
- Ideal for many types of industry including engineering and construction.

14FW00009

Available sizes UK 6 - 13

Apache Utility



- Black full grain water resistant leather upper.
- Waterproof and breathable inner lining.
- Anti-scuff toe protection & TPU heel support.
- Heat resistant 300 degrees C PU/rubber outsole.
- 100% non-metallic.
- PU comfort insole.
- A tough boot for a harsh working environment.

Apache AP714SM Boot



- Water resistant leather upper.
- Steel toe cap and steel midsole protection.
- · Large padded collar and tongue for added comfort.
- Dual density PU/TPU outsole.
- Anti-scuff toe guard.
- Comfort Insole.
- Anti-static.
- Ideal for many types of industry including engineering and construction.

14FW00010

Available sizes UK 6 - 13

Composite Airside SS704CM





- Unisex Black Non-Metallic Safety Hiker.
- Black full grain leather water resistant safety boot.
- Padded collar and tongue for added comfort.
- Non -metallic toe cap and non- midsole protection.
- Dual density polyurethane outsole.
- Anti-static.
- A 100% non-metallic lightweight safety boot for all security screened work places.
- S3, SRA

14FW00012

Available sizes UK 3 - 13

Worksite SS609SM Boot





- Black water resistant leather safety boot.
- Steel toe cap and steel midsole protection.
- Large padded collar and tongue for added comfort.
- Dual density polyurethane outsole.
- Anti-scuff toe guard. Anti-static.
- S3, SRC

14FW00013

Sterling Waterproof Boots SS813SM





- Brown full grain leather waterproof safety hiker.
- Padded collar and tongue for added comfort.
- Steel toe cap and steel midsole protection.
- Waterproof and breathable inner lining.
- Dual density polyurethane outsole.
- Anti-static.
- A good all round waterproof safety boot for a wide range of outdoor applications.
- S3, WR, SRC

14FW00015

Apache Honey Hiker Boot





- Full grain wheat nubuck safety hiker.
- Water resistant upper.
- Padded tongue and collar for added comfort.
- Steel toe cap protection and composite midsole protection.
- Lightweight phylon/rubber outsole.
- A popular modern styled boot for all trades.
- S3, SRA
- AP314CM

14FW00014

Apache Ranger Brown





- Brown full grain leather waterproof safety hiker.
- Padded collar and tongue for added comfort.
- Steel toe cap and steel midsole protection.
- Waterproof and breathable inner lining.
- Dual density polyurethane outsole with anti-scuff toe guard.
- Anti-static.
- TPU Heel support and kick plate.
- A good all round waterproof safety boot for a wide range of outdoor applications.
- S3, WR, SRA

14FW00016



DeWalt Challenger 3 Black





- Full grain nubuck leather upper.
- Waterproof and breathable Sympatex membrane inner lining.
- Padded tongue and collar for added comfort.
- Steel toe cap protection and steel midsole protection.
- PU comfort insole.
- TPU dual density outsole.
- A high quality waterproof safety boot from DEWALT.
- S3, WR, SRA

14FW00017

Available sizes UK 6 - 12

Dewalt Rigger





- Brown full grain leather upper.
- Padded cuff for added comfort.
- Steel toe cap protection and steel midsole protection.
- Comfort insole.
- Durable goodyear welted rubber outsole.
- Padded ankle and TPU heel support.
- A robust styled rigger boot from DEWALT.
- SBP, SRA

14FW00019 Available sizes **UK 6 - 13**

DeWalt Challenger 3 Brown





- Full grain nubuck leather upper.
- Waterproof and breathable Sympatex membrane inner lining.
- Padded tongue and collar for added comfort.
- Steel toe cap protection and steel midsole protection.
- PU comfort insole.
- TPU dual density outsole.
- A high quality waterproof safety boot from DEWALT.
- S3, WR, SRA

14FW00018

Available sizes UK 6 - 12

Dewalt Radial





- Full grain brown waxy leather upper.
- Elasticated sides with two woven pull loops front & rear.
- Steel toe cap protection steel midsole protection.
- Comfort insole.
- Phylon/rubber outsole.
- A modern styled dealer boot from DEWALT.
- SBP, SRA

14FW00020

Available sizes UK 6 - 12

Apache Combat



- Black full grain leather upper incorporating Cordura fabric.
- Waterproof and breathable inner lining.
- Waterproof YKK zip side entry.
- Anti-scuff TPU heel & toe guard.
- Heat resistant rubber outsole.
- 100% non-metallic.
- A highly technical boot with a great degree of comfort.
- S3, WRA, SRC

14FW00021

Available sizes UK 6 - 12

Apache Flyweight Dealer Boot



- Lightweight brown water resistant dealer boot.
- Elasticated sides for easy foot entry.
- Aluminium toe protection and composite midsole protection.
- Lightweight and flexible phylite/rubber outsole technology.
- Anti-static.
- A very comfortable boot for a wide range of working applications.

Worksite SS630SM



- Black PVC rigger boot with fur lining for added thermal properties.
- Steel toe cap and steel midsole protection.
- · Leather pull loops.
- Anti-static.
- A rigger for those wet/muddy conditions.

14FW00022

Available sizes UK 5 - 14

Apache Rigger AP305



- Brown leather waterproof safety rigger.
- Padded ankle area and TPU heel guard for stability.
- Steel toe cap and steel midsole protection.
- Waterproof and breathable inner lining.
- Dual density polyurethane outsole with anti-scuff toe guard.
- Anti-static.
- A good all round waterproof safety boot for a wide range of outdoor applications.
- S3, WR, SRA
- AP305

14FW00024

Available sizes UK 6 - 13



Apache Strike





- Navy suede and canvas upper.
- Padded tongue and collar for added comfort.
- Steel toe cap protection and composite midsole protection.
- Lightweight EVA/rubber outsole.
- A retro sports safety trainer for light industrial applications.
- SBP, SRA

14FW00025

Available sizes UK 6 - 12

Apache AP306





- Black full grain leather water resistant safety shoe.
- Padded collar and tongue for added comfort.
- Steel toe cap and steel midsole protection.
- Dual density polyurethane outsole.
- Anti-static.
- A traditional lightweight safety shoe for most industries.
- S3, SRA

Apache AP318SM





- Black nubuck/mesh safety trainer.
- Padded collar and tongue for added comfort.
- Steel toe cap and steel midsole protection.
- Anti-scuff toe guard.
- Phylon/rubber outsole.
- Anti-static.
- A classic trainer style for light industrial use.
- S1P, SRA

14FW00026

Available sizes UK 6 - 12

Sterling Steel 402SM





- Black buffalo grain leather safety shoe.
- Padded collar for added comfort.
- Steel toe cap and steel midsole protection.
- Dual density polyurethane outsole.
- Anti-static.
- An entry level lightweight safety shoe for most industries.
- S1P, SRA

14FW00028 14FW00027 Available sizes UK 3 -14 Available sizes UK 4 - 12

No Risk Armstrong Boot



- Upper: Nubuck leather • Lining: Drilex breathable
- Toe Cap: Steel
- Insole: Clima cork system
- Midsole: Steel
- Sole: Double density
- PUClass: S3 SRC

14FW00029

Xpert Warrior & Dealer Boot





- Waxy leather upper
- Protective steel toecap
- Stainless steel anti-penetration midsole
- Dual density PU/TPU hardwearing outsole
- Xpert® Scuff Cap for added durability and protection
- Conforms to EN ISO 20345:2011 SBP SRC

No Risk Discovery Boot



- Upper: Nubuck leather
- Lining: Drilex breathable
- Toe Cap: Steel
- Midsole: Kevlar
- Sole: Double density PU/TPU
- Class: S3 SRC
- Highlights: Clima Cork System, Lightweight, flexibility

14FW00030

Available sizes UK 6 - 12

Microfibre Boot / Gel Insole 'Footsock'



SAFEWAY HI-TECH

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip resistant monodensity sole
- Washable to 40°C
- Anti-Bacterial lining
- Conforms to EN ISO 20345 S1 \$
- CF852


14FW00033



- High elastic eva, soft latex,
- Shock absorption honeycomb heel
- Excellent comfort, cushioning and support
- Honeycomb gel heel for extra cushioning
- Helps prevent injury
- Anti-static stitching
- CF1000

Available sizes UK 6 - 13

14FW00034





Composite PUR Boot



- · Acifort full safety
- PVC/Nitrile Rubber
- Steel toe cap
- Midsole protection
- Various chemical resistant
- Oil resistant outsole
- 100% Waterproof
- Conforms to EN ISO 20345
- D8864

14FW00035

Available sizes UK 6 - 12

Swampmaster Safety PU Wellington



- Lightweight, durable polyurethane waterproof Wellington boot
- · Air bubble circulation and insulation technology
- Impact-absorbing protective pads
- Self-cleaning outsole tread design
- Heel-impact absorbing system
- Easy-off heel tab
- Safety steel toe cap
- Steel midsole
- Conform to EN20345 S5

14FW00036

Available sizes UK 6 - 12

Purofort+® Rugged Full Safety Rigger



- Steel toe cap protection
- Midsole protection
- Anti-Static
- Oil resistant outsole
- Energy absorbing
- Anti-slip
- Lightweight
- Cold insulation down to -20°C
- Pull on straps
- Easy to clean
- C762041

Purofort+® Full Safety Wellington



- Steel toe cap
- Midsole protection
- Energy absorbant
- Anti-static
- Oil resistant outsole
- Slip resistant
- 100% waterproof
- Cold insulating to -20°C
- Additional reinforcement in the metatarsal area
- Lightweight and durable
- SRC highest non slip certification
- C762041

14FW00038

Available sizes UK 6 -13

Available sizes UK 6 -13

Full Safety Chest Wader



PCWFS14FW00039

• Conforms to EN ISO 20345

Available sizes UK 6 - 12

Purofort® Thermo+ Full Safety Wellington



- Steel toecap
- Midsole protection
- Energy absorbing sole
- Antistatic
- Various chemical resistant
- Oil resistant outsole
- Slip resistant
- 100% waterproof
- Cold insulating
- C662933

Full Safety Thigh Wader



- Steel toecap
- Steel Midsole
- Resistant to mineral oils
- Resistant to animal & vegetable oils and fats
- Resistant to disinfectants and various chemicals
- 100% waterproof
- Also available in a non safety version
- Conforms to EN ISO 20345
- PTWFS/PTW

14FW00040

Available sizes UK 6 - 12

Purofort® Professional Full Safety Wellington



- Steel toecap
- Midsole protection
- Energy absorbing sole
- Antistatic
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof
- Cold insulating
- Conforms to EN ISO 20345
- C462933

14FW00042 Available sizes **UK 4 - 13**



Tracing Dye



• Drain dye blue, orange and green

15DN00001

Pipe Stoppers



- Pipe stopper 2" **15DN00003**
- Pipe stopper 4" 15DN00004
- Pipe stopper 6" **15DN00005**
- Pipe stopper 8" **15DN00006**
- Pipe stopper 9" **15DN00007**
- Pipe stopper 10" **15DN00008**
- Pipe stopper 12" 15DN00009Pipe stopper 14" 15DN00010
- Pipe stopper 15" **15DN00011**
- Pipe stopper 16" **15DN00012**
- Pipe stopper 18" **15DN00013**
- Pipe stopper 20" **15DN00014**

Drain Testing Kit



- Drain test kit
- Complete with 2 4" stoppers


15DN00002

Sewer Rod Set



- Sewer rod set complete 15DN00015
- Individual sewer rods 15DN00016

Drainage Stoppers & Plungers



- A Half moon drop scraper **15DN00017**
- B Drain rod wheel **15DN00018**
- C Drain plunger 4" / 6" **15DN00019**
- D Double worm screw 15DN00020

18" Manhole Lifting Keys



• 18" manhole lifting keys 15DN00021

Telecom Lifting Key



• Lifting key for telecom boxes

Standpipe & Keys



- Threaded standpipe **05FE00016**
- Bayonette standpipe 05FE00017
 Standpipe key oval 05FE00018
- Standpipe key square **05FE00019**

Cable Reel 25m



• 25m 110 Volt 1.5ml cable extension lead

16EL00001

Tala Large Cable Reel 220V



- Heavy duty cable reels, designed for light industrial use
- 25m x 220V 2 Out, 1.5mm² Large Cable Reel **16EL00004**
- 25m x 220V 2 Out, 2.5mm² Large Cable Reel **16EL00005**
- 40m x 220V 2 Out, 2.5mm² Large Cable Reel **16EL00006**

Cable Reel 40 and 25m



- 40m 110 Volt 2.5ml cable extension lead **16EL00002**
- 25m 110 Volt 2.5ml cable extension lead 16EL00003

Tala Small Cable Reel 220V



• Small cable reel 10Mx1mm²

16EL00007

Extension Leads



Anti-Surge Extension Leads



- 4 gang extension lead 2m 16EL00008
- 4 gang extension lead 5m 16EL00009

Festoon Lighting Kit



- Festoon lighting kit 25m complete with bulbs and guards 110 volt
- 100m kits available

- Complete with surge protection4 gang 16EL000106 gang 16EL00011

Junction Box & Drag Lead



- 110 volt junction box **16EL00013**
- 110 volt 14m drag lead 16EL00014

Transformer 3KVA



Transformer 5KVA



• 3 KVA 110 volt transformer **16EL00015**

• 5 KVA 110 volt transformer **16EL00016**

10KVA Transformer



- Heavy duty 10kva transformer
- Complete with 16 amp & 32 amp outlets

16EL00017

10KVA Transformer 3 phase



- Heavy duty 10kva transformer 3 phase
- Complete with 16 amp & 32 amp outlets

16EL00018

LED Site Light



- Tala 110 volt LED portable work light 16EL00019
- Heavy duty aluminium body
- Fitted with heavy duty metal guard
- IP44 rated
- 3x1.5m length cable
- Available voltages: 110V, 220V
- Tala 110 volt task light 16EL00020
- 38W fluorescent light
- Mirror back panel
- IP44 rated
- 3m cable with plug
- Available voltages: 110V, 220V

Tripod Site Lights



- Tala double head 110 volt tripod light 1000w 16EL00021
- Tala single head 110 volt tripod light 500w 16EL00022

Tala 20W LED Task Lamp



- 20W LED light
- 2000 lumens
- 3m cable with built-in storage
- 1 socket outlet
- Impact resistant case
- Waterproof rated to IP54
- Power take-off, run lights in series
- Available voltages: 110V, 220V

Rechargeable LED Work Lights



- Jefferson 230V portable rechargeable tripod LED work light 16EL00025
- Jefferson 230V portable rechargeable LED work light 16EL00026



110V LED Tripod Light



• Single 110V LED work light on tripod 16EL00027

Tala 36W LED Up Light 110V



- 36 Watt LED Light
- Provides 3050 lumens of light
- 3m fitted cable with plug
- 1 socket outlet
- Rated IP54
- Available voltage 110V

16EL00029

230V LED Tripod Light



• Single 230V LED work light on tripod 16EL00028

110V Double Head LED Light



• Tala 110V double head 60W LED light **16EL00030**

230V Accessories



- 230 volt plug adaptor 16EL00031
- 230 volt drag lead 16EL00032

110V Plug & Socket



- 110V plug 16amp **16EL00037**
- 110V socket 16amp 16EL00038 • 110V plug 32amp 16EL00039
- 110V socket 32amp **16EL00040**



- Tala 3-Way 16A 110V Adaptor
- 3 way multiple outlet socket
- 16A
- 100-130V ~ 50-60Hz
- Conforms to IEC309-2

16EL00041

230V Plug & Socket



• Jefferson 230V plug 16amp **16EL00033**

• Jefferson 230V socket 16amp 16EL00034 • Jefferson 230V plug 32amp

16EL00035

• Jefferson 230V socket 32amp **16EL00036**

Inspection Lamp 110V / Jefferson Torch



- Rated IP54

16EL00042

- Jefferson Torch
- Clamp/hook mechanism
- Rechargeable 3.7V 2200mAH LI battery
- 120 Lumens output
- 5Hr Runtime from full charge
- Non-slip comfort grip
- Includes AC/DC charging adaptors (230V & 12V)

16EL00043



CODE (INDUSTRIAL)	010-154	010-155	010-156	010-157	010-158	010-159	010-160	010-161	010-162
Number of steps	4	5	6	7	9	8	10	11	12
Platform height mm	965	1200	1440	1680	2160	1920	2400	2640	2880
Platform depth mm	360	360	360	540	540	540	540	540	540
Width of treads mm	500	620	620	620	620	620	620	620	620
Depth of treads mm	180	180	180	180	180	180	180	180	180
O/A Length of steps mm	1080	1270	1470	1830	2200	2040	2360	2545	2730
Max width of steps mm	890	1010	1010	1010	1060	1060	1110	1110	1110
O/A height of steps mm	1790	2130	2370	2610	3090	2850	3330	3570	3810

CODE	441-005	441-009	441-011	441-013	Office Stone
Treads	2	3	4	5	Office Steps
Average working height mm	2000	2260	2520	2770	
Platform height mm	508	762	1016	1270	/ I V
Platform width mm	380	380	380	380	
Platform depth mm	280	280	280	280	
Overall width mm	580	580	580	580	
Overall length mm	540	795	955	1120	
ome covered spring load	ou ouoto	0 1110410			
easy movement and a firm contact with the floor when weight is applied to the steps.	5		١٤		

Index

Adjustable spanner 37,38 Coffee 127 Air Horn 117 Cone Bars 62-63 Antistatic/Arc clothing 256, 258-261 Cone Spinners 78 Back Supports 238 Corrigated Paper 107 Barrier Mesh 78 Crowbars 7, 11, 49 Barrier Pins 78 Crowbars 7, 11, 49 Barriers 65-76, 87, 109 Cube Moulds 56 Baseball Caps (Safety) 180, 181 Curring Tank 57 Batterier 88-89 Cutlery 124 Beacons 77 Cutting Discs 54-55 Batterier 235 D Cutting Discs 54-55 Batterier 323 Debris Netting 81 81 Batterier 235 D Debris Netting 81 81 Batterier 232 Debris Netting 81 81 81 81 81 81 81 81 81 81 81 81 81 81	A		C (contd)	
Air Horn 117 Cone Bars 62-63 Antistatic/Arc clothing 256, 258-261 Cone Spinners 7.7 Back Supports 238 Corvex Mirrors 7.8 Back Supports 238 Crowbars 7.11, 49 Barrier Mesh 7.8 Crowbars 7, 11, 49 Barrier Pins 7.8 Crowbars 7, 11, 49 Barrier Saseball Caps (Safety) 1.80, 181 Curb Moulds 5.6 Baseball Caps (Safety) 1.80, 181 Cuttery 1.24 Beacons 7.7 Cutting Discs 54-55 Beanie Hats 1.83, 234 Eeth 2.35 D Bins 1.28, 129 Debris Netting 8.1 B.1 Black Bags 1.28 Delph 1.25 B.1 Black Bags 1.28 Delph 1.25 B.1 B.1 1.30 B.1 1.30 B.1 1.30 B.1 1.30 B.1 1.30 B.1 B.5 B.1 B.2 Delph 1.25 B	Adjustable spanner	37, 38		127
Back Supports Cones 60-61 Back Supports 238 Corvex Mirrors 78 Barrier Mesh 78 Crayons & Chalk 91 Barrier Pins 78 Crowbars 7, 11, 49 Barriers 65-76, 87, 109 Cube Moulds 56 Baseball Caps (Safety) 180, 181 Curring Tank 57 Batteries 88-89 Cutlery 124 Beacons 77 Cutlery 124 Bacters 125 Deptis Netting 81 Balack Bags 122 Debris Netting 81 Black Bags 128 Delpting Discs <td></td> <td>117</td> <td>Cone Bars</td> <td>62-63</td>		117	Cone Bars	62-63
Back Supports 238 Convex Mirrors 78 Barrier Mesh 78 Corigated Paper 107 Barrier Mesh 78 Crowbars 7, 11, 49 Barrier Pins 78 Crowbars 7, 11, 49 Barrier Serier	Antistatic/Arc clothing	256, 258-261	Cone Spinners	77
Back Supports 238 Corrigated Paper 107 Barrier Mesh 78 Crayons & Chalk 91 Barrier Pins 78 Crowbars 7,11,49 Barriers 65-76,87,109 Cube Moulds 56 Baseball Caps (Safety) 180,181 Curring Tank 57 Batteries 88-89 Cutlery 124 Beacons 77 Cutting Discs 54-55 Beanie Hats 183,234 Ference 81 Bins 128,129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Boldrads 64 Dishwasher 125 Bollards 64 Dishwasher 125 Bolts 99 Disposable Cups 135 Bolts 99 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48,135 Disposable Overalls 226-227			Cones	60-61
Barrier Mesh 78 Crayons & Chalk 91 Barrier Pins 78 Crowbars 7, 11, 49 Barriers 65-76, 87, 109 Cube Moulds 56 Baseball Caps (Safety) 180, 181 Curring Tank 57 Batteries 88-89 Cutlery 124 Beacons 77 Cutting Discs 54-55 Beanie Hats 133, 234 128 Delpin 125 Bins 128, 129 Debris Netting 81 81 Black Bags 128 Delph 125 12 Blades 26-27 Detergents 130 1	В		Convex Mirrors	78
Barrier Pins 78 Crowbars 7,11,49 Barriers 65-76,87,109 Cube Moulds 56 Baseball Caps (Safety) 180,181 Curring Tank 57 Batteries 88-89 Cutlery 124 Beacons 77 Cutting Discs 54-55 Beanie Hats 183,234 Belt 235 D Bins 128,129 Debris Netting 81 Bins 128,129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bollards 64 Dishwasher Tablets 135 Bollsters 19 Disposable Gups 125 Bolsters 19 Disposable Cups 229 Brushes 48,135 Disposable Gups 229 Brushes 48,135 Disposable Overalls 226-227 </td <td>Back Supports</td> <td>238</td> <td>Corrigated Paper</td> <td>107</td>	Back Supports	238	Corrigated Paper	107
Barriers 65-76, 87, 109 Cube Moulds 56 Baseball Caps (Safety) 180, 181 Curring Tank 57 Batteries 88-89 Cutlery 124 Beacons 77 Cutting Discs 54-55 Beanie Hats 183, 234 February 128 Belt 235 D February 81 Black Bags 128, 129 Debris Netting 81 81 Blades 26-27 Detergents 130	Barrier Mesh	78	Crayons & Chalk	91
Baseball Caps (Safety) 180, 181 Curring Tank 57 Batteries 88-89 Cutlery 124 Beacons 77 Cutling Discs 54-55 Beanie Hats 183, 234 **** Belt 235 D Bins 128, 129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Boltsers 19 Dishwasher Tablets 133 Bolts 99 Disposable Gloves 229 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Gloves 229 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Rods 274 Builfloat 23	Barrier Pins	78	Crowbars	7, 11, 49
Batteries 88-89 Cutlery 124 Beacons 77 Cutting Discs 54-55 Beanie Hats 183, 234 Permonter Section 54-55 Belt 235 D D Bins 128, 129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolsters 19 Dishwasher Tablets 135 Bolts 99 Disposable Cups 125 Bolts 99 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Gloves 228 Brushes 48, 135 Disposable Overalls 226-227 Buble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106	Barriers	65-76, 87, 109	Cube Moulds	56
Beacons 77 Cutting Discs 54-55 Beanie Hats 183, 234 **** Belt 235 D Bins 128, 129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Boltsers 19 Dishwasher Tablets 135 Bolts 99 Dispensers 132-133 Boots 264-271 Disposable Gups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Brushes 48, 135 Disposable Overalls 226-227 Bushble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Rods 274 Bunting 78	Baseball Caps (Safety)	180, 181	Curring Tank	57
Beanie Hats 183, 234 Belt 235 D Bins 128, 129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolsters 19 Dishwasher Tablets 135 Bolts 99 Dispensers 132-133 Boots 264-271 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 100 Builders Film 82 Drain Dye 274 Bullfloat 23 Drain Test Kit 274 Bulfloat 23 Drain Test Kit 274 Bunting 80 Duct Barck <	Batteries	88-89	Cutlery	124
Belt 235 D Bins 128, 129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolsters 19 Disposable Cups 135 Bolts 99 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Buildfloat 23 Drain Toype 274 Buildfloat 23 Drain Toype 274 Butting 78 Drain Test Kit 274 Butting 78 Drain Test Kit 274 Butting 80	Beacons	77	Cutting Discs	54-55
Bins 128, 129 Debris Netting 81 Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolsters 19 Dishwasher Tablets 135 Bolts 99 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Gloves 228 Brushes 48, 135 Disposable Overalls 226-227 Buble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Film 82 Drain Toppers 274 Bulfloat 23 Drain Test Kit 274 Bulting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 <	Beanie Hats	183, 234		
Black Bags 128 Delph 125 Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolts 19 Dishwasher Tablets 135 Bolts 99 Disposable Cups 122-133 Boots 264-271 Disposable Gloves 229 Brushes 48, 135 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 23 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Cable Tidi 80 Duct Brush 59	Belt	235	D	
Blades 26-27 Detergents 130 Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolsters 19 Dishwasher Tablets 135 Bolts 99 Disponsers 132-133 Botts 299 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Rods 274 Builders Line 82 Drain Rods 274 Bulfloat 23 Drain Rods 274 Bulting 78 Drain Rods 274 Bulting 78 Drain Rods 274 Bulting 80 Duct Brush 59 Cable Tidi 80 Duct Brush 59 Cable Tidi	Bins	128, 129	Debris Netting	81
Body Warmers 232 Diamond Blades 54 Bollards 64 Dishwasher 125 Bolsters 19 Dishwasher Tablets 135 Bolts 99 Dispensers 132-133 Boots 264-271 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 23 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 80 Duct Brush 59 Cable Tide 80 Duct Brush 59 Cable Tide 10 Duct Tape 100	Black Bags	128	Delph	125
Bollards 64 Dishwasher 125 Bolsters 19 Dishwasher Tablets 135 Bolts 99 Dispensers 132-133 Boots 264-271 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Builders Line 82 Drain Rods 274 Bulfloat 23 Drain Test Kit 274 Bulfloat 23 Drain Test Kit 274 Bulfloat 23 Drain Test Kit 274 Bulfloat 80 Duct Brush 59 Cable Tidi 80 Duct Mandrels 59 Cable Tidi 80 Duct Mandrels 59	Blades	26-27	Detergents	130
Bolsters 19 Dishwasher Tablets 135 Bolts 99 Dispensers 132-133 Boots 264-271 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 23 Drain Test Kit 274 Butting 78 Drain Test Kit 274 Butting 80 Duct Brush 59 Cable Tidi 80 Duct Mandrels 59 Cable Tidi 80 Duct Tape 100	Body Warmers	232	Diamond Blades	54
Bolts 99 Dispensers 132-133 Boots 264-271 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bullfloat 23 Drain Stoppers 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drill Bits 58 C Drip Trays 115 Cable Tidi 80 Duct Brush 59 Cahle Tidi 80 Duct Brush 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm	Bollards	64	Dishwasher	125
Boots 264-271 Disposable Cups 125 Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bullfloat 23 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 80 Duct Bush 59 Cable Tidi 80 Duct Brush 59 Cable Tidi 80 Duct Mandrels 59 Canteen Table 126 Duct Mandrels 208-211 Carpon Monoxide Alarm 117 Dust Pan & Brush 135	Bolsters	19	Dishwasher Tablets	135
Brick Acid 104 Disposable Gloves 229 Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Builfloat 23 Drain Stoppers 274 Bullfloat 23 Drain Stoppers 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 23 Drain Test Kit 274 Bullfloat 80 Drain Test Kit 274 Drill Bits 58 58 C Drip Trays 115 Cable Tidi 80 Duct Bush 59 Cable Tidi 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 </td <td>Bolts</td> <td>99</td> <td>Dispensers</td> <td>132-133</td>	Bolts	99	Dispensers	132-133
Brushes 48, 135 Disposable Overalls 226-227 Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bullfloat 23 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Drill Bits 58 58 58 C Drip Trays 115 58 Cable Tidi 80 Duct Brush 59 Canteen Table 126 Duct Mandrels 59 Carbe Tidi 127 Dust Masks 208-211 Carpet Protection 105 Dust Pran & Brush 135 <t< td=""><td>Boots</td><td>264-271</td><td>Disposable Cups</td><td>125</td></t<>	Boots	264-271	Disposable Cups	125
Bubble Wrap 107 Disposable Shoe Covers 228 Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drip Trast Kit 274 Drill Bits 58 C Drip Trays 115 Cable Tidi 80 Duct Brush 59 Cable Ties 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chairs 127, 139 E Chairs 127, 139 E Chair Line 36 Ear Protection 190-195 C	Brick Acid	104	Disposable Gloves	229
Buckets 83 Door Protection 106 Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bunting 78 Drain Test Kit 274 Drill Bits 58 58 58 58 115 Cable Tidi 80 Duct Brush 59 20 115 59 20	Brushes	48, 135	Disposable Overalls	226-227
Builders Film 82 Drain Dye 274 Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Drill Bits 58 58 C Drip Trays 115 Cable Tidi 80 Duct Brush 59 Cable Tidi 80 Duct Mandrels 59 Cable Ties 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chair 74,87 E Chair 127,139 E Chair 127,139 E Chair 182	Bubble Wrap	107	Disposable Shoe Covers	228
Builders Line 82 Drain Rods 274 Bullfloat 23 Drain Stoppers 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Bunting 78 Drain Test Kit 274 Drill Bits 58 58 C Drip Trays 115 Cable Tidi 80 Duct Brush 59 Cable Tidi 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chair 74,87 E Chair 127,139 E Chaik Line 36 Ear Protection 190-195 Chemical Anchor 95 Event Netting 81 Chisels 19,46 Excavation Tags 80	Buckets	83	Door Protection	106
Bullfloat 23 Drain Stoppers 274 Bunting 78 Drain Test Kit 274 Drill Bits 58 C Drip Trays 115 Cable Tidi 80 Duct Brush 59 Cable Ties 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chain 74, 87 105 Chairs 127, 139 E Chalk Line 36 Ear Protection 190-195 Chemical Anchor 95 Event Netting 81 Chin Straps 182 Excavating Spoon 7, 10 Chisels 19, 46 Excavation Tags 80 Claw Hammers 10, 16, 17 Expanding Foam 95-96 Cloths 131 Extension Leads 93, 276 <	Builders Film	82	Drain Dye	274
Bunting 78 Drain Test Kit 274 Drill Bits 58 C Drip Trays 1115 Cable Tidi 80 Duct Brush 59 Cable Ties 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chain 74, 87 Chairs 127, 139 E Chalk Line 36 Ear Protection 190-195 Chemical Anchor 95 Event Netting 81 Chi Straps 182 Excavating Spoon 7, 10 Chisels 19, 46 Excavation Tags 80 Claw Hammers 10, 16, 17 Expanding Foam 95-96 Cloths 131 Extension Leads 93, 276	Builders Line	82	Drain Rods	274
C Drill Bits 58 Cable Tidi 80 Duct Brush 59 Cable Ties 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chain 74,87 E Chairs 127,139 E Chalk Line 36 Ear Protection 190-195 Chemical Anchor 95 Event Netting 81 Chin Straps 182 Excavating Spoon 7, 10 Chisels 19,46 Excavation Tags 80 Claw Hammers 10,16,17 Expanding Foam 95-96 Cloths 131 Extension Leads 93,276	Bullfloat	23	Drain Stoppers	274
C Drip Trays 115 Cable Tidi 80 Duct Brush 59 Cable Ties 80 Duct Mandrels 59 Canteen Table 126 Duct Tape 100 Carbon Monoxide Alarm 117 Dust Masks 208-211 Carpet Protection 105 Dust Pan & Brush 135 Cats Eyes 74 Dust Sheets 105 Chain 74, 87 The Chairs 127, 139 E Chalk Line 36 Ear Protection 190-195 Chemical Anchor 95 Event Netting 81 Chin Straps 182 Excavating Spoon 7, 10 Chisels 19, 46 Excavation Tags 80 Claw Hammers 10, 16, 17 Expanding Foam 95-96 Cloths 131 Extension Leads 93, 276	Bunting	78	Drain Test Kit	274
Cable Tidi80Duct Brush59Cable Ties80Duct Mandrels59Canteen Table126Duct Tape100Carbon Monoxide Alarm117Dust Masks208-211Carpet Protection105Dust Pan & Brush135Cats Eyes74Dust Sheets105Chain74, 8774Chairs127, 139EChalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276			Drill Bits	58
Cable Ties80Duct Mandrels59Canteen Table126Duct Tape100Carbon Monoxide Alarm117Dust Masks208-211Carpet Protection105Dust Pan & Brush135Cats Eyes74Dust Sheets105Chain74, 8774Chairs127, 139EChalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	С		Drip Trays	115
Canteen Table126Duct Tape100Carbon Monoxide Alarm117Dust Masks208-211Carpet Protection105Dust Pan & Brush135Cats Eyes74Dust Sheets105Chain74, 87Total Chairs127, 139EChairs127, 139EEar Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Cable Tidi	80	Duct Brush	59
Carbon Monoxide Alarm117Dust Masks208-211Carpet Protection105Dust Pan & Brush135Cats Eyes74Dust Sheets105Chain74, 87Total Chairs127, 139EChalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Cable Ties	80	Duct Mandrels	59
Carpet Protection105Dust Pan & Brush135Cats Eyes74Dust Sheets105Chain74,87Total Pan & Brush105Chairs127,139EChalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7,10Chisels19,46Excavation Tags80Claw Hammers10,16,17Expanding Foam95-96Cloths131Extension Leads93,276	Canteen Table	126	Duct Tape	
Cats Eyes 74 Dust Sheets 105 Chain 74, 87 Chairs 127, 139 E Chalk Line 36 Ear Protection 190-195 Chemical Anchor 95 Event Netting 81 Chin Straps 182 Excavating Spoon 7, 10 Chisels 19, 46 Excavation Tags 80 Claw Hammers 10, 16, 17 Expanding Foam 95-96 Cloths 131 Extension Leads 93, 276	Carbon Monoxide Alarm	117	Dust Masks	208-211
Chain74,87Chairs127, 139EChalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Carpet Protection	105	Dust Pan & Brush	135
Chairs127, 139EChalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Cats Eyes	74	Dust Sheets	105
Chalk Line36Ear Protection190-195Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Chain	74, 87		
Chemical Anchor95Event Netting81Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Chairs	127, 139	E	
Chin Straps182Excavating Spoon7, 10Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Chalk Line	36	Ear Protection	190-195
Chisels19, 46Excavation Tags80Claw Hammers10, 16, 17Expanding Foam95-96Cloths131Extension Leads93, 276	Chemical Anchor	95	Event Netting	81
Claw Hammers 10, 16, 17 Expanding Foam 95-96 Cloths 131 Extension Leads 93, 276	·	182	Excavating Spoon	7, 10
Cloths 131 Extension Leads 93, 276	Chisels	19, 46	Excavation Tags	80
,		10, 16, 17	_	95-96
Cobra Reels 59 Eye Protection 197-205	Cloths	131	Extension Leads	93, 276
	Cobra Reels	59	Eye Protection	197-205

F		H (contd)	
Face Guards	180	Hawks	22
Face Masks	211-219	Heaters	93
Fall Protection	220-225	Helmet Warmer	183
Fans	93	Helmets	180-181, 184-187
Feather Edge	22	Hession Roll	82
Fencing	78	High Visibility Clothing	242-254
Files	46	Hinges	99
Fire Bell	117	Hoover	136
Fire Blanket	116		
Fire Extinguishers	116-118	I	
Fire Hose	116, 118	ID Tags	182
First Aid	120-123	Inspection Camera	33
Flame Retardant Clothing	256-263	Insulated Tools	8-11
Flashing Beacons	77	Insulation Tape	100
Flashing Lamp	74		
Fleece	232	J	
Flexi Tubs	83	Jackets	232, 236, 239
Floats	20-21	Jerry Cans	84
Floor Leveling Compound	97	Jeyes Fluid	85
Floor Protection	105-106	Jigsaw Blades	55
Floor Scrapers	48, 49	Joint Raker	23
Floor Screeds	22		
Foam Gun	22	К	
Foil Tape	103	Kerb Lifter	23
Forks	3, 5, 7, 9	Kettle	126
Fridge	125	Keying Hammer	10
Frog Tape	103	Knapsack Sprayer	84-85
Funnels	83	Kneepads	237
		Knives	26, 27
G Cardon Hasa	84		
Garden Hose Glass Protection	106	L Laddor Tags	90
Gloves	106 166-177	Ladder Tags Ladders	80 110-113
	199-201	Lauders Laser Level	
Goggles Gorilla Tape	199-201	Laser Measurer	34 32
Grass Seed	85	Lens Cleaning Station	201, 205
Grease Cartridge	104	Life Bouy	119
Grease Gun	104	Life Jacket	119
Grit (Salt) Bin	76	Lifting Bag (1 tonne)	82
Grout	97	Lifting Slings	108
Grout	37	Lights (Site)	277-280
Н		Litter Picker	135
Hammer Tacker	45	Lump Hammer	10, 14, 15
Hammers	14-18	Earlip Hallillel	10, 14, 13
Hand Cleaner	130-131		
Hand Paper	132-133		
Hand Wipes	131		
Harness & Lanyards	220-225		

M		P (contd)	
Manhole Keys	275	Plunger	135
Masking Spray	91	Polo Shirts	233, 236
Masking Tape	100	Pool Floats	20
Mats	136-137	Post Driver	3
Measuring Tapes	28-31	Pozi Bit Sets	47
leasuring Wheels	31	Pump Sprayer	85
Micro Tags	80	PVA Bond	97
/licrowave	126		
Moisture Meter	33	R	
Mop Bucket	134	Rags	133
Mops	134	Rakes	3, 49
Mortar Bin	56	Rammer	3, 11
Mortar Mould	56	Ramps	74
Mould Release Oil	56	Ranging Rods	31
Mould X	96	Rat Poison	85
Multimeter	32	Ratchet Straps	108
		Raydon Tape	101
N		Rebar Caps	107
Iail Bars	49	Reciprocating Saw Blades	55
lails	98-99	Road Paint	90
Nut Drivers	44	Rope	80
		Rubbing Brick	23
)		Rubble Bags	105, 129
oil	104	Rulers	28
veralls	230-231		
Overhead Bunting	78	S	
Overhead Cable Kit	79	Sack Truck	13
		Salt	76
		Sandbags	82
Pad Bolts	99	Sandwich Maker	127
Paddy Cans	84	Saw Blades	53
Padlocks	87	Saws	24-25
Paint	90-92	Scaffold Sheeting	81
Paint Brush	47	Scaffolders Tool Belt	52
Paint Gun	92	Scafftags	80
Paint Rollers	47	Scoop	57
Paint Scraper	47	Screwdrivers	44-45
Paint Trolley	92	Screws	98-99
Pallet Truck	13	Shirts	233
Pallet Wrap	107	Shoe Covers	137
Pencils	46	Shorts	235
Pick Axe	10, 49	Shovels	2-10, 48-49
Plasticiser	97	Shov-Holer	3, 7, 10
Pliers	43	Signs	140-163
11015			

S (contd)		V	
Silicone	94-95	Verge Posts	64
Site Box	13	Vests	248-249, 251, 257
Slab Lifter	22	Vicegrips	37
Slash Hook	48	Visilite	183
Sledgehammer	10, 14-15		
Slump Cone / Rod / Plate	57	W	
Smoke Alarm	117	Walkie Talkie	77-78
Socket Sets	42	Warning Tape	78, 103
Socks	234	Water Barriers	65, 72-73
Spanners	40-42	Water Boilers	124
Spill Kits	114	Water Safety	119
Spirit Levels	34-36	Watering Can	83
Squares	28	Waterproof Trousers	239
Squeegie	49	Waterproofer & Plasticiser	97
Staff 5 mtr	31	Weed Killer	85
Stand Pipe & Key	117	Wellingtons	272-273
Staple Gun	45	Wetsuits	239-241
Star Roller	23	Wetsuits High Visibility	242-254
Stationary	138-139	Wheelbarrows	12
Stilson Pipe Wrench	39	Wheelie Bin	127
Stud Sensor	33	Winter Liners	183
Sugar	127	Wire Brush	48
Sweatshirts	233, 236	Wood Screws	98
		Wrench	37-38
T		_	
Tamping Bar	57	Z	
Tapes (Adhesive)	100-103	Zinc / Galv Spray	91
Tarpaulins	105		
Teabags	127		
Telecom Lifting Key	275		
Temporary Fencing	109		
Thermometer	32, 57		
Toaster	126		
Toilet	132-133		
Toilet Brush	135		
Tool Belt	52		
Tool Holder	52 51.53		
Toolbag	51-52		
Toolbox	50-51		
Torches	88-89		
Tower Bolts Traffic Cones	99 60.61		
	60-61 83		
Trigger Spray Bottle	83 31		
Tripod Legs Trousers	234-235,		
Housels	250-251, 254		
Trowels	230-231, 234 20-21		
Truck Trolley	13		
Truck Trolley	13		